





**DANGER**

**Danger of electrical shock, burns or death.** Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




**CAUTION**

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.




DETAIL AB

DETAIL AC



- NOTES:
- 8 WHEN INSTALLING TV MOUNTING BRACKET, ALIGN THE EDGE OF THE BRACKET WITH THE OUTSIDE EDGE OF THE ALUMINUM EXTRUSION.
  - 7 WIRING IS PART OF WIRE ASM-CHASSIS.
  - 6 USE PANEL TO SUPPORT WIRE CARRIER WITH OPTION 1DF OR RELOCATE TO FORWARD SIDE OF COMPARTMENT WITH OPTION 299 AND USE AS A WIRE COVER.
  - 5 COIL EXCESS CABLE ON TOP SHELF FORWARD SIDE OF COMPARTMENT.
  - 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
  - 3 PLACE CROSS LOCATOR ON SENSOR OVER DIMPLES ON TANK.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
  1. ALL WIRES TO BE SECURED WITH CLAMP10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.



VIEW AA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 1DF EXT TV ENTERTAINMENT CENTER
- 299 ENTERTAINMENT CENTER EXT.W/O
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO COPYRIGHT 2014 WINNEBAGO INDUSTRIES, INC.

ALL DIMENSIONS ARE IN MILLIMETERS

14 E36Y

UNSPECIFIED TOLERANCES ARE:  
 WHOLE DIM (X) : 3  
 ONE-PLACE (X.X) : 1.5  
 TWO-PLACE (X.XX) : 0.50  
 ANGLE : 1°

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

TITLE: WIRING INSTL-BODY,12V




SHEET 1 OF 7 PART NO. 187206 REV 1

REF: 1 13-Feb-2014

\* 187206 \*



8 7 6 5 4 3 2 1



- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

- 92A EXT FULL BODY PAINT PKG # 2
- 27A EXT FULL BODY PAINT PKG #1
- 26H EXT GRAPHIC/PAINT-DLX PKG 2
- 26F EXT GRAPHIC/PAINT DLX PKG 1
- 24C EXT FULL BODY PAINT PKG # 3
- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FIRST USED	
<b>14 E36Y</b>	
DO NOT SCALE DRAWING	
TITLE: <b>WIRING INSTL-BODY,12V</b>	
SHEET 3	PART NO <b>187206</b> REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

8 7 6 5 4 3 2 1

\* 187206 \*




SWITCH-ROCKER  
135740-01-CHT (2)  
135740-02-CHT  
SWITCH-BASE  
135741-03-CHT  
SWITCH-BEZEL  
135742-03-CHT  
SCREW  
G11-08-08U (4)




DETAIL DF

SWITCH-PUMP  
108357-21-000  
ACTUATOR  
108356-23-CHT




DETAIL DG

SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-16-CHT  
SCREW  
G11-08-08U (4)



DETAIL DK (BACK VIEW)




DETAIL DK (FRONT VIEW)

PLUG 81211-06-000  
CIRCUIT BREAKER 93654-03-000

CIRCUIT BREAKER 93655-01-000  
SCREW G52-06-04B  
WASHER OME02B

DL  
DL




DETAIL DB

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

SWITCH-AWNING  
108357-06-000  
ACTUATOR-SWITCH  
108356-12-CHT  
CIRCUITS FFD,FFR,FFE,  
FFE,JJR,FFD


PLATE-SWITCH  
158431-26-CHT  
SCREW  
G11-06-10U (6)



DETAIL DH


SWITCH-STEP  
108357-19-000  
CIRCUITS ER,ES

SWITCH-CHASSIS BATTERY  
108357-18-000  
ACTUATOR-SWITCH  
108356-20-CHT  
CIRCUITS TTY,TTZ,MK,  
UUB,UUC  
WIRE ASM-THERMISTOR  
186796-01-000




DETAIL DC

SWITCH-ROCKER  
135740-01-CHT (2)  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-19-CHT  
SCREW  
G11-08-08U (4)



DETAIL DJ



DETAIL DD

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)






PLATE-KEY, SLIDE ROOM  
163987-01-CHT  
SCREW  
76790-05-000 (4)

LABEL-SLIDEROOM CONTROL, MAN  
163988-01-CHT

SWITCH-KEY,SPST-ILLINOIS LCK  
163097-01-000 (CONNECTS TO CIRCUITS DY & DDJ)




DETAIL DL




DETAIL DR

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)



DETAIL DP

SWITCH-TV LIFT  
108357-06-000  
ACTUATOR  
108356-26-CHT  
PLATE  
144363-02-CHT



DETAIL DT

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-07-CHT  
SCREW  
G11-08-08U (2)


LABEL-WARNING,SLIDEOUT  
116549-01-000

LABEL-SLIDEOUT, DRIVER,FRONT  
163992-01-CHT

SWITCH 108357-06-000  
ACTUATOR 108356-24-CHT  
DR, DU, DT  
BBA, DDJ, BBA


LABEL-SLIDEOUT, PASS,FRONT  
163992-04-CHT

DETAIL DN




SWITCH 108357-06-000  
ACTUATOR 108356-24-CHT  
DT,BBN,BBM,  
BBA,DDJ,BBA

SWITCH 108357-06-000  
ACTUATOR 108356-24-CHT  
DT,HHE,HHF,  
BBA,DDJ,BBA



DETAIL DM

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-07-CHT  
SCREW  
G11-08-08U (2)



DETAIL DS

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

- 45D LOFT BED - WITHOUT
- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

NOTES:  
2 CIRCUIT FROM WIRE ASM-CHASSIS  
1 FOR SWITCH ORIENTATION SEE DETAIL DJ.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

FIRST USED	
<b>14 E36Y</b>	
DO NOT SCALE DRAWING	
TITLE: <b>WIRING INSTL-BODY,12V</b>	
SHEET 4	PART NO <b>187206</b> REV

\* 187206

8

7

6

5

4

3

2

1

D

D

C




C

B

B

A

A



WASHER  
180671-02-CHT (2)  
BULB-LED  
176793-01-000 (2)

1 REMOVE BULB SUPPLIED WITH LAMP, SEND BULB TO STOCK AS PART NUMBER 117805-02-000, REPLACE WITH LED BULB.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265


FIRST USED 14 E36Y

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-BODY,12V

SHEET 5 PART NO 187206 REV

\* 187206 \* A



8

7

6

5

4

3

2

1

D

D

C

C

B

B

A

A



1 SEE ANTENNA INSTALLATION MANUAL FOR  
CORRECT INSTALLATION PROCEDURE.

NOTES:

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FIRST USED  
**14 E36Y**

DO NOT SCALE DRAWING

TITLE:  
**WIRING INSTL-BODY,12V**

SHEET 6 PART NO **187206** REV

\* 187206 \* A

8

7

6





5

4










3

2

1



DETAIL GA



- 29R AC HEAT PUMP-2 HI EFFICIENCY
- 276 A/C ROOF-HI EFF (2) W/EMS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1	265
FIRST USED	
<b>14 E36Y</b>	
DO NOT SCALE DRAWING	
TITLE: <b>WIRING INSTL-BODY, 12V</b>	
SHEET 7	PART NO <b>187206</b> REV
13-Feb-2014	

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- NOTES:
- 2 WIRING IS PART OF WIRE ASM-CHASSIS.
  - 1 WRAP BOTH ENDS WITH TAPE 8363-01-000 TO SECURE CONNECTION.

\* 187206