



DANGER

Danger of electrical shock, burns or death. Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.



CAUTION

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

8

7

6

5

4

3

2

1

DRAWING NO.

MODEL

SHEET

184822-01

170A, 170X

1,2

184822-02

170A, 170X

1,3

184822-03

159G

1,4

RELEASE

REV

DATE

DWG NO

184822

REV

ZONE

REVISION RECORD

DATE

DFTR-ORIG

170X / 170A

159G

CABLE ASM-STARTER (RED)

141415-37-013

185087-01-063

CABLE ASM-COACH BATTERY (YEL)

141415-52-064

141415-52-022

CABLE ASM-COACH BATTERY GND (BLK)

133566-17-029

133566-17-016

CABLE ASM-GENERATOR (GRN)

141415-42-055

141415-42-020

CABLE ASM-GENERATOR GND (BLK)

133566-17-020

133566-17-020

CABLE ASM-JUMPER,POS

141415-52-022

22W

CABLE ASM-JUMPER,NEG

133566-17-022

22W

22W

BATTERY-SECOND

265

CODES/STANDARDS-CSA/CMVSS

1B1

CODES/STANDARDS USA

1B1

265

WINNEBAGO

INDUSTRIES

COPYRIGHT 2014

WINNEBAGO

INDUSTRIES, INC.

DFTR

CHKR

P.E.

M.E.

DSNR

ORIG. DATE

ALL DIMENSIONS ARE IN MILLIMETERS

FIRST USED

14 100-SER

UNSPECIFIED TOLERANCES ARE:

WHOLE DIM (X)

ONE-PLACE (X.X)

TWO-PLACE (X.XX)

ANGLE

MATERIAL:

THIRD ANGLE PROJECTION

DO NOT SCALE DRAWING

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

TITLE:

BATTERY INSTL

SHEET

1 OF 4

PART NO

184822

REV

REF:

1

08-Jul-2015

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

D

C

B

A

D

C

B

A

8

7

6

5

4

3

2

1

8

7

6



5

4

3

2

1




12X BATTERY-ONE
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 12X

FIRST USED		
13 100-SER		
DO NOT SCALE DRAWING		
TITLE: BATTERY INSTL		
SHEET 2	PART NO 184822	REV

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000





- 649 RENTAL - CANADREAM
- 22W BATTERY-SECOND
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265 22W

FIRST USED		
13 100-SER		
DO NOT SCALE DRAWING		
TITLE: BATTERY INSTL		
SHEET 3	PART NO 184822	REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



VIEW DA

1 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

649 RENTAL - CANADREAM
22W BATTERY-SECOND
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265 22W

FIRST USED		
13 100-SER		
DO NOT SCALE DRAWING		
TITLE: BATTERY INSTL		
SHEET 4	PART NO 184822	REV