



**DANGER**

**Danger of electrical shock, burns or death.** Always remove all power sources before attempting any repair, service or diagnostic work. Power can be present from shore power, generator, inverter or battery. All power sources must be disabled and secured before performing any service.




**CAUTION**

If you lack the skills, tools or equipment to perform diagnostic or repair work leave such work to an authorized Winnebago Industries dealer or other qualified shop.

8	7	6	5	4	3	2	1
DRAWING NO.	UNITS						
188342-01	E30T,E36Y,E35B,E35F,E31KE						
188342-02	E27N,E26HE						

RELEASE	REV/DATE	DWG NO	188342
REV ZONE	REVISION RECORD	DATE	DFT-ORIG



LAMP-MARKER,W RED LENS,BLK  
193802-04-000  
GASKET-LIGHT  
193802-05-000  
SCREW  
000G39-08-12U (EXT) (2)

LAMP-MARKER,W AMBER LENS,BLK  
193802-03-000  
GASKET-LIGHT  
193802-05-000  
SCREW  
000G11-08-12U (EXT) (2)

LAMP-MARKER,W AMBER LENS,BLK  
193802-03-000  
GASKET-LIGHT  
193802-05-000  
SCREW  
000G11-08-12U (EXT) (2)

LAMP-MARKER,W AMBER LENS,BLK  
193802-03-000  
GASKET-LIGHT  
193802-05-000  
SCREW G11-08-12U (EXT) (2)

LAMP-MARKER,W RED LENS,BLK  
193802-04-000  
GASKET-LIGHT  
193802-05-000  
SCREW  
000G39-08-12U (EXT) (2)

LAMP-MARKER,W AMBER LENS,BLK  
193802-03-000  
GASKET-LIGHT  
193802-05-000  
SCREW  
000G11-08-12U (EXT) (2)

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS-USA
- 1B1 265

**WINNEBAGO** INDUSTRIES, INC. COPYRIGHT 2014

15 E-SERIES

ALL DIMENSIONS ARE IN MILLIMETERS

UNSPECIFIED TOLERANCES ARE:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
THIRD ANGLE PROJECTION	

DO NOT SCALE DRAWING REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

TITLE: **WIRING INSTL-EXTERIOR LAMPS**




SHEET 1 OF 2 PART NO **188342** REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

NOTES:  
1 NOT USED ON E27N.

\*188342\*



2 TAIL LAMP TO BE INSTALLED WITH WIRES DOWN.

1. GATHER ALL EXCESS WIRE AFTER MAKING ALL CONNECTIONS AND BUNDLE AND SECURE WITH TIE-WIRE 008343-01-000 OR 093147-01-000.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FIRST USED

**15 E-SERIES**

DO NOT SCALE DRAWING

TITLE: WIRING INSTL-EXTERIOR LAMPS

SHEET 2 PART NO 188342 REV

1 21-May-2015

\*188342\*