


RED	1B1	136135-07-034	38E
	265	136136-07-034	38E
YEL	1B1	136131-05-018	2
	265	136134-05-018	2
BLK	1B1	136135-06-018	
	265	136136-06-018	
BRN	1B1	136131-03-039	
	265	136134-03-039	
BLU	1B1	136131-02-128	
	265	136134-02-128	
MAIN	1B1	136137-01-074	
	265	136138-01-074	
BLK-2	1B1	136135-22-006	
	265	136136-22-006	
WHT	1B1	136135-09-025	
	265	136136-09-025	
THROW IN WIRE #1	1B1	136131-05-010	2
	265	136134-05-010	2
THROW IN WIRE #3	1B1	136131-02-028	
	265	136134-02-028	
CONVERTER FEED POS		174023-01-000 (1400 MM)	
CONVERTER FEED NEG		174023-02-000 (1400 MM)	



2 FOR CONNECTOR INSTALLATION, SEE DETAIL AA.

1. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 38E CONVENIENCE PACKAGE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA



1B1 265

WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DIFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) :	3
ONE-PLACE (X.X) :	1.5
TWO-PLACE (X.XX) :	0.50
ANGLE :	1°
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED:
DESCRIPTION: LOAD CENTER/ATS ASM	
SHEET: 1 OF 3	ITEM/PART NO: 000006495 / 31039501000
REF:	1 19-Sep-2016



DETAIL CA



- 7 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
- 6 WITHOUT 38E
- 5 SEE SHT 1 FOR ADDITIONAL INFORMATION.
- 4 SEE WIRING INSTL-BODY, 12V FOR ADDITIONAL INFORMATION.
- 3 CONNECT BLACK WIRE FROM CONVENIENCE RECEPTACLE TO DEDICATED CIRCUIT BREAKER.
- 2 ATTACH TO UNUSED SCREW HOLE ON BACK SIDE OF PANEL TO SECURE WIRES.

NOTES:
1. ALL GROUND WIRES TO BE COVERED WITH TUBING 8041-02-000.

- 38E CONVENIENCE PACKAGE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265	
LOAD CENTER/ATS ASM		
SHEET:	ITEM/PART NO:	REV
3 OF 3	000006495 / 31039501000	