

- 4 USED ON A31C.
- 3 USED ON A26A & A27B.
- 2 USE TAPE 8363-03-000 TO SECURE WIRES IN A-POST.
1. WINNEBAGO WIRE ASSEMBLIES ARE SHOWN FOR CLARITY.
- NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA



DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DIFTR:		MATERIAL:	
UNSPECIFIED TOLERANCES:			
WHOLE DIM (X) :	3		
ONE-PLACE (X.X) :	1.5		
TWO-PLACE (X.XX) :	0.50		
ANGLE :	1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
DESCRIPTION:			
WIRING INSTL-FRONT END			
SHEET:	ITEM/PART NO.:	REV	
1 OF 10	000180320 / 30112301000		

8 7 6 5 4 3 2 1

D

D

C

C

B

B

A


A

→

←

△

NOTES:




CIRCUIT BREAKER-15 AMP
93654-02-000 (4)
SCREW
G52-06-05B (4)

LABEL-CIRCUIT BREAKER
093236-66-000

CIRCUIT BREAKER-25 AMP
93655-01-000
SCREW
G52-06-04B
G52-06-05B
LOCKWASHER
0ME02B-04-071

CIRCUIT BREAKER-25 AMP
93655-01-000
SCREW
G52-06-04B
G52-06-05B
LOCKWASHER
0ME02B-04-071

BREAKER-SELF
RESET, 20 AMP
182283-01-000
SCREW
G52-06-04B
WASHER-LOCK
0ME02B-04-071



BUSS BAR CIRCUIT BREAKER
141744-01-000


BUSS BAR CIRCUIT BREAKER
141744-01-000

VIEW BC 1

BRACKET-FUSE PANEL
149690-02-CHT
SCREW
G11-10-08B (4)

BRACKET-CIRCUIT BREAKER
149689-01-CHT
SCREW
G11-10-08B (4)

CHASSIS SUPPLIED
FUSE PANEL



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION:
WIRING INSTL-FRONT END

SHEET: 2 OF 10 ITEM/PART NO: 000180320 / 30112301000 REV

8 7 6 5 4 3 2 1 20-Sep-2016

8

7

6

5





4

3

2


1



 LIGHT ASM-INDICATOR,RED
 190682-01-000
 LABEL-JACKS DOWN
 133533-01-CHT



RELAY
 63912-02-000 (4)
 SCREW
 G11-08-08U (4)

DETAIL DA


DETAIL DB



DETAIL CA

- NOTES:
-  WIRING FROM LEVELING SYSTEM. SEE LEVELING SYSTEM INSTL FOR ADDITIONAL INFORMATION.
 -  CONNECT POSITIVE WIRE TO TERMINAL MARKED WITH "RED".

FOR ELECTRICAL
 TORQUE
 SPECIFICATIONS
 SEE DWG NO.
 128783-01-000


 FOR
 ELECTRICAL
 CALLOUTS
 SEE DWG NO.
 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION: WIRING INSTL-FRONT END

SHEET:	ITEM/PART NO:	REV
3 OF 10	000180320 / 30112301000	

8

7

6

5




4

3


2

1 20-Sep-2016

8 7 6 5 4 3 2 1



DETAIL DA



DETAIL DB

2 REMOVE PLATE AND DISCARD BEFORE INSTALLING.

1 CHASSIS SUPPLIED.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA


DESCRIPTION:	
1B1 265	
WIRING INSTL-FRONT END	
SHEET:	ITEM/PART NO:
4 OF 10	000180320 / 30112301000
REV	

8 7 6 5 4 3 2 1 20-Sep-2016


8 7 6 5 4 3 2 1

D
C
B
A

D
C
B
A



DETAIL EA



DETAIL EB

- 2 ROUTE WIRES THROUGH HOLE IN STEEL.
1. GATHER ALL EXCESS WIRE AFTER MAKING ALL CONNECTIONS. BUNDLE AND SECURE WITH WIRE TIE 8343-01-000 OR 93147-01-000.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265
WIRING INSTL-FRONT END		
SHEET:	ITEM/PART NO.:	REV
5 OF 10	000180320 / 30112301000	

8 7 6 5 4 3 2 1 20-Sep-2016

- 5 2 4
- ANTENNA-RADIO
90944-02-000
- CABLE ASM-ANTENNA
90944-03-000
- BRACKET-ANTENNA
115916-01-CHT
- SCREW
G39-08-08B (2)



- 5 REMOVE AND REINSTALL AFTER PAINT.
- 4 USE HOLE IN BRACKET AS GUIDE TO DRILL 13 DIAMETER HOLE IN FIBERGLASS.
- 3 TO RADIO.
- 2 SEAL AROUND ANTENNA BASE.
- 1 ROUTE CABLE ALONG A-POST, UNDER TRIM COVER.




NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	
WIRING INSTL-FRONT END	
SHEET:	ITEM/PART NO:
6 OF 10	000180320 / 30112301000
REV	



WIRE ASM-RADIO 1

CABLE ASM-USB+2.5MM A/V (REF) 2

YELLOW,FEMALE RCA COMPONENT TO ADAPTER CABLE (REF)

DETAIL GA

DETAIL GB

- NOTES:
- 2 SEE DASH INSTL FOR ADDITIONAL INFORMATION.
 - 1 WIRE ASM-SUPPLIED WITH RADIO.




FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1	265
WIRING INSTL-FRONT END			
SHEET:	ITEM/PART NO.:	REV	
7 OF 10	000180320 / 30112301000		

8 7 6 5 4 3 2 1



- NOTES:
- 3 ALIGN CAMERA TO CENTER OF BACKWALL AND ADJUST SO BACKWALL IS JUST VISIBLE.
 - 2 RUN CABLE THRU LEFT-HAND COVE TO REAR OF UNIT.
 - 1 PARTS SUPPLIED WITH CAMERA KIT.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA



DESCRIPTION:	
WIRING INSTL-FRONT END	
SHEET:	ITEM/PART NO. REV
8 OF 10	000180320 / 30112301000

8 7 6 5 4 3 2 1 20-Sep-2016


8 7 6 5 4 3 2 1



DETAIL JA



DETAIL JB
(SWITCH COVER NOT SHOWN)



DETAIL JC

1 SEE DETAIL JC FOR WIRING CONNECTIONS.
NOTES:

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-FRONT END		
SHEET:	ITEM/PART NO:	REV
9 OF 10	000180320 / 30112301000	



8 7 6 5 4 3 2 1 20-Sep-2016

8 7 6 5 4 3 2 1

D
C
B
A

CABLE-MONITOR/CAMERA
183822-02-000

ADAPTER CABLE
183820-03-000



DETAIL KA
WIRE ASM-SIDEWALL (REF)
CLAMP (REF)

NOTES:
1 SECURE EXCESS WIRE TO CLAMP USING WIRE TIE 00843-02-000.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1	265
WIRING INSTL-FRONT END			
SHEET:	ITEM/PART NO.:	REV	
10 OF 10	000180320 / 30112301000		

8 7 6 5 4 3 2 1 20-Sep-2016