


SWITCH-WATER PUMP  
108357-21-CHT  
ACTUATOR  
108356-03-CHT  
CIRCUITS  
JA,JY,YYF,XXZ



SWITCH-AUTO LEVEL  
108357-18-000  
ACTUATOR  
108356-03-CHT  
CIRCUITS  
SSD,SSE,SSC,SSF,SSE






PLATE-WALL,  
DUAL COAX  
149557-03-CHT  
SCREW  
G39-08-08U (2)



DETAIL AC

DETAIL AA

DETAIL AB



- 5 WIRE PART OF WIRE ASM-CHASSIS.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FROM WIRE ASM-CHASSIS TO LOAD CENTER

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 299 ENTERTAINMENT CENTER EXT. W/O
- 1DG EXT ENTERTAIN CTR W/TV & CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


1B1 265



DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:			
WHOLE DIM (X)	: 3		
ONE-PLACE (X.X)	: 1.5		
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
			16 D36Z
DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV:	
1 OF 7	000181041 / 30189701000		




SLIDEOUT SWITCHES  
DETAIL DH




SWITCH-CONTROL,  
LOFTBED, TOUCH  
189056-01-000  
SCREW  
076790-05-000 (2)

45B


PANEL-MONITOR, LCD  
175724-02-000




PANEL-MONITOR, PCS 50 AMP  
174384-06-000




32W 3 MODULE-AUTO GEN START  
158425-01-000



REMOTE PANEL  
175385-02-000  
SCREW  
G11-08-08U (2)



THERMOSTAT  
000016270 / 313193-01-CHT  
PLATE-SPACER, THERMOSTAT  
00018276 / 313583-01-CHT  
SCREW  
G11-06-08U (2)



VIEW BA

HARNESS-  
SLIDEOUT MOTOR  
191660-02-000

45B WIRE ASM-  
LOFT BED SWITCH  
190197-01-000

LAMP  
93575-54-CHT  
BULB  
67479-01-000 (2)  
CONNECTOR  
58028-01-000 (2)  
SCREW  
G11-06-10J (2)

SWITCH  
DETAIL DB

WIRE ASM-OVHD  
191011-01-000

PSLED-2  
2

SPEAKER-5.25 DIA  
094097-01-000 (2)  
GRILLE-SPEAKER  
173348-01-CHT (2)  
SCREW  
G11-08-08U (8)

SPEAKER-ROUND, W/O CASE  
160868-01-CHT (2)  
SPEAKER-GRILLE, ROUND  
160868-02-CHT (2)

1JM

HARNESS-  
SLIDEOUT MOTOR  
191660-02-000  
GROMMET  
016188-11-000

SPEAKER-SUBWOOFER  
124884-01-000  
GRILL-SUBWOOFER  
151844-01-CHT  
SCREW  
G11-08-12U (4)

1JM

SWITCHES  
DETAIL DC

SWITCH  
DETAIL DD

SWITCH  
DETAIL DE

RELAY-CANISTER  
063912-02-000  
SCREW  
G11-08-08U

32W

CLAMP-CLOSED  
010497-02-000 (2)

SWITCH  
DETAIL DF

TO FURNACE

12V BREAKER PANEL  
DETAIL DP

CONTROL-SLIDEOUT  
189400-01-000  
SCREW  
G11-10-12U (2)

4 CONFIRM "BAT TYPE" SET TO "FLOODED",  
SET "LBCO" TO "11 VDC".  
SET "BAT AHRS" TO "200 AH" WITH 145  
SET "BAT AHRS" TO "400 AH" WITH 15L  
SEE OPERATORS MANUAL FOR SETUP PROCEDURE.

3 SEE 'GEN TYPE' TO 'GAS/LP'  
SET 'SAFE TYPE' TO 'IGNITION'  
SET 'SPSENSE' TO 'AFTER'  
SEE OPERATOR'S MANUAL FOR SETUP PROCEDURE.

2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS.  
USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX  
OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

15L RESIDENTIAL REFRIGERATOR PKG

145 REFR-EXTRA CAP W/ICEMAKER

32W GENERATOR-START,AUTO SYSTEM

1JM HOME THEATER SOUND SYSTEM

1DG EXT ENTERTAIN CTR W/TV & CD

45B LOFT BED

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA


1B1 265

DESCRIPTION:  
**WIRING INSTL-BODY, 12V**

SHEET: 2 OF 7 ITEM/PART NO: 000181041 / 30189701000 REV

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000


X-X FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000



- 6 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 5 WIRE DROP RUNS UP PATH IN BACK OF REFRIGERATOR CABINET.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:




FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 32W GENERATOR-START,AUTO SYSTEM
- 1DG EXT ENTERTAIN CTR W/TV & CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV:	
3 OF 7	000181041 / 30189701000		






SWITCH-PUMP  
108357-21-000  
ACTUATOR  
108356-23-CHT  
PLATE  
098351-07-CHT  
SCREW  
G11-06-10U (2)

DETAIL DE




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)

DETAIL DC




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)


DETAIL DD



DETAIL DS




DETAIL DH




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DF




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DG




SWITCH-TV LIFT  
108357-06-000  
ACTUATOR  
108356-26-CHT  
PLATE  
144363-02-CHT  
SCREW  
G11-06-10U (2)


DETAIL DK




SWITCH-AWNING LIGHT  
108357-14-000  
ACTUATOR-SWITCH  
108356-12-CHT  
CIRCUITS  
FFD,FFE,FFG,JJS




SWITCH-AWNING LIGHT  
108357-14-000  
ACTUATOR-SWITCH  
108356-28-CHT  
CIRCUITS  
SP,WE,ZZL




SWITCH-COACH BATT  
108357-18-000  
ACTUATOR-SWITCH  
108356-19-CHT  
CIRCUITS  
KF,LG,LJ,LH,WC  
WIRE ASM-THERM  
186796-01-000




DETAIL DA



SWITCH-AUTO LEVEL  
108357-18-000  
ACTUATOR-SWITCH  
108356-15-CHT  
CIRCUITS SSC,SSD,  
SSE,SSF



SWITCH-AWNING LIGHT  
108357-14-000  
ACTUATOR-SWITCH  
108356-28-CHT  
CIRCUITS  
SP,WE,ZZL



SWITCH-COMPT LIGHTS  
108357-01-000  
ACTUATOR-SWITCH  
108356-14-CHT  
CIRCUITS WC,NW







PLATE-SWITCH  
158431-28-CHT  
SEAL-FUSE BOX  
092492-25-000  
SCREW  
G11-06-10U (6)




SWITCH-STEP  
108357-19-000  
CIRCUITS ER,ES




DETAIL DP  
(BACK VIEW)




DETAIL DP  
(FRONT VIEW)




DETAIL DJ



DETAIL DN



DETAIL DL



DETAIL DM

- NOTES:
- 3 BREAKER NOT USED WITH 15L
  - 2 PLACE AROUND ENTIRE PERIMETER WITH SEAM AT BOTTOM.
  - 1 FOR SWITCH ORIENTATION SEE DETAIL DS.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 15L RESIDENTIAL REFRIGERATOR PKG
- 145 REFR-EXTRA CAP W/ICEMAKER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>		
SHEET: 4 OF 7	ITEM/PART NO: 000181041 / 30189701000	REV
29-Nov-2016		

8 7 6 5 4 3 2 1

1JM SPEAKER-ROUND, CEILING  
179783-01-CHT (3)  
SCREW  
000G12-08-12U (12)

PLATE-ROOF, CABLE ENTRY  
146488-03-000



45B LIGHT-LED, SWIVEL  
190024-01-CHT

PRLED-4  
15

LSH-3

LO1-3  
3

- 45B LOFT BED
- 1JM HOME THEATER SOUND SYSTEM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1 BEFORE INSTALLATION OF PLATE, INSTALL OVER-THE-DOOR  
AWNING AND MAKE ELECTRICAL CONNECTIONS. THEN INSTALL  
PLATE AND SEAL.

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

X-X FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV:	
5 OF 7	000181041 / 30189701000		

8 7 6 5 4 3 2 1

THE SATELLITE WIRE CONNECTIONS ARE TO BE PLACED IN THE CENTERLINE OF THE MOTORHOME FACING FORWARD



CONNECT CABLE ASM COAX (ORG) FROM ROOF ASM TO MAIN INPUT ON SATELLITE DISH

CONNECT 2 PIN HOUSING FROM ROOF ASM TO SATELLITE DISH HERE AND ADD CONVOLUTED TUBING



CONNECT CABLE ASM COAX (ORG-2) FROM ROOF ASM TO SEC INPUT ON SATELLITE DISH

ANTENNA-SATELLITE, STATIONARY  
 000017113 / 313336-01-CHT  
 SCREW  
 000G39-08-08U (9)  
 CABLE ASM-COAX  
 163598-04-000 (2)  
 ADAPTER  
 082134-01-000 (2)  
 CONDUIT  
 041953-06-000 (200 MM)  
 SCREW  
 000G67-10-12U (10)  
 (FOR PLATE SUPPLIED W/ DISH)  
 DETAIL FB

78K



VIEW FC-FC



VIEW FA

- NOTES:
- 3 WRAP LEGS AROUND ANTENNA BASE.
  - 2 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.
  - 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.



- 1DG EXT ENTERTAIN CTR W/TV & CD
- 78K SATELLITE TV SYSTEM AUTO
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>		
SHEET: <b>6 OF 7</b>	ITEM/PART NO: <b>000181041 / 30189701000</b>	REV
1B1 265		1 29-Nov-2016


8 7 6 5 4 3 2 1



DETAIL GA



DETAIL GB



DETAIL GC

NOTES:  
 1 WRAP BOTH ENDS WITH TAPE 8363-01-000 TO SECURE CONNECTION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>	
SHEET: 7 OF 7	ITEM/PART NO.: 000181041 / 30189701000
REV 1 29-Nov-2016	