

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A



WIRE ASM-AUX
HOLDING TANK
151316-03-000

WIRE ASM-MAIN
HOLDING TANK
151317-03-000

4 TO TANK HEATER PADS WITH 23R
OR 23T

3 WIRE PASSES THROUGH FLOOR IN THIS AREA.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASSOVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

23R DRAINAGE SYSTEM/HEAT-PREWIRE

23T DRAINAGE SYSTEM-HEATED

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265



DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:			
WHOLE DIM (X)	: 3		
ONE-PLACE (X.X)	: 1.5		
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

WEIGHT: (LBS) FIRST USED:
16 623D

WIRING INSTL-BODY, 12V

SHEET: 1 OF 6 ITEM/PART NO: 000209554 / 30092901000 REF: REV:


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

8 7 6 5 4 3 2 1



8 7 6 5 4 3 2 1



DETAIL BA

SPEAKER
171547-01-CHT
SPACER
178966-01-CHT
SCREW
G11-08-16U (4)

THERMOSTAT
115764-01-CHT
SCREW
G13-07-12U (2)

LIGHT-TAPE,LED
187693-10-CHT (2)

USB-CHARGER
188312-01-000
DETAIL BA

SWITCH
DETAIL DE

SWITCH-WATER PUMP
108357-21-000
ACTUATOR
108356-23-CHT
PLATE-SWITCH
144363-02-CHT
SCREW
G11-08-12U (2)

WIRE ASM-HEATER,RELAY
153891-01-000
WIRE ASM-HTR TANKS
134551-03-000
RELAY
063912-02-000
SCREW
G11-08-12U

23R OR 23T

WIRE ASM-OVHD,SOFA
193218-01-000

USB-CHARGER
188312-01-000
DETAIL BA

LIGHT-TAPE,LED
187693-20-CHT

PSSLED-2
2

PSSLED-2
2

ED

TO WIRE ASM-SIDEWALL 5

TO REFRIGERATOR 5


SWITCH
DETAIL DA

PLATE-COAX
149557-03-CHT
SCREW
G39-08-08U (2)

PORT-SOLAR,SINGLE
191558-01-000
SCREW
G11-08-12U (4)
DETAIL BB

WIRE ASM-COACH
000002822 / 310201-01-000

TO RIGHT SIDE



DETAIL BB 282 3

- 5 PART OF WIRE ASM-CHASSIS.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 WITH FEATURE 282 DRILL HOLE AT DIMENSIONS SHOWN.
- 2 LOCATED IN POWER CORD BOX.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 282 SOLAR PANEL - 100 WATT
- 23T DRAINAGE SYSTEM-HEATED
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1	265
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 2 OF 6	ITEM/PART NO: 000209554 / 30092901000
REV	


8 7 6 5 4 3 2 1 20-Sep-2016





DETAIL CB



DETAIL CA



DETAIL CC



DETAIL CD

- 4 NOT USED WITH 13Y
- 3 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 2 MOUNTED TO EXTERIOR SURFACE OF SIDEWALL.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 282 SOLAR PANEL - 100 WATT
- 13Y WINDOWS-COACH-DUAL PANE
- 1DJ EXTERIOR SPEAKER SYSTEM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
3 OF 6	000209554 / 30092901000		



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)


DETAIL DA



SWITCH-ROCKER
135740-06-CHT
SWITCH-BLANK
138253-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)


23T OR 23R

1




LABEL
134563-01-CHT 23T OR 23R

DETAIL DE



SWITCH-ROCKER
135740-01-CHT (3)
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-03-CHT
SCREW
G11-08-08U (4)

DETAIL DH



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB





PLATE
158431-17-CHT
SCREW
G11-06-10U (4)

SWITCH-BATTERY
108357-18-000
ACTUATOR
108356-19-CHT
(CIRCUITS LH, LJ
LG, NC, JC)
WIRE ASM-THERM
186796-01-000


SWITCH-STEP
108357-19-000
(CIRCUITS ER, ES)

DETAIL DF




SWITCH
108357-07-000
ACTUATOR
108356-24-CHT
PLATE
144363-02-CHT
SCREW
G11-06-10U (2)

DETAIL DJ




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DC



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-45-CHT
SCREW
G11-08-08U (2)

DETAIL DD



SWITCH-AWNING
108357-06-000
ACTUATOR
108356-12-000
SWITCH-AWNING LIGHT
108357-14-000
ACTUATOR
108356-28-CHT
PLATE
158431-17-CHT
SCREW
G11-08-10U (2)
RELAY-AWNING
063912-02-000
FUSE-AWNING LIGHT
062901-02-000

DETAIL DG


- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000





FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 4 OF 6	ITEM/PART NO: 000209554 / 30092901000
REV	

NOTES:
1 WITHOUT 23T OR 23R



PRLED-4
8



- 3 WRAP BRACKET LEGS AROUND ANTENNA BASE.
 - 2 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.
 - 1. SEE ROOF ASM FOR ADDITIONAL INFORMATION.
- NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 282 SOLAR PANEL - 100 WATT
- 255 RADIO/AM/FM/CD/DVD, COACH
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
6 OF 6	000209554 / 30092901000		