




VIEW AA



DETAIL AD



DETAIL AC




PLATE-WALL  
149557-03-CHT  
SCREW  
G39-08-08U (2)

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

- 29W SOLAR PANEL/BATTERY CHRG W/O
- 282 SOLAR PANEL - 100 WATT
- 11E REFRIGERATOR/FREEZER PORTABL
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA



DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:		
UNSPECIFIED TOLERANCES:	MATERIAL:	
WHOLE DIM (X) :	3	
ONE-PLACE (X.X) :	1.5	
TWO-PLACE (X.XX) :	0.50	
ANGLE :	1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED:


WIRING INSTL-BODY, 12V

SHEET: 1 OF 10 ITEM/PART NO: 000210423 / 30204001000 REV

- 3 WIRE PASSES THROUGH FLOOR IN THIS AREA.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
  1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

\*302040



SWITCH-MAGNET (MAGNET SIDE)

DETAIL BB



DETAIL BC

41Y

TEMP SENSOR  
171186-02-CHT  
SCREW  
G67-06-10U (2)

SWITCH  
DETAIL EF  
WIRE ASM-RESISTOR  
140195-01-000

SWITCH  
DETAIL EA

LED-2C  
2

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)  
(CONNECTS TO  
CIRCUITS YEL,BBL)

4-PIN HOUSING  
TO REAR FURNACE

WIRE ASM-OVHD  
186413-01-000

BRACKET ASM-BED,SWITCH  
188180-02-CHT  
(REF)  
SWICHT-PLUNGER  
159814-01-1000  
(SWITCH NEEDS 8 MM  
MINIMUM AND 12 MM  
MAX ENGAGEMENT)  
(ATTACH TO RIGHT  
BED BRACKET)  
DETAIL BA

2-PIN HOUSING  
TO BACKWALL

2-PIN HSG  
TO BED MOTOR 14C

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)  
(CONNECTS TO  
CIRCUITS YEL,BBL)

COAX TO  
WIRE ASM-ROOF  
DETAIL JB

LIGHT-MAKEUP  
166329-01-CHT

SUBWOOFER WIRES  
TO SOUND BAR

SWITCH  
DETAIL EE

SWITCH  
DETAIL EK

SWITCH  
DETAIL EJ

SWITCH  
DETAIL EM

WIRE ASM-OVHD  
188173-01-000

12V CONNECTION  
TO SIDEWALL

LED-2C  
5

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)  
(CONNECTS TO  
CIRCUITS NM,XU)

TO WIRE ASM-SIDEWALL

2 PIN HSG TO  
WIRE ASM-SOFA

SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)  
(CONNECTS TO  
CIRCUITS NM,BBL)

SWITCH  
DETAIL EB

SWITCH  
DETAIL EC

SWITCH  
DETAIL ED


SWITCH-MAGNET  
187753-01-CHT  
SCREW  
(SUPPLIED W/ SWITCH)  
DETAIL BB,BC,BD 14C

MM.MS  
TO SIDEMARKER LAMP


TO LOAD CENTER  
DETAIL HB

12V BREAKER  
PANEL  
DETAIL DA

TO WIRE ASM-CHASSIS



DETAIL BA



DETAIL BD  
(SWITCHED GROUND)

- 14C FIREPLACE-ELECTRIC
- 41Y FAN - CEILING,BEDROOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.



NOTES:

DESCRIPTION:  
**WIRING INSTL-BODY, 12V**

1B1 265

SHEET: 2 OF 10 ITEM/PART NO: 000210423 / 30204001000 REV

\*302040 A\*



- 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:






FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 1BT WATER HEATER, TANKLESS
- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV	
3 OF 10	000210423 / 30204001000		

\*302040\*



NOTES:  
 1 SEE AWNING INSTL FOR ADDITIONAL INFORMATION.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


265 CODES/STANDARDS-CSA/CMVSS  
 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1	265
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV:	
4 OF 10	000210423 / 30204001000		


\*302040 A\*




DETAIL EA




DETAIL EE




DETAIL EB




DETAIL EF 41Y




DETAIL EC




DETAIL EG




DETAIL ED




DETAIL EH




DETAIL EK




DETAIL EJ



DETAIL EL



DETAIL EM 49C



- 49C BED-KING,AIR SLEEP SYSTEM
- 41Y FAN - CEILING,BEDROOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>		
SHEET: 5 of 10	ITEM/PART NO: 000210423 / 30204001000	REV

\*302040 A\*

8 7 6 5 4 3 2 1

D

D



- FAN
- 139134-01-CHT
- SCREW
- G11-10-16U (3)
- CONNECTOR
- 58028-01-000 (2)
- DETAIL FA

LSH-3

LED-4  
12


C

C



B

B



CONNECT MOTOR BLU  
TO SWITCH BLU AND  
MOTOR BLK TO SWITCH BLK

DETAIL FA

- 2 APPLY LOCTITE P/N 62917-06-000 TO FAN BLADE MOUNTING NUT THREADS.
- 1 CENTER FAN OVER 25MM HOLE IN ROOF.

NOTES:

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

- 41Y FAN - CEILING,BEDROOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV	
6 OF 10	000210423 / 30204001000		

8 7 6 5 4 3 2 1 20-Sep-2016

\*302040\*


8 7 6 5 4 3 2 1

THE SATELLITE DISH AND WIRE CONNECTIONS ARE TO BE PLACED ON THE CENTERLINE OF THE MOTORHOME FACING FORWARD.

SEPARATE CABLES AND INSTALL WIRE COVER OVER HOLE IN ROOF ASM WITH CABLES EXITING ON PASSENGERS SIDE.








WHEN APPLYING ROOF SEALANT TO SATELLITE DISH, PLACE ROOF SEALANT HERE (APPROXIMATELY 75MM WIDE) AND PUSH THE CABLES INTO THE SEALANT TO STABILIZE THEM.

CONNECT CABLE ASM-COAX FROM ROOF ASM TO COAX CABLES ON SATELLITE DISH AND CONNECT 10' CABLE-DATA FROM ROOF ASM TO DATA CABLE FROM SATELLITE DISH AND PLACE ALL CONNECTIONS BACK INTO ROOF ASM.



1 783 DA-4  
DETAIL GE

1 48P DI-3  
DETAIL GA



- 282 SOLAR PANEL - 100 WATT
- 783 SATELLITE HD TV SYSTEM AUTOC
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 48P SAT TV SYSTEM IN-MOTION
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

2 REMOVE ALL SHIPPING RESTRAINTS AND INSTALL AS SPECIFIED IN THE INSTALLATION PROCESS.

1 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


DESCRIPTION: 1B1 265

**WIRING INSTL-BODY, 12V**

SHEET: 7 OF 10 ITEM/PART NO: 000210423 / 30204001000 REV

NOTES: 8 7 6 5 4 3 2 1 20-Sep-2016

\*302040 A\*



- NOTES:
- 5 WIRE IS FROM WIRE ASM-IP.MAIN. SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.
  - 4 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
  - 3 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
  - 2 SET 'BAT TYPE' TO 'AGM2'  
SET 'LBCO' TO '11VDC'  
SET 'BAT AHRS' TO '600 AH'  
SEE OPERATORS MANUAL FOR SETUP PROCEDURE.
  - 1 SET 'GEN TYPE' TO 'QD 6-8'  
SET 'SAFE TYPE' TO 'IGNITION'  
SET 'SPSENSE' TO 'AFTER'  
SEE OPERATORS MANUAL FOR SETUP PROCEDURE.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 1B2 WTR HTR-10GAL/ELEC/LP/MTR/ID
- 1BT WATER HEATER, TANKLESS
- 68N TV - (FRONT) 42"
- 1H5 TV, FRONT-WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: **WIRING INSTL-BODY, 12V**




SHEET: 8 OF 10 ITEM/PART NO: 000210423 / 30204001000 REV

\*302040 A\*




8 7 6 5 4 3 2 1

WIRE ASM-SIDEWALL



DETAIL JA

ADAPTOR 82134-01-000 (2)



DETAIL JB

6-PIN HOUSING TO WIRE ASM-ROOF

WIRE ASM-TRAY,FRONT LH 188266-01-000

LED-2C 4

SPEAKER-5-1/4" 3-WAY W/GRILL 180783-01-CHT

6-PIN HOUSING TO WIRE ASM-ROOF

WIRE ASM-TRAY,FRONT RH 188265-01-000

LED-2C 3

SPEAKER-5-1/4" 3-WAY W/GRILL 180783-01-CHT

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000



FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: WIRING INSTL-BODY, 12V


SHEET: 9 OF 10 ITEM/PART NO.: 000210423 / 30204001000 REV

8 7 6 5 4 3 2 1 20-Sep-2016


\*302040\*



DETAIL KA



DETAIL KB



NOTES:

1 FROM WIRE ASM-CHASSIS.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	
<b>WIRING INSTL-BODY, 12V</b>	
SHEET:	ITEM/PART NO:
10 OF 10	000210423 / 30204001000
REV	

\*302040 A\*