

- 8. ALL CRIMP FITTINGS TO 1/2" PEX TUBING REQUIRE 1/2" CLAMP 140171-03-000.
- 7. ALL CRIMP FITTINGS TO 5/8" PEX TUBING REQUIRE 5/8" CLAMP 140171-04-000.
- 6 LABEL HOT AND COLD SUPPLY TUBES AND TAPE FITTING TO TUBE BEFORE CABINET SET TO PREVENT MOVEMENT.
- 5 ADD PIPE WRAP (LADDER SCRAP 110157-02-000) INSULATION.
- 4 ADD TEFLON TAPE 010405-02-000.
- 3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12U OR EQUIVALENT.
- 2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
- 1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.


- (1BT) WATER HEATER, TANKLESS
- (1B2) WTR HTR-10GAL/ELEC/LP/MTRAIID
- (21M) WASHER/DRYER PREP
- (21S) WASHER & DRYER-PAIR

**WINNEBAGO**  
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

UNSPECIFIED TOLERANCES:		MATERIAL:	
WHOLE DIM (X)	3		
ONE-PLACE (X.X)	1.5		
TWO-PLACE (X.XX)	0.50		
ANGLE	1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED: (REF)
			17 J35P
<b>DESCRIPTION:</b>			
<b>WATER SYSTEM INSTL</b>			
SHEET:	ITEM/PART NO.:	REV	
1 OF 4	000011628 / 31129901000		
REF:		1 06-Jan-2017	

(X-X)  
FOR WATER CALLOUTS SEE DWG NO. 000209446 / 303369-01-000

NOTES:



DESCRIPTION:		
WATER SYSTEM INSTL		
SHEET:	ITEM/PART NO:	REV
2 OF 4	000011628 / 31129901000	

8 7 6 5 4 3 2 1

PANEL-SHOWER  
167738-02-CHT

4 E-44

TU-9  
1570

TU10  
1520

E-9

E-9

FAUCET-LAV  
165730-01-CHT

E-46

BREAKER-VACUUM  
125697-04-000  
MUST BE MOUNTED ABOVE  
TOILET FLOOD LEVEL  
CHECK VALVE  
125697-03-000 4

A-27

R-5

R-4

T-28

TU-9  
605

TU10  
610

E-21

VIEW C

DETAIL J

465 SHOWER-HAND  
187372-01-CHT

220

F-2

SECTION D-D  
(ROTATED)

TO TOILET

TU-9  
3450

TU-9  
1640

E-44

TU-8  
675

T-28

T-29


TU-9  
160

S-1

DETAIL J  
(SHOWN W/OUT CABINET)

DESCRIPTION: <b>WATER SYSTEM INSTL</b>		
SHEET: 3 OF 4	ITEM/PART NO: 000011628 / 31129901000	REV

8 7 6 5 4 3 2 1 06-Jan-2017



DESCRIPTION:		
WATER SYSTEM INSTL		
SHEET:	ITEM/PART NO.:	REV
4 OF 4	000011628 / 31129901000	