

8 7 6 5 4 3 2 1


D

C


B

A


8 7 6 5 4 3 2 1



DETAIL AB



DETAIL AC



VIEW AA

- NOTES:
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.
  2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

- 073 COOLING UPGRADE PACKAGE
- 12D ELECTRICAL SYSTEM 30 AMP
- 299 ENTERTAINMENT CENTER EXT.W/O
- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

**WINNEBAGO**  
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DIFFR:	MATERIAL:
UNSPECIFIED TOLERANCES:	WEIGHT: (LBS)
WHOLE DIM (X) : 3	FIRST USED:
ONE-PLACE (X.X) : 1.5	17 E32YE
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

**DESCRIPTION: WIRING INSTL-BODY, 12V**

SHEET: 1 OF 7    ITEM/PART NO.: 000021889 / 31436101000    REF: 1

14-Sep-2017

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

299

1DF

12D

073

3

WIRE ASM-COACH  
000026561 / 315692-01-000  
000026684 / 315742-01-000

4

WIRE ASM-MAIN HOLDING TANK  
151317-01-000

4

2 PIN HOUSING TO WIRE ASM-AUX HOLDING TANK

WIRE ASM-AUX HOLDING TANK  
151316-01-000

4

2 PIN HOUSING TO WIRE ASM-AUX HOLDING TANK

CONTROL-SLIDEOUT  
189400-01-000  
SCREW  
G67-10-12U (6)  
COVER-ELECTRICAL  
194965-01-CHT  
SCREW  
G39-08-12U (4)  
DETAIL AC

4  
WIRE ASM-TANK,WATER  
151317-01-000  
CLAMP  
80734-02-000 (2)

3

AA


COAX (RED)  
TO CABLE INPUT  
COAX (GLD)  
TO PORTABLE  
SATELLITE DISH INPUT

TO COMPT LAMP

GROMMET  
023942-01-000 (2)

PANEL-RECEPTACLE  
151376-02-CHT  
ADAPTER  
82134-01-000  
NUT  
82136-01-000  
LABEL-COAX  
157486-01-CHT  
SCREW  
G67-10-12U (4)  
PANEL-RECEPTACLE  
151376-01-CHT  
SCREW  
G67-10-12U (4)

LSS-1



DETAIL BB 12D

42B WALLPLATE-TV 76319-09-000

42B LABEL-TV/DVD PLAYER 000026448 / 315662-01-CHT

42B LABEL-TV/SATELLITE RECEIVER 000026492 / 315663-01-CHT

4 42B PLATE-WALL.HDMI 175530-04-CHT (2)  
SCREW G12-06-08U (4)

LIGHT-WARDROBE LED 087694-03-000 (2)  
SCREW G11-10-12U (4)  
CONNECTOR 58028-01-000 (4)

PSLED-2

HARNESS-SLIDEOUT MOTOR 191661-02-000

SWITCH DETAIL DE

SWITCH DETAIL DF  
TO WIRE ASM-ROOF  
DETAIL DR


WIRE ASM-OVHD 000025288 / 315235-01-000

FROM WIRE ASM-SIDEWALL

SWITCH DETAIL DG

HARNESS-SLIDEOUT MOTOR 191660-02-000

PSLED-2 4



DETAIL BA

WIRE ASM-CHASSIS TO SLIDEOUT MOTORS AND SIDEWALL

GROMMET 016188-11-000

PANEL-MONITOR 134940-06-CHT  
SCREW G11-08-08U (4)

THERMOSTAT 000016556 / 313194-01-CHT  
SCREW G13-07-12U (2)  
THERMOSTAT 135618-06-CHT  
SCREW G13-07-12U (2)  
DETAIL BB

073

12D

RECEPTACLE-12V 132958-01-000  
DETAIL BA

PANEL-MONITOR 174295-08-000  
SCREW G11-08-08U (4)

073

SWITCH DETAIL DD

SWITCH DETAIL DB

GROMMET 016188-11-000

THERMOSTAT 000016557 / 313195-01-CHT  
SCREW G13-07-12U (2)

073

SWITCH DETAIL DA

SWITCH DETAIL DC

4 PLUG HDMI (GRN) FROM COACH LOOM INTO WALLPLATE LABELED "TO TV FROM FRONT DVD PLAYER".  
PLUG HDMI (GRN2) FROM COACH LOOM INTO WALLPLATE LABELED "TO TV FROM FRONT SATELLITE RECEIVER".

3 WIRE FROM ROOF.

2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

- 12D ELECTRICAL SYSTEM 30 AMP
- 073 COOLING UPGRADE PACKAGE
- 42B TV,REAR-WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV:	
2 OF 7	000021889 / 31436101000		

NEGATIVE BAR  
140031-03-CHT  
BOLT  
C26-06-12U (5)  
NUT  
D39-06-00U (5)  
STUD-ISOLATED  
86233-01-000 (2)  
NUT  
D34-06-00U (2)  
SCREW  
G67-10-12U (4)

DETAIL CC



- 7 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 6 SPEAKER MOUNTED TO EXTERIOR SURFACE OF SIDEWALL.
- 5 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET TO SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH TO DOOR JAMB WITH TAPE 076322-21-000.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

- 073 COOLING UPGRADE PACKAGE
- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>		
SHEET: <b>3 OF 7</b>	ITEM/PART NO: <b>000021889 / 31436101000</b>	REV




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DC



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DD




SWITCH  
108357-18-000  
ACTUATOR  
108356-31-CHT  
CIRCUITS  
HHH,KE,HHG,ACC,ACD

SWITCH-ROCKER  
108357-18-000  
ACTUATOR  
108356-31-CHT  
CIRCUITS  
DU,KE,DR,ABY,ABZ

LABEL-WARNING,  
SLIDEOUT  
116549-01-000


**WARNING** CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.

DETAIL DE




SWITCH-CONTROL,LOFTBED,TOUCH  
189056-01-000  
WIRE ASM-LOFT BED SWITCH  
000122806 / 323456-01-000  
SCREW  
000G11-02-08U (2)

DETAIL DF 45B



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DG



SPLITTER  
86756-02-000  
SCREW  
G11-08-12B (2)

CABLE ASM-COAX  
(GRN)

CABLE ASM-COAX  
(BRN)

CABLE ASM-COAX  
(UNMARKED)


CABLE ASM-COAX  
(YEL)

ADAPTER  
82134-01-000 (2)

CABLE ASM-COAX  
(RED),(GLD)


CABLE ASM-COAX  
(RED),(GLD)

DETAIL DR




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DH




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DJ




SWITCH-ROCKER  
135740-01-CHT (2)  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)

DETAIL DK




SWITCH-ROCKER  
135740-01-CHT (2)  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)

DETAIL DL



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DM



SWITCH-AWNING  
108357-06-000  
ACTUATOR-SWITCH  
108356-12-CHT  
CIRCUITS  
FFD,FFR,FFE  
FFE,JJR,FFD


SWITCH-AWNING  
108357-14-000  
ACTUATOR-SWITCH  
108356-28-CHT  
CIRCUITS  
SP,ZZL,WE

PLATE-SWITCH  
158431-05-CHT  
SCREW  
G11-06-10U (6)

SWITCH-COACH BATTERY  
108357-18-000  
ACTUATOR-SWITCH  
108356-19-CHT  
CIRCUITS  
KF,LG,LJ,LH,WC  
WIRE ASM-THERM  
186796-01-000

SWITCH-STEP  
108357-19-000  
CIRCUITS ER,ES

DETAIL DN 1



DETAIL DP






- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>	
SHEET: 4 OF 7	ITEM/PART NO: 000021889 / 31436101000
REV 14-Sep-2017	

NOTES:  
1 FOR SWITCH ORIENTATION SEE DETAIL DP.



- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


DESCRIPTION:		
<b>WIRING INSTL-BODY, 12V</b>		
SHEET:	ITEM/PART NO.:	REV
5 OF 7	000021889 / 31436101000	

8 7 6 5 4 3 2 1



D

D




C

C



B

B



A

A

8 7 6 5 4 3 2 1 14-Sep-2017




265 CODES/STANDARDS-CSA/CMVSS  
 1B1 CODES/STANDARDS USA


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
1B1 265	
<b>WIRING INSTL-BODY, 12V</b>	
SHEET:	ITEM/PART NO. REV
6 OF 7	000021889 / 31436101000



ANTENNA-TV ROOF  
 000039180 / 318992-01-CHT  
 SCREW  
 G67-10-12U (6)



1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT  
 INSTALLATION PROCEDURE.

NOTES:

FOR ELECTRICAL  
 TORQUE  
 SPECIFICATIONS  
 SEE DWG NO.  
 128783-01-000

FOR  
 ELECTRICAL  
 CALLOUTS  
 SEE DWG NO.  
 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265	
DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>	
SHEET: 7 OF 7	ITEM/PART NO: 000021889 / 31436101000
REV	