




USB-CHARGER  
188312-01-000  
DETAIL AF

VIEW AB





SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL AA



DETAIL AC



DETAIL AE 78K

SWITCH-SATELLITE 186102-04-CHT  
DETAIL AE 78K

PANEL-SATELLITE 000021142 / 314247-01-CHT 78C  
PANEL-SATELLITE 000021143 / 314246-01-CHT 78K


SPEAKER 110465-01-000 (2)  
SCREW 049465-03-000 (8)

MODULE-INTERFACE, IR IMPACT 149750-09-000  
WIRE ASM-EXTENSION, 2 PIN 000028274 / 316209-01-000  
DETAIL AC

SPLITTER-HDMI 192138-01-000 (2)

SWITCH  
DETAIL AA

PLATE-WALL, POWER SUPPLY 179004-02-CHT



VIEW AD

BLU-RAY HOME THEATER 000120782 / 322837-01-000  
FASTENER-DUAL LOCK 85774-01-000  
85774-02-000

RCP-2 SAT PREP

RECEIVER-IR, IMPACT 149750-13-000

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 78K SATELLITE TV SYSTEM AUTO
- 78C SATELLITE SYSTEM READY
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265



DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:	WHOLE DIM (X) :	3	
	ONE-PLACE (X.X) :	1.5	
	TWO-PLACE (X.XX) :	0.50	
	ANGLE :	1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
			17 727K
DESCRIPTION: WIRING INSTL-TV/DVD			
SHEET: 1 OF 4	ITEM/PART NO: 000022797 / 31455901000	REV:	

2 COIL SATELLITE HDMI CORD AND SECOND TRANSMITTER-IR FOR FUTURE USE.


1. SEE WIRING INSTL-BODY, 12 & 110V FOR ADDITIONAL INFORMATION.

NOTES:



8 7 6 5 4 3 2 1

D  
C  
B  
A


D  
C  
B  
A



TV-28" HDTV 110 VAC  
000032948 / 317355-01-000  
SCREW  
OMG02U-05-012 (4)



VIEW BA  
(TV NOT SHOWN)



VIEW BB

- NOTES:
- 3 COVER WIRES, COAX, AND RCA-CABLES THAT ARE ROUTED TO THE TV WITH BRAIDED SLEEVING AND SECURE TO TV BRACKET WITH TIE-WIRE.
  - 2 CLEAN AND APPLY ADHESIVE PROMOTOR 87211-01-000 TO BOTH SURFACES AND BOND WHERE BRACKET CONTACTS PLASTIC TV CASE.
  - 1 USE HOLES ON PLATE-MOUNTING, TV TO ATTACH WIRE ASM TO PLATE-MOUNTING, TV WITH WIRE TIES.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS  
1B1 CODES/STANDARDS USA

DESCRIPTION: <b>WIRING INSTL-TV/DVD</b>	
SHEET: 2 OF 4	ITEM/PART NO: 000022797 / 31455901000
REV	

8 7 6 5 4 3 2 1 20-Jul-2018



- 6 CUT 150MM CONNECTOR PIGTAIL FROM SPEAKERS (6 PLCS). SPLICE COLORED CONNECTOR PIGTAIL TO CORRESPONDING WIRE PAIR ON WIRE ASM-JUMPER. BLACK STRIPED WIRE ON CONNECTOR PIGTAIL IS NEG.
  - 5 FROM WIRE ASM-ROOF.
  - 4 CONNECTS TO BACK SIDE OF PLATE.
  - 3 COIL IN LEFT FRONT OVHD CABT.
2. ALL CONNECTIONS ARE SHOWN FROM BACKSIDE OF COMPONENTS.
1. SEE WIRING INSTL-BODY, 12V FOR ADDITIONAL INFORMATION.

NOTES:

3 SATELLITE PREP AREA

CABLE-HDMI 165308-03-000

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		<b>WIRING INSTL-TV/DVD</b>	
SHEET:	ITEM/PART NO.:	REV:	
3 OF 4	000022797 / 31455901000		


VIEW CA

8 7 6 5 4 3 2 1


TV-24" HDTV, INSIGNIA  
000167921 / 330227-01-000  
PLATE ASM  
000168018 / 330250-01-CHT  
NUT  
000D65-08-00U (2)  
SCREW  
000G19-10-10U (2)

BRACKET-TV  
000033448 / 317569-01-CHT  
SCREW  
000G67-10-12U (3)  
000G39-10-12U (3)




PLATE-MOUNTING  
000032972 / 317364-01-CHT  
SCREW  
0MG02U-04-12U (4)  
WASHER  
0ME02U-04-071 (4)  
SCREW  
000G39-10-12U (2)  
SCREW  
000G11-08-20U (2)



VIEW DA  
(TV NOT SHOWN)



VIEW DB  
(TV NOT SHOWN)



265 CODES/STANDARDS-CSA/CMVSS  
1B1 CODES/STANDARDS USA

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

1B1 265	
DESCRIPTION: <b>WIRING INSTL-TV/DVD</b>	
SHEET: 4 OF 4	ITEM/PART NO: 000022797 / 31455901000
REV	