

- 4 TO TANK HEATER PADS WITH 23R OR 23T
 - 3 WIRE PASSES THROUGH FLOOR IN THIS AREA.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASSOVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA



1B1 265

WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED: 17 623L
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 1 OF 7	ITEM/PART NO: 000024149 / 31490001000
REF:	1 01-Mar-2017

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



- 6 LOCATE WITH HOLE ON DOOR SUPPORT TUBE.
- 5 WIRES FOR SWITCH PASS THROUGH ROUTED PATH IN SIDEWALL.
- 4 WITH 282 CONNECT WIRE ASM-SOLAR PANEL TO WIRE ASM-COACH HERE.
- 3 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 2 MOUNTED TO EXTERIOR SURFACE OF SIDEWALL.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 282 SOLAR PANEL - 100 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
3 OF 7	000024149 / 31490001000		




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DE 45B




SWITCH-ROCKER
135740-02-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DK




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER
135740-02-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DF




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DL




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DG




SWITCH-ROCKER
135740-06-CHT
SWITCH-BLANK
138253-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DM




SWITCH-ROCKER
135740-02-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DD




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DH




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-45-CHT
SCREW
G11-08-08U (2)


DETAIL DJ



DETAIL DN



LABEL
134563-01-CHT 23T OR 23R



23T OR 23R


NOTES:
1 WITHOUT 23T OR 23R

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 45B LOFT BED
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 4 OF 7	ITEM/PART NO: 000024149 / 31490001000
REV 01-Mar-2017	



DETAIL EA

PLUG CONVERTER
POWER CORD INTO
CONVENIENCE RECPTACLE

PANEL-MONITOR
175724-06-000
SCREW
G11-08-08U (4)

SWITCH
DETAIL DM

SWITCH
DETAIL DJ


SWITCH-CONTROL,
LOFTBED, TOUCH
189056-01-000
WIRE ASM-LOFT
BED SWITCH
190197-01-000
SCREW
076790-05-000 (2)
RELAY-CANISTER
063912-02-000

45B

RADIO-WALL MT, DVD/CD/W BT
169536-05-CHT
SCREW
76790-03-000 (4)
FILTER-GROUND LOOP
123324-01-000

CONTROL-CHARGE
SOLAR 30 AMP
191278-01-000
SCREW
G11-08-12U (2)
DETAIL EE

282




DETAIL EB

WASHER-LOCK
000007554 / 310611-01-000 (2)

JAMB-DOOR

SWITCH/MAGNET-
STEP, ELECTRIC
116995-03-000
SCREW
G39-06-10U (4)



DETAIL ED


WIRE ASM-FRONT END
191033-01-000

PRLED-2
2

CHARGER-USB
188312-01-000

SWITCH
DETAIL DK

SPEAKER
180783-01-CHT (2)
SCREW
G11-10-12U (8)



DETAIL EE 282 8

BATTERY
CONNECTION

SOLAR PANEL
CONNECTION

6 8 BLK
6 8 GRN


8 BLK & 10 YEL
8 GRN & 10 WHT

WIRE ASM-
SOLAR CONTROLLER

WIRE ASM-
SOLAR PANEL

SWITCHES
DETAIL DN

SWITCH
DETAIL DL



DETAIL EC

- NOTES:
- 9 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
 - 8 SEE WIRE ASM-SOLAR AND WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
 - 7 WIRE IS MARKED WITH YELLOW TAPE.
 - 6 WIRE IS MARKED WITH GOLD TAPE.
 - 5 CONNECT IN-LINE WITH RED AND WHITE AUDIO CABLES. WRAP BOTH ENDS WITH TAPE 8363-01-000 TO SECURE TO WIRE ASM.
 - 4 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
 - 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB. ADJUST HEIGHT TO MATCH MAGNET.
 - 2 CIRCUIT FROM WIRE ASM-COACH.
 - 1 CIRCUIT FROM WIRE ASM-CHASSIS.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 45B LOFT BED
- 282 SOLAR PANEL - 100 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


DESCRIPTION:
WIRING INSTL-BODY, 12V

SHEET: 5 OF 7 ITEM/PART NO: 000024149 / 31490001000 REV


8 7 6 5 4 3 2 1




VIEW GD-GD




VIEW GA



VIEW GE-GE



VIEW GB



DETAIL GC

- NOTES:
- 3 ATTACH THE MAGNET WITH WIRE CONNECTIONS AS SHOWN IN DETAIL GC. THEN ATTACH THE MAGNET WITHOUT WIRE CONNECTIONS SO IT IS DIRECTLY ACROSS FROM THE OTHER MAGNET WHEN BED IS IN THE DOWN POSITION.
 - 2 MOUNT SLOT OF BRACKET OVER HOLE IN BACK OF CABINET.
 - 1 ROUTE AND SECURE WIRES ABOVE MOVING PARTS TO ENSURE WIRES ARE NOT PINCHED.

- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265 45B	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO:	REV
7 OF 7	000024149 / 31490001000	

8 7 6 5 4 3 2 1 01-Mar-2017