

	8	7	6	5	↓	4
					R45RL	ITEM
			CABLE ASM (YEL) FI TO STUD-JUMP STA	ROM COACH BATTERY FUSE RT,RED	175207-52-073	1
			CABLE ASM (YEL) F TO COACH SIDE OF	ROM STUD-JUMP START,RED AUX START SOLENOID	175207-52-003	2
D			CABLE ASM (ORG) F INVERTER FUSE	ROM COACH BATTERY TO	175207-66-005	3
			CABLE ASM (BLK) F TO FRAME RAIL GRO	ROM STUD-JUMP START,BLK	175211-01-009	4
			CABLE ASM (ORG) F	FROM INVERTER FUSE TO ECT	175207-67-024	5
			CABLE ASM (ORG) F TO INVERTER	ROM INVERTER DISCONNECT	175207-65-004	17
			CABLE ASM (BLK) F	ROM BATTERY TO INVERTER	175211-01-027	6
			CABLE ASM (BLK) FI FRAME RAIL GROUN	ROM COACH BATTERY TO D	175211-02-072	7
			CABLE ASM (PUR) F TO CHASSIS FUSE F	ROM DISCONNECT SOLENOID PANEL	175207-15-010	8
			CABLE ASM (PUR) F DISCONNECT SOLET FUSE	FROM BATTERY SIDE OF NOID TO CHASSIS BATTERY	175207-35-007	9
С			CABLE ASM (BLU) FI POWER FUSE TO LE	ROM CHASSIS DISCONNECTED VELING SYSTEM POWER	141416-26-120	10
			CABLE ASM (BLK) F FRAME RAIL GROUN	ROM LEVELING SYSTEM TO	133567-11-004	
			CABLE ASM (GRN) I PASS THRU STUD	FROM BAT DISC RELAY TO	175207-42-143	11
			CABLE ASM (GRN) F GENERATOR	FROM PASS THRU STUD TO	175207-42-031	22
			CABLE ASM (BLK) FF RAIL GROUND	ROM GENERATOR TO FRAME	175211-02-022	23
			CABLE ASM (YEL) J	UMPER BETWEEN POSITIVE ATTERY	141417-52-004	12
			POSTS ON COACH B	ATTERY	141417-51-002 (4)	13
		CABLE ASM (BLK) JU	UMPER BETWEEN NEGATIVE	133568-12-004	14	
			POSTS ON CÒACH B	ATTERY	133568-11-002 (4)	15
В			CABLE ASM (RED) J POSTS IN LEFT FRC	IUMPER BETWEEN POSITIVE ONT COMPT	141417-32-002	2
			CABLE ASM-TEMPER	ATURE, BATTERY	175385-03-000	16
			CABLE ASM (YEL) F FUSE	ROM BATTERY TO BATTERY	175207-52-007	18
			CABLE ASM (PUR) F FUSE	ROM BATTERY TO BATTERY	CHASSIS SUPPLIED	19
			CABLE ASM (YEL) FI MULTIPLEX BREAKE	ROM COACH DISCONNECT TO R	141415-57-004	20
			CABLE ASM (PUR) F TO MULTIPLEX BREA	ROM CHASSIS DISCONNECT AKER	141415-17-006	21
			CABLE ASM (FROM C MULTIPLEX PANEL)	COACH BREAKER TO	189044-01-040	24
			CABLE ASM (FROM (MULTIPLEX PANEL)	CHASSIS BREAKER TO	189044-02-040	25
			CABLE ASM (FROM MULTIPLEX PANEL)	MULTIPLEX PANEL TO	189044-01-004	
A						
	2 SEE WIRING INSTL-FRONT END FOR ADDITIONA	AL INFORMATION.				
	1 SEE LEVELING SYSTEM INSTL FOR ADDITIONAL					
	NOTES:					

7

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

5

1

4

3


3

	4
Z	

 \square


В





VIE

2	2	1	
			D
7 18	6 16	1	
			C
Ew CB			B
X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000	1B1CODES/S1B1265DESCRIPTION:WIRISHEET:ITEM/PART3 OF 70000	STANDARDS-CSA/CMVSS STANDARDS USA NG INSTL-CHASSIS NO: 024888 / 3151480100 1 23-Nov-2	0




8	7	6

PANEL-CLOSEOUT, ELECTRICAL 175347-10-CHT G39-10-12U (4)

LABEL-CIRCIUT BREAKER 093236-84-000

5


CIRCUIT BREAKER-120 AMP 188890-01-000 (2) G39-10-12U (4)







5



	8	7	6
--	---	---	---

