


8 7 6 5 4 3 2 1

PANEL-SWITCH  
000215380 / 303681-01-CHT  
SWITCH-ROCKER  
108357-06-000 (2)  
ACTUATOR-SWITCH  
108356-01-CHT (2)  
LABEL-STABILIZER  
000007799 / 310651-01-CHT

64A

CONTROL-SLIDEOUT,IN-WALL  
189400-01-000  
SCREW  
G39-08-12U (4)  
DETAIL AC



VIEW AB


4 PIN HSG FROM  
WIRE ASM-CHASSIS  
CIRCUITS;  
ABY,ABZ,DR,DU

2 PIN HSG FROM  
WIRE ASM-CHASSIS  
CIRCUIT; AEZ

6 PIN HSG  
WITH GRN TAPE

6 PIN HSG  
WITH YEL TAPE

2 PIN HSG FROM  
WIRE ASM-CHASSIS  
CIRCUITS; LLL,LLK



VIEW AC

PORT-SOLAR,SINGLE  
191558-01-000  
SCREW  
G39-10-12U (4)

282 OR 3AA 4

SWITCH-PUMP  
108357-21-000  
ACTUATOR  
108356-23-CHT

PLATE-COAX  
149557-03-CHT  
SCREW  
G39-08-08U (2)

PANEL-SERVICE  
132862-04-CHT 29W  
PANEL-SERVICE  
132862-16-CHT 3AA OR 282

VIEW AD

CLAMP  
10495-02-000 (5)  
SCREW  
G11-06-12U (5)

COVER-ELECTRICAL  
194965-01-CHT  
LABEL-SLIDEOUT  
098379-09-000

3 TO WIRE ASM-SIDEWALL


CLAMP  
10495-02-000 (8)  
SCREW  
G11-06-12U (8)

3 TO SLIDEOUT

WIRE ASM-AUX HOLDING  
151316-03-000

WIRE ASM-MAIN HOLDING  
151317-03-000

AD



23R OR 23T TO TANK  
HEATER PAD

- 64A JACKS-STABILIZING, ELECTRIC
- 29W SOLAR PANEL/BATTERY CHRG W/O
- 282 SOLAR PANEL - 100 WATT
- 3AA SOLAR PANEL/BATT CHARGER SYS
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


1B1 265

- 4 SPLICE YELLOW TO RED AND WHITE TO BLACK.
- 3 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIME WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



VIEW AA

PANEL-RCP  
151376-02-CHT  
ADAPTER  
082134-01-000  
NUT  
82136-01-000  
LABEL  
157486-01-CHT  
SCREW  
G67-10-12U (4)

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000



DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:			
WHOLE DIM (X)	: 3		
ONE-PLACE (X.X)	: 1.5		
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
			17 524J
DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO:	REV	
1 OF 7	000027614 / 31603001000		
REF:		1 25-May-2017	

8 7 6 5 4 3 2 1

WIRE ASM-OVHD  
000035595 / 318034-01-000

SWITCH  
DETAIL DD

SPEAKER-ROUND  
160868-01-CHT (2)  
SPEAKER-GRILLE,ROUND  
160868-02-CHT (2)  
SCREW  
G11-08-08U (8)

USB-CHARGER DUAL,DC  
188312-01-000  
DETAIL BC

THERMOSTAT  
000016556 / 313194-01-CHT ← 25Q  
000016270 / 313193-01-CHT ← 29Z  
SCREW  
G11-06-08U (2)

LIGHT-TAPE,LED  
187693-41-CHT


VIEW BA

TO LEFT BDRM  
HDMI WALL PLATE  
OR HDMI 1  
ON BDRM TV


HDMI 1  
ON MAIN TV

6 CABLE-HDMI  
WITH SATELLITE  
RECEIVER LABEL


CABLE-HDMI  
(REF) 7



CABLE-HDMI  
(REF) 7



DETAIL BB



DETAIL BC

1BU CONTROL-WATER HEATER  
000027745 / 316105-01-CHT  
SCREW  
G67-08-12U (2)

SWITCHES  
DETAIL DA

WIRE ASM-COACH  
TO OVHD LIGHTS

SWITCH  
DETAIL DB

SWITCH  
DETAIL DC

4 TO COMPARTMENT LAMP

4 8 PIN HSG  
TO WATER PUMP  
SWITCH

TO WIRE ASM-  
SIDEWALL

BA

WIRE ASM-  
CHASSIS

SPEAKER-SUB  
124884-01-000  
GRILLE  
151844-01-CHT  
SCREW  
G11-08-12U

LPGD

WIRE ASM-COACH  
TO RIGHT SIDE

WIRE ASM-HEATER,RELAY  
153891-01-000  
WIRE ASM-HEATER,TANKS  
134551-03-000  
RELAY  
63912-02-000 ← 8  
SCREW  
G11-08-12U

23R OR 23T

WIRE ASM-RESISTOR  
140195-01-000

9 CONNECT RED WIRE TO YELLOW WIRE AND CONNECT BLACK WIRE TO WHITE WIRE.

8 SECURE ABOVE FLOOR WITH SCREW CALLED OUT.

7 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.

6 WIRE IS PART OF WIRE ASM-COACH.

5 CONNECTED TO THE REAR SIDE OF THE PLATE.

4 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

3 CENTER LIGHT STRIP IN OPENING.

2 CLEAN SURFACE WITH CLEAN TOWEL.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

X-X

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

1BU WTR HTR TKLS W/RECIRCUL PUMP

25Q A/C

29Z A/C HEAT PUMP

23R DRAINAGE SYSTEM/HEAT-PREWIRE

23T DRAINAGE SYSTEM-HEATED

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA


1B1 265

DESCRIPTION:  
**WIRING INSTL-BODY, 12V**

SHEET: 2 OF 7 ITEM/PART NO: 000027614 / 31603001000 REV


1 25-May-2017






SWITCH-ROCKER  
135740-04-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)  
WIRE ASM-RESISTOR  
140195-01-000

DETAIL DA




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BLANK  
138253-01-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
G11-06-16U (4)

DETAIL DF 41M




SWITCH-ROCKER  
135740-01-CHT  
135740-03-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
G11-06-16U (4)

DETAIL DF 316




SWITCH-ROCKER  
135740-04-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)  
WIRE ASM-RESISTOR  
140195-01-000

DETAIL DK



SWITCH-ROCKER  
135740-04-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)


DETAIL DL



SWITCH-BLANK  
138253-01-CHT ← 1JD  
SWITCH-ROCKER  
135740-06-CHT ← 23T OR 23R  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)  
LABEL-SWITCH  
134563-01-CHT ← 23T OR 23R

DETAIL DP

HOLDING TANK HEATER  
TURN OFF When Not In Use  
SEE OPERATORS MANUAL



DETAIL DR

PLATE-SWITCH  
158431-17-CHT  
SCREW  
G11-06-10U (4)  
SWITCH-BATT DISC  
108357-18-000  
ACTUATOR-BATT DISC  
108356-19-CHT  
WIRE ASM-THERM  
186796-01-000



SWITCH-STEP  
108357-19-000

PLATE-SWITCH  
158431-17-CHT  
SCREW  
G11-06-10U (4)

SWITCH-ROCKER  
108357-14-000  
ACTUATOR-SWITCH  
108356-28-CHT


DETAIL DS

SWITCH-ROCKER  
108357-06-000  
ACTUATOR-SWITCH  
108356-12-CHT




SWITCH-WATER PUMP  
108357-21-000  
ACTUATOR  
108356-23-CHT  
PLATE  
144363-02-CHT  
SCREW  
G11-06-10U (2)

DETAIL DB




SWITCH-ROCKER  
135740-04-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DG




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DH




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DD




SWITCH-ROCKER  
135740-01-CHT (2)  
135740-04-CHT  
SWITCH-BASE  
135741-03-CHT  
SWITCH-BEZEL  
135742-03-CHT  
SCREW  
G11-08-08U (4)

DETAIL DJ




SWITCH-BLANK  
138253-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-45-CHT  
SCREW  
G11-08-08U (2)

DETAIL DE



DETAIL DU 3AA OR 282

GROUND BAR  
CIRCUITS:  
NC, JX, FFE, JM,  
MS, JY, ND, NF,  
NE, JP, PM, EU, JN



DETAIL DN 2

PLUG CONVERTER  
POWER CORD  
INTO CONVENIENCE  
RECEPTACLE

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

- 282 SOLAR PANEL - 100 WATT
- 3AA SOLAR PANEL/BATT CHARGER SYS
- 41M VENT-POWER VENTILATOR
- 316 SKYLIGHT/ROOF VENT, POWER
- 1JD DRAINAGE SYSTEM-HEATED-W/O
- 23R DRAINAGE SYSTEM/HEAT-PREWIRED
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA





1B1	265
DESCRIPTION:	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO:
4 OF 7	000027614 / 31603001000
REV	

- NOTES:
- 5 WIRE IS MARKED WITH YELLOW TAPE.
  - 4 WIRE IS MARKED WITH GOLD TAPE.
  - 3 CIRCUIT FROM WIRE ASM-COACH.
  - 2 FOR REFERENCE ONLY. SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
  - 1 CIRCUIT FROM WIRE ASM-CHASSIS.

8 7 6 5 4 3 2 1

D  
C  
B  
A

D  
C  
B  
A









- 31P FRONT CAP W/O BED
- 31T FRONT CAP W/BED
- 316 SKYLIGHT/ROOF VENT, POWER
- 41M VENT-POWER VENTILATOR
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV	
5 OF 7	000027614 / 31603001000		

8 7 6 5 4 3 2 1 25-May-2017



- 7 COIL CABLE UP HERE AND ATTACH TO INSIDE OF SOLAR PANEL LEG WITH 008343-04-000.
- 6 PLACE ROOF SEALANT HERE (APPROXIMATELY 75MM WIDE) AND PUSH THE CABLES INTO THE SEALANT TO STABILIZE THEM.
- 5 CONNECT RED WIRE TO YELLOW WIRE AND CONNECT BLACK WIRE TO WHITE WIRE.
- 4 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 3 WRAP BRACKET LEGS AROUND ANTENNA BASE.
- 2 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

NOTES:  
1. SEE ROOF ASM FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 282 SOLAR PANEL - 100 WATT
- 3AA SOLAR PANEL/BATT CHARGER SYS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:  
**WIRING INSTL-BODY, 12V**  
SHEET: 6 OF 7 ITEM/PART NO.: 000027614 / 31603001000 REV

8 7 6 5 4 3 2 1

6 PIN HSG TO SLIDEOUT MOTOR WITH GREEN TAPE

6 PIN HSG TO SLIDEOUT MOTOR WITH YELLOW TAPE

WIRE ROUTED BEHIND TRIM PIECE IN THIS AREA

WIRE ROUTED BEHIND TRIM PIECE IN THIS AREA

1

1

WIRES CONNECT TO SLIDEOUT CONTROL DETAIL AC

WIRE ASM-SLIDEOUT MOTORS 000029924 / 316573-01-000

VIEW GA

1 WIRE ROUTED THROUGH FLOOR IN THIS AREA.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION: WIRING INSTL-BODY, 12V

SHEET: 7 OF 7 ITEM/PART NO: 000027614 / 31603001000 REV

1 25-May-2017

8 7 6 5 4 3 2 1