


SWITCH-WATER PUMP  
108357-21-CHT  
ACTUATOR  
108356-03-CHT  
CIRCUITS  
JA,JY,YYF,XXZ



SWITCH-AUTO LEVEL  
108357-18-000  
ACTUATOR  
108356-03-CHT  
CIRCUITS  
SSD,SSE,SSC,SSF,SSE





PLATE-WALL,  
DUAL COAX  
149557-03-CHT  
SCREW  
G39-08-08U (2)



DETAIL AC

COVER-ELECTRICAL  
194965-01-CHT  
LABEL-SLIDEOUT  
098379-09-000  
SCREW  
G39-08-12U (4)

CONTROL-SLIDEOUT  
189400-01-000  
SCREW  
G11-10-12U (2)

WIRE ASM-AUX WATER TANK  
151316-02-000

WIRE ASM-MAIN HOLDING TANK  
151317-02-000

MODULE-WATER PUMP  
176001-01-000  
DETAIL AC

WIRE ASM-COACH  
000033409 / 317549-01-000

WIRE ASM-MAIN HOLDING TANK  
151317-01-000

WIRE ASM-AUX WATER TANK  
151316-02-000

COVER-ELECTRICAL  
194965-01-CHT  
LABEL-SLIDEOUT  
098379-09-000  
SCREW  
G39-08-12U (4)

CONTROL-SLIDEOUT  
189400-01-000  
SCREW  
G11-10-12U (2)

PANEL-RECEPTACLE  
151376-01-CHT  
SCREW  
G67-10-12B (4)  
PANEL-RECEPTACLE  
151376-02-CHT  
LABEL-COAX  
157486-01-CHT  
ADAPTOR  
082134-01-000  
NUT  
082136-01-000  
SCREW  
G67-10-12U (4)

WIRE ASM-MAIN HOLDING TANK  
151317-03-000

FROM  
WIRE ASM-CHASSIS  
TO  
LOAD CENTER

- 5 WIRE PART OF WIRE ASM-CHASSIS.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

- 299 ENTERTAINMENT CENTER EXT.W/O
- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


- 1B1 265




DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:			
WHOLE DIM (X)	: 3		
ONE-PLACE (X.X)	: 1.5		
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
			17 D36Z
DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV:	
1 OF 7	000033386 / 31753301000		

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000




SLIDEOUT SWITCHES  
DETAIL DH




SWITCH-CONTROL,  
LOFTBED, TOUCH  
189056-01-000  
SCREW  
000G11-02-08U (2)

45B


PANEL-MONITOR, LCD  
175724-02-000




PANEL-MONITOR, PCS 50 AMP  
174384-06-000



32W 3 MODULE-AUTO GEN START  
158425-01-000



THERMOSTAT  
000016270 / 313193-01-CHT  
SCREW  
G11-06-08U (2)



VIEW BA

REMOTE PANEL  
175385-02-000  
SCREW  
G11-08-08U (2)

4

45B WIRE ASM-  
LOFT BED SWITCH  
000122806 / 323456-01-000

TO WALLMOUNT  
STEREO ANTENNA

HARNESS-  
SLIDEOUT MOTOR  
191661-02-000

SPEAKER  
171547-01-CHT (2)  
SCREW  
G39-08-12U (8)

PSLED-2  
2

WIRE ASM-OVHD  
000034249 / 317743-01-000

MAIN DROP  
TO ROOF

DETAIL GB

SWITCH  
DETAIL DG

HARNESS-  
SLIDEOUT MOTOR  
191661-02-000  
GROMMET  
016188-11-000

GC

BA

SWITCHES  
DETAIL DC

SWITCH  
DETAIL DD

SWITCH  
DETAIL DE

RELAY-CANISTER  
063912-02-000  
SCREW  
G11-08-08U

32W

CLAMP-CLOSED  
010497-02-000 (2)

SWITCH  
DETAIL DF

TO FURNACE

12V BREAKER PANEL  
DETAIL DP

CONTROL-SLIDEOUT  
189400-01-000  
SCREW  
G11-10-12U (2)

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

- 15L RESIDENTIAL REFRIGERATOR PKG
- 145 REFR-EXTRA CAP W/ICEMAKER
- 32W GENERATOR-START,AUTO SYSTEM
- 1JM HOME THEATER SOUND SYSTEM
- 1DG EXT ENTERTAIN CTR W/TV & CD
- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

4 CONFIRM "BAT TYPE" SET TO "FLOODED",  
SET "LBCO" TO "11 VDC".  
SET "BAT AHRS" TO "200 AH" WITH 145  
SET "BAT AHRS" TO "400 AH" WITH 15L  
SEE OPERATORS MANUAL FOR SETUP PROCEDURE.


3 SEE 'GEN TYPE' TO 'GAS/LP'  
SET 'SAFE TYPE' TO 'IGNITION'  
SET 'SPSENSE' TO 'AFTER'  
SEE OPERATOR'S MANUAL FOR SETUP PROCEDURE.

2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS.  
USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX  
OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV	
2 OF 7	000033386 / 31753301000		



SWITCHES  
DETAIL DJ

LAMP-DECORATOR  
119258-76-CHT  
BULB  
067479-01-000  
CONNECTOR  
58024-01-000 (2)  
SCREW  
G11-06-10U (2)

ENTERTAINMENT CTR COMPL-TV  
000033497 / 317583-01-XXX 1DF

PSLED-2  
2

SWITCH  
DETAIL DL

ROUTE WIRES  
THRU HOLE

GROMMET  
8386-01-000

WASHER-LOCK  
000007554 / 310611-01-000 (2)

JAMB-DOOR  
SWITCH/MAGNET-  
STEP, ELECTRIC  
116995-03-000  
SCREW  
G11-06-08B (4)

DETAIL CA

HARNESS-  
SLIDEOUT MOTOR  
191660-02-000  
GROMMET  
016188-11-000

SWITCH  
DETAIL CA

STEREO-AM/FM/DVD WALLMOUNT  
000131254 / 325732-01-000  
SCREW  
76790-03-000 (4)  
FILTER-GROUND LOOP  
123324-01-000

SWITCH  
DETAIL DK

LPGD

CLAMP-CLOSED  
010497-01-000 (2)

SWITCH  
DETAIL DM

SPLITTER-HDMI, 1X2  
178632-01-000  
SPLITTER-HDMI, 1X2 12 VOLT  
192138-01-000 (2)  
FASTENER-DUAL LOCK  
085774-01-000 (50 MM) (6)  
085774-02-000 (50 MM) (6)

WIRE ASM-RIGHT  
000033654 / 317599-01-000

ET,EU  
TO REFRIGERATOR

LIGHT-WARDROBE  
87694-03-000 (2)  
SCREW  
G11-10-12U (4)  
CONNECTION  
58028-01-000 (4)

PLATE-SATELLITE PREP  
DETAIL CB

PLATE-WALL, KEYSTONE  
175530-04-CHT  
SCREW  
G12-06-08U (2)

THERMOSTAT  
000016556 / 313194-01-CHT  
SCREW  
G11-06-08U (2)

SWITCH  
DETAIL DN


SWITCH  
DETAIL DE

HARNESS-  
SLIDEOUT MOTOR  
191660-02-000  
GROMMET  
016188-11-000

RELAY-CANISTER  
063912-02-000  
SCREW  
G11-08-08U 32W

PLATE-WALL  
149557-08-CHT  
SCREW

COAX  
(ORG/ORG)



DETAIL CB

- 6 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 5 WIRE DROP RUNS UP PATH IN BACK OF REFRIGERATOR CABINET.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

- 32W GENERATOR-START,AUTO SYSTEM
- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000


FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>	
SHEET: 3 OF 7	ITEM/PART NO: 000033386 / 31753301000
REV 20-Nov-2017	




SWITCH-PUMP  
108357-21-000  
ACTUATOR  
108356-23-CHT  
PLATE  
098351-07-CHT  
SCREW  
G11-06-10U (2)

DETAIL DE




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)

DETAIL DC




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DD




DETAIL DS

- NOTES:
- 3 BREAKER NOT USED WITH 15L
  - 2 PLACE AROUND ENTIRE PERIMETER WITH SEAM AT BOTTOM.
  - 1 FOR SWITCH ORIENTATION SEE DETAIL DS.




DETAIL DH




SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DF



SWITCH-ROCKER  
135740-01-CHT  
SWITCH-BASE  
135741-01-CHT  
SWITCH-BEZEL  
135742-01-CHT  
SCREW  
G11-08-08U (2)

DETAIL DG



SWITCH-TV LIFT  
108357-06-000  
ACTUATOR  
108356-26-CHT  
PLATE  
144363-02-CHT  
SCREW  
G11-06-10U (2)


DETAIL DK

SWITCH-AWNING  
108357-06-000  
ACTUATOR-SWITCH  
108356-12-CHT  
CIRCUITS  
FFD,FFE,FFG,JJS

SWITCH-AWNING  
108357-06-000  
ACTUATOR-SWITCH  
108356-12-CHT  
CIRCUITS  
FFD,FFE,FFR,JJR

SWITCH-COACH BATT  
108357-18-000  
ACTUATOR-SWITCH  
108356-19-CHT  
CIRCUITS  
KF,LG,LJ,LH,WC  
WIRE ASM-THERM  
186796-01-000

SWITCH-CHASSIS BATTERY  
108357-18-000  
ACTUATOR-SWITCH  
108356-20-CHT  
CIRCUITS  
TTY,TTZ,MK,UUB,UUC  
WIRE ASM-THERM  
186796-01-000



DETAIL DA

SWITCH-AUTO LEVEL  
108357-18-000  
ACTUATOR-SWITCH  
108356-15-CHT  
CIRCUITS SSC,SSD,  
SSE,SSF


SWITCH-AWNING LIGHT  
108357-14-000  
ACTUATOR-SWITCH  
108356-28-CHT  
CIRCUITS  
SP,WE,ZZL

SWITCH-COMPT LIGHTS  
108357-01-000  
ACTUATOR-SWITCH  
108356-14-CHT  
CIRCUITS WC,NW


PLATE-SWITCH  
158431-28-CHT  
SEAL-FUSE BOX  
092492-25-000  
SCREW  
G11-06-10U (6)

SWITCH-STEP  
108357-19-000  
CIRCUITS ER,ES


HEX NUT-PALNUT  
(SUPPLIED WITH  
CIRCUIT BREAKER)




DETAIL DJ



DETAIL DN



DETAIL DL




DETAIL DM

SWITCH-ROCKER  
135740-01-CHT  
135740-02-CHT  
SWITCH-BASE  
135741-02-CHT  
SWITCH-BEZEL  
135742-02-CHT  
SCREW  
G11-08-08U (4)

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

CIRCUIT BREAKER  
093654-03-000 (2)



DETAIL DP  
(FRONT VIEW)

CIRCUIT BREAKER  
93654-02-000 (8)

CIRCUIT BREAKER  
93654-01-000

CIRCUIT BREAKER  
093654-01-000  
PLUG-PLASTIC  
081211-06-000

145  
15L

- 15L RESIDENTIAL REFRIGERATOR PKG
- 145 REFR-EXTRA CAP W/ICEMAKER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265



DESCRIPTION:  
**WIRING INSTL-BODY, 12V**  
SHEET: 4 OF 7 ITEM/PART NO: 000033386 / 31753301000 REV

8 7 6 5 4 3 2 1

SPEAKER-ROUND, CEILING  
180783-01-CHT (2)  
SCREW  
G11-10-12U (8)

PLATE-ROOF, CABLE ENTRY  
146488-03-000

1



D

C

B

A

D

C

B

A

1 BEFORE INSTALLATION OF PLATE, INSTALL OVER-THE-DOOR AWNING AND MAKE ELECTRICAL CONNECTIONS. THEN INSTALL PLATE AND SEAL.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION: WIRING INSTL-BODY, 12V

SHEET: 5 OF 7 ITEM/PART NO: 000033386 / 31753301000 REV

8 7 6 5 4 3 2 1 20-Nov-2017

8 7 6 5 4 3 2 1

THE SATELLITE WIRE CONNECTIONS ARE TO BE PLACED IN THE CENTERLINE OF THE MOTORHOME FACING FORWARD



CONNECT CABLE ASM COAX (ORG) FROM ROOF ASM TO MAIN INPUT ON SATELLITE DISH

CONNECT 2 PIN HOUSING FROM ROOF ASM TO SATELLITE DISH HERE AND ADD CONVOLUTED TUBING


CONNECT CABLE ASM COAX (ORG-2) FROM ROOF ASM TO SEC INPUT ON SATELLITE DISH

ANTENNA-SATELLITE, STATIONARY  
000017113 / 313336-01-CHT  
SCREW  
000G39-08-08U (9)  
CABLE ASM-COAX  
163598-04-000 (2)  
ADAPTER  
082134-01-000 (2)  
CONDUIT  
041953-06-000 (200 MM)  
SCREW  
000G67-10-12U (10)  
(FOR PLATE SUPPLIED W/ DISH)  
DETAIL FB

78K




VIEW FC-FC



ANTENNA-TV ROOF  
000039180 / 318992-01-CHT  
SCREW  
G67-10-12U (6)

1

ANT-R  
SEAL



VIEW FA

- NOTES:
- 3 WRAP LEGS AROUND ANTENNA BASE.
  - 2 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.
  - 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.




FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 78K SATELLITE TV SYSTEM AUTO
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>		
SHEET: 6 OF 7	ITEM/PART NO: 000033386 / 31753301000	REV

8 7 6 5 4 3 2 1 20-Nov-2017



- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265	
<b>WIRING INSTL-BODY, 12V</b>		
SHEET:	ITEM/PART NO.:	REV
7 OF 7	000033386 / 31753301000	