

4-PIN HSG  
FROM WIRE ASM-CHASSIS  
CIRCUITS  
ABY,ABZ,DR,DU

2-PIN HSG  
FROM WIRE ASM-CHASSIS  
CIRCUIT  
DDJ

2-PIN HSG  
FROM WIRE ASM-CHASSIS  
CIRCUITS  
LLL,LLK

6-PIN HSG  
FROM FRONT LEFT  
ROOM REAR MOTOR

6-PIN HSG  
FROM FRONT LEFT  
ROOM FRONT MOTOR

DETAIL AB

CONTROL-SLIDEOUT  
189400-01-000  
SCREW  
G67-10-12U (6)  
DETAIL AB

3 COAX TO EXT JACK  
(YEL)  
(CABLE PART OF  
WIRE ASM-COACH)

GROMMET  
023942-01-000 (2)


COVER-ELECTRICAL  
194965-01-CHT  
LABEL-SLIDEOUT  
098379-09-000

2 PIN HSG  
TO WATER PUMP

CHANNEL-WIRE PATH  
162012-05-CHT  
SCREW  
G67-10-12U (4)

PANEL-RECEPTACLE  
151376-02-CHT  
ADAPTER  
82134-01-000  
NUT  
82136-01-000  
LABEL-COAX  
157486-01-CHT  
SCREW  
G67-10-12U (4)

PLATE-WALL, DUAL COAX  
149557-07-CHT  
SCREW  
G39-08-08U (2)



VIEW AA

COAX (RED)  
TO CABLE INPUT

TO COMPT LAMP

2 PIN HOUSING  
TO WIRE ASM-TANK,WATER

WIRE ASM-TANK,WATER  
151317-01-000  
CLAMP  
80734-02-000 (2)

WIRE ASM-COACH  
000216007 / 303225-01-000

2 PIN HOUSING  
TO WIRE ASM-MAIN  
HOLDING TANK

WIRE ASM-MAIN  
HOLDING TANK  
151317-02-000

WIRE ASM-AUX  
HOLDING TANK  
151316-03-000

2 PIN HOUSING  
TO WIRE ASM-AUX  
HOLDING TANK

4 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

3 WIRE PASSES THROUGH FLOOR IN THIS AREA.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.


1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265



DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:		
UNSPECIFIED TOLERANCES:	MATERIAL:	
WHOLE DIM (X) :	3	
ONE-PLACE (X.X) :	1.5	
TWO-PLACE (X.XX) :	0.50	
ANGLE :	1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED:
		17 E31KE


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


WIRING INSTL-BODY, 12V

SHEET:	ITEM/PART NO.:	REV:
1 OF 6	000211902 / 30322301000	



8 7 6 5 4 3 2 1



DETAIL BB



DETAIL BA



DETAIL BC

- NOTES:
- 3 WIRE FROM ROOF.
  - 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.
  - 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


265 CODES/STANDARDS-CSA/CMVSS  
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV	
2 OF 6	000211902 / 30322301000		

8 7 6 5 4 3 2 1 14-Sep-2017

8 7 6 5 4 3 2 1

D  
C  
B  
A



- 7 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 6 ROUTE 12V REFRIGERATOR WIRES THROUGH THIS CLAMP TO KEEP OFF OF TOP OF FURNACE.
- 5 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET TO SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH TO DOOR JAMB WITH TAPE 076322-21-000.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS  
1B1 CODES/STANDARDS USA

DESCRIPTION:	1B1 265	
<b>WIRING INSTL-BODY, 12V</b>		
SHEET:	ITEM/PART NO:	REV
3 OF 6	000211902 / 30322301000	

8 7 6 5 4 3 2 1 14-Sep-2017



**WARNING** CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.

LABEL-WARNING, SLIDEOUT 116549-01-000

DETAIL DA


SWITCH-AWNING 108357-06-000 ACTUATOR-SWITCH 108356-12-CHT CIRCUITS FFD,FFR,FFE,FFE,JJR,FFD

SWITCH-AWNING 108357-14-000 ACTUATOR-SWITCH 108356-28-CHT CIRCUITS SP,ZZL,WE


PLATE-SWITCH 158431-05-CHT SCREW G11-06-10U (6)

SWITCH-COACH BATTERY 108357-18-000 ACTUATOR-SWITCH 108356-19-CHT CIRCUITS KF,LG,LJ,LH,WC WIRE ASM-THERM 186796-01-000

SWITCH-STEP 108357-19-000 CIRCUITS ER,ES




DETAIL DB 1




SWITCH-ROCKER 135740-01-CHT SWITCH-BASE 135741-01-CHT SWITCH-BEZEL 135742-01-CHT SCREW G11-08-08U (2)

DETAIL DE




SWITCH-ROCKER 135740-01-CHT SWITCH-BASE 135741-01-CHT SWITCH-BEZEL 135742-01-CHT SCREW G11-08-08U (2)

DETAIL DH




SWITCH-ROCKER 135740-01-CHT (2) SWITCH-BASE 135741-02-CHT SWITCH-BEZEL 135742-02-CHT SCREW G11-08-08U (4)

DETAIL DL




SWITCH-ROCKER 135740-01-CHT SWITCH-BASE 135741-01-CHT SWITCH-BEZEL 135742-01-CHT SCREW G11-08-08U (2)

DETAIL DF




SWITCH-ROCKER 135740-01-CHT SWITCH-BASE 135741-01-CHT SWITCH-BEZEL 135742-01-CHT SCREW G11-08-08U (2)

DETAIL DJ




DETAIL DN



SWITCH-ROCKER 135740-01-CHT SWITCH-BASE 135741-01-CHT SWITCH-BEZEL 135742-01-CHT SCREW G11-08-08U (2)


DETAIL DG





SWITCH-ROCKER 135740-01-CHT (2) SWITCH-BASE 135741-02-CHT SWITCH-BEZEL 135742-02-CHT SCREW G11-08-08U (4)

DETAIL DK


SWITCH-CONTROL, LOFTBED, TOUCH 189056-01-000 WIRE ASM-LOFT BED SWITCH 000122806 / 323456-01-000 SCREW 000G11-02-08U (2)



DETAIL DP 45B




DETAIL DM



SWITCH-ROCKER 135740-01-CHT SWITCH-BASE 135741-01-CHT SWITCH-BEZEL 135742-01-CHT SCREW G11-08-08U (2)

DETAIL DC



SWITCH-ROCKER 135740-01-CHT SWITCH-BASE 135741-01-CHT SWITCH-BEZEL 135742-01-CHT SCREW G11-08-08U (2)

DETAIL DD

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

NOTES: 1 FOR SWITCH ORIENTATION SEE DETAIL DN.

DESCRIPTION: 1B1 265		
WIRING INSTL-BODY, 12V		
SHEET: 4 OF 6	ITEM/PART NO: 000211902 / 30322301000	REV:

8

7

6

5

4

3

2

1



D

D

C



C

B

B

A

A



265 CODES/STANDARDS-CSA/CMVSS  
 1B1 CODES/STANDARDS USA

DESCRIPTION:	
1B1 265	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO:
5 OF 6	000211902 / 30322301000
REV	

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

8

7

6

5

4

3

2

1




14-Sep-2017

8 7 6 5 4 3 2 1

D  
C  
B  
A

D  
C  
B  
A



ANTENNA - TV ROOF  
 000039180 / 318992-01-CHT 1  
 SCREW  
 G67-10-12U (6)

1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT  
 INSTALLATION PROCEDURE.

NOTES:

FOR ELECTRICAL  
 TORQUE  
 SPECIFICATIONS  
 SEE DWG NO.  
 128783-01-000

FOR  
 ELECTRICAL  
 CALLOUTS  
 SEE DWG NO.  
 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS  
 1B1 CODES/STANDARDS USA

1B1 265  
 DESCRIPTION:  
**WIRING INSTL-BODY, 12V**

SHEET: 6 OF 6	ITEM/PART NO: 000211902 / 30322301000	REV
------------------	--	-----

8 7 6 5 4 3 2 1 14-Sep-2017