

SWITCH-WATER PUMP
108357-15-CHT
ACTUATOR
108356-03-CHT
CIRCUITS
AG,JA,AF,JS,JY





PLATE-WALL,DUAL COAX
149557-03-CHT
SCREW
G39-08-08U (2)



VIEW AA

TO COMPT LAMP

LO1-3
3

COAX (RED)
TO CABLE INPUT
COAX (GLD)
TO PORTABLE
SATELLITE
DISH INPUT

TO SLIDEOUT

- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

CONTROL-SLIDEOUT,IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GA

COVER-ELECTRICAL
194965-01-CHT (2)
LABEL-SLIDEOUT
098379-09-000 (2)

2 PIN HOUSING
TO WIRE ASM-AUX
HOLDING TANK

3 WIRE ASM-AUX
HOLDING TANK
151316-03-000

TO COMPT LAMP

401 INVERTER CONTROL CABLE
TO REMOTE PANEL

3 WIRE ASM-MAIN
HOLDING TANK
151317-02-000

2 PIN HOUSING
TO WIRE ASM-MAIN
HOLDING TANK

4

PANEL-SERVICE
132862-08-CHT
SCREW
G39-10-12U (4)

WIRE ASM-CHASSIS
(REF)

CONTROL-SLIDEOUT,IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GC

WIRE ASM-COACH
000002614 / 303617-01-000
000002693 / 303618-01-000

12D
078

PANEL-RECEPTACLE
151376-02-CHT
ADAPTOR
82134-01-000
NUT
82136-01-000
LABEL
157486-01-CHT
SCREW
G67-10-12U (4)

WIRE ASM-TANK,WATER
151317-01-000

3

CONTROL-SLIDEOUT,IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GB

2 PIN HOUSING
TO WATER PUMP

INVERTER CONTROL CABLE
TO INVERTER FROM INVERTER
CONTROL MODULE

401

2 PIN HOUSING
TO WIRE ASM-TANK,WATER

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000



FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 12D ELECTRICAL SYSTEM 30 AMP
- 078 ALL WEATHER UPGRADE PACKAGE
- 401 INVERTER-DC/AC, 1000 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DFFR:	MATERIAL:
UNSPECIFIED TOLERANCES:	
WHOLE DIM (X) :	3
ONE-PLACE (X.X) :	1.5
TWO-PLACE (X.XX) :	0.50
ANGLE :	1°
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED:
	17 E30T
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 1 OF 7	ITEM/PART NO: 000215014 / 30361401000
REF:	1 14-Sep-2017



- LAMP-DINETTE
000028895 / 316335-01-000
- CONNECTOR
058028-01-000 (2)
- BULB
117502-02-000 (2)
- SCREW
G11-08-16U (2)

- 22L OR 14W WIRE ASM-OVHD
133572-01-015

- 22L OR 14W TO WIRE ASM-SIDEWALL

- 3 PIN HSG TO RANGE HOOD FROM SIDEWALL

- WIRES TO SLIDEOUT MOTOR

- TO WIRE ASM-ROOF
DETAIL FB

- 45B SWITCH
DETAIL FD

- SWITCH
DETAIL DB

- SWITCHES
DETAIL DK

- 4 PIN HOUSING TO FURNACE

- SWITCH
DETAIL DA

- WIRE ASM-OVHD
192894-01-000

- SWITCH
DETAIL DD

- WIRES TO SLIDEOUT MOTOR

- TO SIDEWALL

- 2 PIN HSG TO SIDEWALL

- THERMOSTAT
000016556 / 313194-01-CHT
PLATE-SPACER,THERMOSTAT
000018276 / 313583-01-CHT
SCREW
G11-06-08U (2)

- SWITCH
DETAIL DN

- THERMOSTAT
000016556 / 313194-01-CHT ← 25Q
000016270 / 313193-01-CHT ← 29J OR 078
PLATE-SPACER,THERMOSTAT
000018276 / 313583-01-CHT
SCREW
G11-06-08U (2)

- REMOTE PANEL-INVERTER
(SUPPLIED WITH INVERTER)
MODULE-12V DISCONNECT
173355-01-000
DETAIL BC

- SWITCH
DETAIL DP

- SWITCH
DETAIL DG

- 45B LOFT BED
- 22L DINETTE UPGRADE
- 078 ALL WEATHER UPGRADE PACKAGE
- 401 INVERTER-DC/AC, 1000 WATT
- 25Q A/C ROOF AIR (1) 14,800 BTU
- 29J AC HEAT PUMP-1
- 14W DINETTE
- 21R DINING/BUFFET/POWERED TV
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

- WIRE ASM-OVHD
186328-01-000

- TO WIRE ASM-SIDEWALL

- SWITCH
DETAIL DC

- WIRE ASM-SLIDEOUT
186933-01-000

- RECEPTACLE-12V (REF)
DETAIL BA

- WIRE ASM-SLIDEOUT
193129-01-000

- CLAMP
010497-01-000 (4)
SCREW
G11-10-8U (4)

- DETAIL BB 21R

- CABLE FROM BACKSIDE OF REMOTE PANEL

- INVERTER REMOTE PANEL

- MODULE-12V DISCONNECT

- BUTT SPLICE
- WIRE ASM-COACH
- WB

- REMOTE CABLE FROM INVERTER
- DETAIL BC

- 4 DATA CABLE FOR EMS PANEL IS MARKED WITH RED TAPE.
- 3 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 2 WIRE ROUTED WITH 110V WIRING. SEE WIRING INSTL-BODY,110V FOR ROUTING INFORMATION.




- 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 2 OF 7	ITEM/PART NO: 000215014 / 30361401000	REV

NOTES:



- 7 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 6 ROUTE RCA & COAX TO BEDROOM TV THROUGH THE ROUTED PATH IN SIDEWALL.
- 5 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 4 WIRES ROUTED THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 078 ALL WEATHER UPGRADE PACKAGE
- 12D ELECTRICAL SYSTEM 30 AMP
- 42B TV, REAR-WITHOUT
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO.:	REV:	
3 OF 7	000215014 / 30361401000		




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DF




SWITCH-TV LIFT
108357-16-000
ACTUATOR
108356-26-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DM 21R




SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DN




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC 21R




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DJ




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DP




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DD




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DL



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)


DETAIL DR



DETAIL DE

SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-20-CHT
CIRCUITS UUC,TTY,UUB,
UUB,TTZ,UUC,UUC,UUA
WIRE ASM-THERM
186796-01-000

SWITCH-COACH BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS KF,LG,LJ,
LJ,LH,KF,KF,LK
WIRE ASM-THERM
186796-01-000



DETAIL DH 1

SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS FFD,FFR,FFE,
FFE,JJR,FFD

SWITCH-AWNING
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
CIRCUITS SP,ZZL,WE,ZZL

SWITCH-STEP
108357-19-000
CIRCUITS ER,ES

PLATE-SWITCH
158431-04-CHT
SCREW
G11-06-10U (6)

LABEL-SLIDEOUT,
DRIVER,REAR
163992-02-CHT

DRIVER'S
SIDE REAR

DRIVER'S
SIDE FRONT

PASSENGER'S
SIDE FRONT




LABEL-SLIDEOUT,
DRIVER,FRONT
163992-01-CHT

LABEL-SLIDEOUT,
PASSENGER,FRONT
163992-04-CHT

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
(CIRCUITS HHE,HHF,
KE,ACA,ACB)

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
(CIRCUITS BBM,BBN,
KE,ABW,ABX)

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
(CIRCUITS DR,DU,
KE,ABY,ABZ)



WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.

LABEL
116549-01-000

DETAIL DK


21R CIRCUIT BREAKER
93654-03-000

PLUG
81211-06-000

45D PLUG
81211-06-000

45B CIRCUIT BREAKER
93654-03-000

LABEL
92547-17-000



CIRCUIT BREAKER
93654-02-000 (8)

CIRCUIT BREAKER
93654-01-000 (2)

DETAIL DS 078
(FRONT VIEW)

SCREW
G11-10-12U (4)

BUSS BAR
092786-05-000 (2)

SCREW
G52-06-04B (12)



M 6 BLK

1M 8 BLK

PLATE
139067-02-CHT

SCREW
G39-08-06B (2)

DETAIL DS 078
(BACK VIEW)



DETAIL DT 078

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 078 ALL WEATHER UPGRADE PACKAGE
- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 21R DINING/BUFFET/POWERED TV
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 4 OF 7	ITEM/PART NO: 000215014 / 30361401000
REV 14-Sep-2017	

NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DE

8 7 6 5 4 3 2 1

D
C
B
A

D
C
B
A



SPEAKER
180783-01-CHT (2)
SCREW
000G11-08-12U (8)

PRLED-4
12



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265
DESCRIPTION:
WIRING INSTL-BODY, 12V
SHEET: 5 OF 7 ITEM/PART NO: 000215014 / 30361401000 REV





8 7 6 5 4 3 2 1 14-Sep-2017



ANTENNA-TV ROOF
000039180 / 318992-01-CHT
SCREW
G67-10-12U (6)



ANT-R (1D5 SEAL)





NOTES:
 2 WRAP BRACKET LEGS AROUND ANTENNA BASE.
 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 45B LOFT BED
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 6 OF 7	ITEM/PART NO: 000215014 / 30361401000	REV





DETAIL GA



DETAIL GB



DETAIL GC



- 4 COIL UP EXCESS HARNESS IN LOWER COMPARTMENT.
- 3 WIRE IS ROUTED THROUGH FLOOR IN THIS AREA.
- 2 ROUTE WIRES BELOW FLOOR.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO:	REV	
7 OF 7	000215014 / 30361401000		