



- PANEL-LIGHT
000031164 / 316911-01-CHT (282)
SCREW
G39-10-12U (4)
- PORT-SOLAR,SINGLE
000163158 / 328863-01-000
SCREW
G39-10-08U (4)
- PLATE-WALL
149557-03-CHT
SCREW
G39-08-08U (2)

CONTROL-CHARGE,
SOLAR 30 AMP
191278-01-000
SCREW
G39-10-12U (4) (282)
VIEW AA
DETAIL AB




DETAIL AB



- 6 WIRES ROUTE UP THE B-PILLAR.
- 5 WIRE TO BE MARKED BY WRAP OF YEL TAPE 19 MM WIDE WITHIN 50 MM OF END.
- 4 WIRE TO BE MARKED BY WRAP OF GRN TAPE 19 MM WIDE WITHIN 50 MM OF END.
- 3 WIRE PASSES UP THRU FLOOR IN THIS AREA.

- ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
- AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



DETAIL AC

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 11E REFRIGERATOR/FREEZER PORTABL
- 282 SOLAR PANEL - 100 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.


DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED:
	18 P40A
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 1 OF 11	ITEM/PART NO: 000026350 / 31559801000
REF:	REV:



2 WIRE PASSES UP THROUGH FLOOR IN THIS AREA.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:




FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 14C FIREPLACE-ELECTRIC
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV:	
2 OF 11	000026350 / 31559801000		



1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION: WIRING INSTL-BODY, 12V

SHEET: 3 OF 11 ITEM/PART NO.: 000026350 / 31559801000 REV

1 17-Dec-2018

D

C

B



A

D

C


B

A



G6 Soldering


Customer: Winnebago Model: P-Series V3 - G6 #1 Date: 08/22/16



DETAIL DA

G6 Soldering

Customer: Winnebago Model: P-Series V3 - 705238 Date: 02/06/17



DETAIL DB

1 ALL SWITCH PANELS ARE A PART OF KIT-SWITCH PANELS, MULTIPLEX 000117457 / 322147-01-000.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
4 OF 11	000026350 / 31559801000		

8 7 6 5 4 3 2 1

D
C
B
A



VIEW EA


8 7 6 5 4 3 2 1

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
1B1 265	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO:
5 OF 11	000026350 / 31559801000
REV	



WIRE ASM-VENT FAN
000018695 / 313682-01-000

FAN
188368-01-CHT
SCREW
G11-10-16B (3)
CONNECTOR
58028-01-000 (2)
DETAIL FB

PRLED-4
2


SPEAKER-5-1/4' W/GRILL
180783-01-CHT (2)
SCREW
G11-06-16U (8)
SPEAKER-6/5", 2-WAY, JBL
193631-01-000 (2)
SCREW
G11-06-16U (8)

571

57P

WIRE ASM-VENT FAN
000018695 / 313682-01-000

WIRE ASM-COACH




ADAPTOR
82134-01-000 (2)

DETAIL FA

WIRE ASM-ROOF

CONNECT MOTOR BLU
TO SWITCH BLU AND
MOTOR BLK TO SWITCH BLK



WIRE ASM-ROOF
BLK-FFY
WHT-KKZ

DETAIL FB





- 57P RADIO SPEAKERS-PREMIUM SOUND
- 571 RADIO SPEAKERS
- 41Y FAN - CEILING,BEDROOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

- NOTES:
- 2 APPLY LOCTITE P/N 62917-06-000 TO FAN BLADE MOUNTING NUT THREADS.
 - 1 CENTER FAN OVER 25MM HOLE IN ROOF.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO:	REV
6 OF 11	000026350 / 31559801000	



- NOTES:
- 2 CONNECT VENDOR RED WIRE TO WINNEBAGO BLACK WIRE THAT IS MARKED WITH TWO WRAPS OF RED TAPE. CONNECT VENDOR BLACK WIRE TO WINNEBAGO GREEN WIRE THAT IS MARKED WITH ONE WRAP OF RED TAPE.
 - 1 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.



- 196 TV ANT-AUTO,DIRECTIONAL AMPL
- 282 SOLAR PANEL - 100 WATT
- 787 SAT TV ANT, AUTO DIRECTV
- 789 SAT ANT, AUTO DISH NETWORK
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO:	REV
7 of 11	000026350 / 31559801000	

8 7 6 5 4 3 2 1



1 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 8 OF 11	ITEM/PART NO: 000026350 / 31559801000
REV 1 17-Dec-2018	

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1



D

D

C

C


B

B


A

A


LIGHT-TAPE,LED
190025-82-CHT




LIGHT-TAPE,LED
190025-35-CHT



LIGHT-TAPE,LED
190025-44-CHT



LIGHT-TAPE,LED
190025-13-CHT (4)



LIGHT-TAPE,LED
190025-23-CHT

LIGHT-TAPE,LED
190025-31-CHT (2)

WIRE ASM-EXTENSION
000159695 / 327733-01-CHT

LIGHT-TAPE,LED
190025-82-CHT (2)

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:
WIRING INSTL-BODY, 12V

SHEET: 9 OF 11 ITEM/PART NO: 000026350 / 31559801000 REV

8 7 6 5 4 3 2 1 17-Dec-2018







1900 DROP
6-PIN HOUSING TO
POWER GEAR MOTOR

HARNES-
SLIDEOUT MOTOR
191661-03-000
(REAR LEFT ROOM-
REAR MOTOR)

HARNES-
SLIDEOUT MOTOR
191661-02-000
(REAR LEFT ROOM-
FRONT MOTOR)

GROMMET-2"
23942-01-000

CLAMP
010495-02-000 (15)
SCREW
G11-08-12U (15)



2 ROUTE WIRES ABOVE FLOOR.



1. ALL WIRES TO BE CLAMPED WITH CLAMP 10495-01-000 OR WIRE TIE 8343-02-000 EVERY 600MM, UNLESS OTHERWISE SPECIFIED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 10 OF 11	ITEM/PART NO: 000026350 / 31559801000
REV 17-Dec-2018	



KIT*: Firefly P/N: 90875AC
 Winnebago P/N: 322147-01-000
 * Kits may not include all components shown on print.

WINNEBAGO - P-Series V4 - P40A			DI: AD/MD	Network Legend	
Network Wiring Diagram and Switch Panel Layout			PI: AD/AA		
SSP-17 RVC (FW 6v7)	REV 0v2	05/05/17		Trunk Cable Drop Cable Switch Position	

THIS SHEET FOR REFERENCE ONLY

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION: **WIRING INSTL-BODY, 12V**

SHEET: 11 OF 11 ITEM/PART NO: 000026350 / 31559801000 REV