


- 7 TIE OFF WIRE LOOP TO BOTTOM OF FLOOR WITHOUT 11E
- 6 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
- 5 TO ABOVE FLOOR.
- 4 SEE GENERATOR INSTALLATION FOR ADDITIONAL INFORMATION.

3. WIRES THAT REST ON WIRE TRAYS ARE TO BE TIED DOWN WITH WIRE TIE 8343-04-000.
2. CLAMP TO FLOOR SUPPORT TUBES AS NECESSARY WITH CLAMP 10497-01-000.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



VIEW AA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 22T VACUUM SYSTEM-CENTRAL
- 11E REFRIGERATOR/FREEZER PORTABL
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:	MATERIAL:	
UNSPECIFIED TOLERANCES:		
WHOLE DIM (X)	3	
ONE-PLACE (X.X)	1.5	
TWO-PLACE (X.XX)	0.50	
ANGLE	1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED:
		18 P40A
DESCRIPTION:		
WIRING INSTL-BODY, 110V		
SHEET:	ITEM/PART NO.:	REV:
1 OF 7	000026356 / 31560001000	
REF:		1 19-Sep-2018

8 7 6 5 4 3 2 1

D
C
B
A



3 TO BELOW FLOOR.

- 2. ALL 110V WIRES TO BE CLAMPED WITH CLAMP 10497-05-000 WITHIN 200MM OF OUTLET BOXES, USE SCREW G67-10-12B.
- 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 110V		
SHEET:	ITEM/PART NO:	REV
2 OF 7	000026356 / 31560001000	

8 7 6 5 4 3 2 1 19-Sep-2018

8 7 6 5 4 3 2 1

D

D

C

C

B

B

A

A

RECEPTACLE-110V / USB
000025877 / 315435-01-CHT
BOX-ELEC
133070-01-000

COVER-WIRE
153862-02-CHT
WIRE-COVER
155469-01-CHT
SCREW
G67-10-12U (4)

1B1 RECEPTACLE ASM-GFI,US-15A
000120175 / 322736-01-XXX
265 RECEPTACLE ASM-GFI,CAN-15A
000120176 / 322737-01-XXX
(BLU) (GALLEY)

110V CONNECTION

110V CONNECTIONS
DETAIL EB

RCP-4
RANGE TOP

214 RCP-1
DISHWASHER

RECEPTACLE-110V/USB
000025877 / 315435-01-CHT (2)
BOX-ELECTRIC
133070-01-000 (2)

LOAD CENTER/ATS ASM
000026421 / 315639-01-000

RCP-B (PUR)
BED

RCP-2 (PUR)
BED

PANEL-RECEPTACLE
00030817 / 316809-01-CHT

214 DISHWASHER DRAWER STYLE
265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

4 ROUTE WIRE IN SIDEWALL IN THIS AREA.
3 TO BELOW FLOOR.

2. ALL 110V WIRES TO BE CLAMPED WITH CLAMP 10497-05-000
WITHIN 200MM OF OUTLET BOXES, USE SCREW G67-10-12B.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER
CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE
TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS
APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 110V			
SHEET:	ITEM/PART NO.:	REV:	
3 OF 7	000026356 / 31560001000		

8 7 6 5 4 3 2 1 19-Sep-2018

8 7 6 5 4 3 2 1

D

D

C




C

B

B

A

A



- 5 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
- 4 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
- 3 DO NOT USE POWER/AIR TOOL TO INSTALL NUT.
TORQUE TO 10-12 FT LBS.
- 2 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

NOTES:
1. WIRE MUST BE ROUTED THROUGH CLAMPS AS SHOWN.


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 110V	
SHEET: 4 OF 7	ITEM/PART NO: 000026356 / 31560001000
REV 19-Sep-2018	

8 7 6 5 4 3 2 1



VIEW EA
(LOCATED BELOW
FLOOR IN COMPARTMENT)

VIEW EB
(LOCATED UNDER
GALLEY CABINET)




- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 110V		
SHEET:	ITEM/PART NO:	REV
5 OF 7	000026356 / 31560001000	

NOTES:
1 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.



- NOTES:
- 5 LINE 2 (RED) ROUTED THRU THIS CURRENT SENSOR
 - 4 LINE 1 (BLK) ROUTED THRU THIS CURRENT SENSOR
 - 3 WIRE ROUTED IN SIDEWALL.
 - 2 WIRE ROUTED IN ROOF.
 - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 214 DISHWASHER DRAWER STYLE
- 11E REFRIGERATOR/FREEZER PORTABLE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA




DESCRIPTION: WIRING INSTL-BODY, 110V		
SHEET: 6 OF 7	ITEM/PART NO.: 000026356 / 31560001000	REV
19-Sep-2018		

RED	1B1	136135-07-055	
	265	136136-07-055	
GRN	1B1	136135-08-055	
	265	136136-08-055	
LT BLU	1B1	136135-21-055	
	265	136136-21-055	
YEL	1B1	136131-05-090	1
	265	136131-05-090	1
GLD	1B1	136131-10-110	
	265	136134-10-110	
GLD-2	1B1	136131-20-110	
	265	136134-20-110	
WHT	1B1	136135-09-068	
	265	136136-09-068	
BLU	1B1	136131-02-110	1
	265	136134-02-110	1
BRN	1B1	136131-03-140	
	265	136134-03-140	
PUR	1B1	136131-04-055	
	265	136134-04-055	
ORG	1B1	136131-16-038	
	265	136134-16-038	
SIL	1B1	136131-11-080	1 214
	265	136134-11-080	1 214

BLK	1B1	136131-06-080	1
	265	136134-06-080	1
GRY	1B1	136131-15-075	1
	265	136134-15-075	1
RANGE	1B1	136135-01-080	4
	265	136136-01-080	4
INVERTER CHARGER MAIN	1B1	136137-01-053	
	265	136138-01-053	
INVERTER CHARGER SUB MAIN	1B1	136137-01-053	
	265	136138-01-053	
CABLE ASM-MAIN,6 AWG		176841-01-033	
MAIN GROUND		136145-01-032	
ATS GROUND		136145-01-010	
INVERTER GROUND		136145-04-040	
GENERATOR CABLE ASM		174031-03-120	

THROW IN WIRE #1	1B1	136131-02-095	1
	265	136134-02-095	1
THROW IN WIRE #2	1B1	136131-02-038	1
	265	136134-02-038	1
THROW IN WIRE #3	1B1	136131-04-175	1
	265	136134-04-175	1
THROW IN WIRE #4	1B1	136131-04-050	1
	265	136134-04-050	1
THROW IN WIRE #5	1B1	136131-03-098	1
	265	136134-03-098	1
THROW IN WIRE #6	1B1	136131-04-040	1
	265	136134-04-040	1
THROW IN WIRE #7	1B1	136131-02-036	2
	265	136134-02-036	2
THROW IN WIRE #8	1B1	136131-05-032	1
	265	136134-05-032	1
THROW IN WIRE #9	1B1	136131-03-028	1
	265	136134-03-028	1
THROW IN WIRE #10	1B1	136131-04-165	1
	265	136134-04-165	1
THROW IN WIRE #11	1B1	136135-01-021	
	265	136136-01-021	
THROW IN WIRE #12	1B1	136131-11-020	1 214
	265	136134-11-020	1 214
THROW IN WIRE #13	1B1	136131-06-035	1
	265	136134-06-035	1

SLIDEOUT WIRE #1	136151-02-037	2
SLIDEOUT WIRE #2	136151-06-037	2
SLIDEOUT WIRE #3	136152-01-040	
SLIDEOUT WIRE #4	136151-04-012	2
SLIDEOUT WIRE #5	136151-03-028	2
SLIDEOUT WIRE #6	136151-02-037	2
SLIDEOUT WIRE #7	136151-02-037	2
SLIDEOUT WIRE #8	136151-05-037	2
SLIDEOUT #9	136151-04-036	2
SLIDEOUT #10	136151-03-024	
SLIDEOUT #11	136151-04-024	



3 SEE DETAIL GC FOR CONNECTOR INSTALLATION.
 2 SEE DETAIL GB FOR CONNECTOR INSTALLATION.
 1 SEE DETAIL GA FOR CONNECTOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 214 DISHWASHER DRAWER STYLE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 110V		
SHEET:	ITEM/PART NO.:	REV:
7 OF 7	000026356 / 31560001000	