

8

7

6

5



4

3

2

1

D

D

C

C

B

B

A

A

CABLE ASM-STARTER (RED)	141415-32-065	
CABLE ASM-COACH BATTERY (YEL)	141415-52-016	
CABLE ASM-COACH BATTERY GND (BLK)	133566-12-008	
CABLE ASM-GENERATOR (GRN)	141415-42-049	
CABLE ASM-GENERATOR GND (BLK)	133566-12-008	
CABLE ASM-STARTER,EXT (RED 2)	141415-32-007	
LEVELING SYSTEM GROUND CABLE (BLK)	133566-12-005	60M
LEVELING SYSTEM POWER CABLE (BLU)	141415-22-020	60M
CABLE ASM-INVERTER (ORG)	141415-62-026	401
CABLE ASM-INVERTER FUSE (ORG)	141415-61-008	401
CABLE ASM-INVERTER GND (BLK)	133566-12-026	401
CABLE ASM-INVERTER CASE GND (GND)	136145-05-020	401

60M

60M

401

401

401

401

- 401 INVERTER-DC/AC, 1000 WATT
- 60M HYDRAULIC LEVEL JACKS-AUTO
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265



COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS		
DFFR:				
UNSPECIFIED TOLERANCES:	MATERIAL:			
WHOLE DIM (X) :	3			
ONE-PLACE (X.X) :	1.5			
TWO-PLACE (X.XX) :	0.50			
ANGLE :	1°			

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED:
		18 331D

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		
BATTERY INSTL		
SHEET:	ITEM/PART NO.:	REV:
1 OF 2	000038185 / 31874301000	

REF:	1 17-Oct-2017
------	---------------

8

7

6

5




4

3

2

1

17-Oct-2017



VIEW BA

- 7 MOUNT ELECTRICAL COMPONENTS TO PANELS AND CONNECT CABLES TO THE COMPONENTS. PANELS WILL BE MOUNTED TO STEP BOX IN MOTORHOME PLANT AFTER FLOOR IS SET.
 - 6 SECURE WITH SOLENOID MOUNTING SCREWS.
 - 5 CABLE ASM-STARTER,EXT (RED 2) WILL BE CONNECTED TO ISOLATED STUD ON CHASSIS IN MOTORHOME PLANT AFTER ALL CONNECTIONS IN BATTERY BOX ARE COMPLETED AND STEP ASM IS INSTALLED AFTER FLOOR IS SET.
 - 4 WIRE MARKED WITH ORANGE TAPE.
 - 3 WIRES ARE PART OF WIRE ASM-CHASSIS.
2. BATTERY CABLES ARE NOT TO BE ROUTED OVER BATTERY FILL CAPS.
1. SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

NOTES:

- 60M HYDRAULIC LEVEL JACKS-AUTO
- 38E CONVENIENCE PACKAGE
- 22W BATTERY-SECOND
- 401 INVERTER-DC/AC, 1000 WATT
- 12X BATTERY-ONE
- 16Y FORD CHASSIS - 14,500#_GVWR
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		
BATTERY INSTL		
SHEET:	ITEM/PART NO.:	REV:
2 OF 2	000038185 / 31874301000	