

- 5 MARK WIRES WITH WRAP OF BLU TAPE.
- 4 MARK WIRES WITH WRAP OF ORG TAPE.
- 3 SEE DRAINAGE SYSTEM INSTALLATION FOR ADDITIONAL INFORMATION.
- 2 WIRE ROUTED ALONG DRAINAGE PIPE AND CONNECTED TO PIPE WITH TIE-WIRE 8343-04-000.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

- 401 REMOTE PANEL-INVERTER 000037772 / 318694-01-CHT
SCREW 000G11-06-08U (2)
CABLE-DATA, CSW INVERTER, RJ1 000038250 / 318769-01-000
- 40A SWITCH-BLANK 138253-01-CHT
SWITCH-BASE 135741-01-CHT
SWITCH-BEZEL 135742-01-CHT
SCREW G11-08-08U (2)

- LIGHT-LED, ROUND W/SWITCH, 3.5 PLASTIC 000166892 / 329927-01-CHT (3)
- SCREW G13-06-10U (9)
- CONNECTOR 58028-01-000 (4)


- 401 INVERTER-DC/AC, 1000 WATT
- 40A INVERTER-DC/AC WITHOUT
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:		
UNSPECIFIED TOLERANCES:	MATERIAL:	
WHOLE DIM (X) : 3		
ONE-PLACE (X.X) : 1.5		
TWO-PLACE (X.XX) : 0.50		
ANGLE : 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED:
		18 325B
DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 1 OF 4	ITEM/PART NO: 000043289 / 32033401000	REV:
REF: 1		05-Oct-2018

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



WIRE ASM-TANK, MAIN HOLDING 151317-03-000 5

RELAY-TANK HEATERS 63912-02-000 SCREW G11-08-12U } 23R OR 23T

THERMOSTAT 135618-06-CHT SCREW G13-07-12U (2) DETAIL AA

PANEL-MONITOR, W/GEN 000167995 / 330356-01-CHT

TO FURNACE

TO WATER HEATER DETAIL AB

CABLE-DATA, CSW INVERTER, RJ1 TO INVERTER (REFERENCE) 401

TO RANGE HOOD

TO WIRE ASM-ROOF

ADAPTOR-COAX 82134-01-000

WIRE ASM-LEFT 000044094 / 320613-01-000

A

A

D

D

C

C

B

B

8

7

6

5


4

3

2

1

05-Oct-2018



4 PLATE-WALL,ANT/CABLE/1
179004-02-CHT
SCREW
G12-06-16U (2)

SPLITTER-TV, 3 WAY
086756-02-000

RECEPTACLE-12V
132958-01-000
DETAIL BA

4 68X SPLITTER-HDMI
(REF)


USB-CHARGER DUAL,DC
188312-01-000
DETAIL BA

CABLE ASM-HDMI
(REFERENCE) 68X 4 2

LIGHT-LED,ROUND W/SWITCH,3.5 PLASTIC
000166892 / 329927-01-CHT (2)
SCREW
G13-06-10U (6)
CONNECTOR
58028-01-000 (4)

WIRE ASM-RIGHT
000043873 / 320617-01-000

PLATE-W/HOLES
000030637 / 316755-01-CHT } 68X
GROMMET-EDGE LINER
114208-01-000
WALLPLATE-TV BDRM } 68T
149557-13-CHT



SWITCH
DETAIL CD

COIL EXCESS COMPONENT
CABLE IN BOTTOM OF
SHIRT CLOSET BEHIND
BLOCKOUT PANEL

52N RELAY-AWNING
63912-02-000
SCREW
G11-08-12U

LIGHT-LED,ROUND W/SWITCH,3.5 PLASTIC
000166892 / 329927-01-CHT (2)
SCREW
G13-06-10U (6)
CONNECTOR
58028-01-000 (4)

52N WIRE ASM-
AWNING CONTROL
000006616 / 310399-01-000

LIGHT-LED,ROUND W/SWITCH,3.5 PLASTIC
000166892 / 329927-01-CHT
SCREW
G13-06-10U (3)
CONNECTOR
58028-01-000 (2)

SWITCH
DETAIL CA

WIRE ASM-OVHD
000044095 / 320614-01-000

SWITCHES
DETAIL CB

RECEPTACLE-12V
132958-01-000
DETAIL BA

SWITCH
DETAIL CF

USB-CHARGER DUAL,DC
188312-01-000
DETAIL BA

DETECTOR-LP GAS
150138-02-CHT
SCREW
G68-06-10U (2)

PLATE-WALL,
COAX EXTERIOR
183638-01-CHT
(COAX-YEL)
SCREW
G39-08-16U (3)

CONTROL CENTER-55A,120V/12V
(REFERENCE)
FOR FUSE PLACEMENT
SEE DETAIL CH

SWITCHES
DETAIL CG 64A

TO WIRE
ASM-CHASSIS

64A RELAY-STABILIZER
63912-02-000

WIRE ASM-STABILIZERS
(REFERENCE) 64A 6

3 WIRE ASM-WATER TANK
151317-02-000

TO WATER PUMP

- 6 SEE WIRING INSTL-CHASSIS FOR ROUTING BELOW FLOOR.
- 5 WIRES PASS THROUGH FLOOR HERE.
- 4 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 3 MARK WIRES WITH WRAP OF RED TAPE.
- 2 HDMI CABLE TO BE ROUTED WITH WIRE ASM-RIGHT FROM BEHIND BLOCK OUT PANEL IN DINETTE OVHD TO BEDROOM TV.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 64A JACKS-STABILIZING, ELECTRIC
- 68X TV - BEDROOM
- 68T TV - BEDROOM WITHOUT
- 52N AWNING - PATIO, ELECTRIC
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 2 OF 4	ITEM/PART NO: 000043289 / 32033401000
REV 05-Oct-2018	

PLATE-SWITCH
144363-02-CHT
SCREW
G11-06-10U (2)


SWITCH-BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS LH,LJ,
LG,JP,JA
WIRE ASM-THERMISTOR
186796-01-000



DETAIL CA




DETAIL CB




DETAIL CC

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)



DETAIL CE



DETAIL CF

SWITCH-BLANK
138253-01-CHT
SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
LABEL-SWITCH
134563-01-CHT


SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

HOLDING TANK HEATER
TURN OFF When Not In Use
SEE OPERATORS MANUAL

CIRCUIT BREAKER-20 AMP
184387-01-000

FUSE-5 AMP
062901-02-000 (2)

J 6 BLK
(BATTERY COMPT)




DETAIL CH

FUSE-15 AMP
062901-05-000 (7)

- JC 14 Y (LAMPS)
- JD 14 Y (LAMPS)
- JE 14 Y (LAMPS)
- NM 12 Y (TANK HEATERS)
- JA 14 Y (MONITOR PANEL & PUMP)
- JB 14 Y (FURNACE)
- FFD 12 Y (AWNING) (STABILIZERS)
- WB 16 Y (LP DETECTOR)
- ET 16 Y (REFRIGERATOR)
- JF 14 Y (TV/RADIO)


52N
52F
SWITCH-ROCKER
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
SWITCH-BLANK
096241-03-000

PLATE-SWITCH
158431-19-CHT
SCREW
G11-06-10U (4)





DETAIL CD

SWITCH-ROCKER
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
SWITCH-BLANK
096241-03-000



DETAIL CG

LABEL-STABILIZER
000007799 / 310651-01-CHT 64A



SWITCH-ROCKER
108357-06-000 (2)
ACTUATOR
108356-01-CHT (2)
SWITCH-BLANK
096241-03-000 (2)

PLATE-SWITCH
144363-02-CHT (2)
SCREW
G11-06-10U (4)

- 64A JACKS-STABILIZING, ELECTRIC
- 60T JACKS-STABILIZING,ELECT W/O
- 1JD DRAINAGE SYSTEM-HEATED-W/O
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 52N AWNING - PATIO, ELECTRIC
- 52F AWNING-PATIO
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO:	REV
3 OF 4	000043289 / 32033401000	


8 7 6 5 4 3 2 1



D
C
B
A

D
C
B
A


LIGHT-LED,ROUND 4.5 PLASTIC
000166889 / 329926-01-CHT (6)
SCREW
G13-06-16U (18)
CONNECTOR
58028-01-000 (12)



LIGHT-LED,ROUND W/SWITCH,3.5 PLASTIC
000166892 / 329927-01-CHT
SCREW
G13-06-16U (3)
CONNECTOR
58028-01-000 (2)

ANTENNA-TV, OMNIDIRECTIONAL
000171487 / 331386-01-CHT
SCREW
G67-10-16U (4)

1J8 1



- 1J8 TV ANTENNA-OMNIDIRECTIONAL
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1 SEE ANTENNA INSTALLATION MANUAL FOR
CORRECT INSTALLATION PROCEDURE.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV
4 OF 4	000043289 / 32033401000	