



- 6 SPLICE YELLOW TO RED AND WHITE TO BLACK.
- 5 FROM WIRE ASM-CHASSIS.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASSOVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 64A JACKS-STABILIZING, ELECTRIC
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED: 18 524G
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 1 OF 8	ITEM/PART NO: 000045197 / 32085401000
REF:	REV: 1 03-Oct-2018

D

D

C


C

B

B

A




A



- 6 MOUNTED ON EXTERIOR SURFACE OF SIDEWALL.
- 5 CLEAN SURFACE WITH CLEAN TOWEL.
- 4 CIRCUITS ARE PART OF WIRE ASM-SIDEWALL.
- 3 CENTER LIGHT STRIP.
- 2 SEE LOAD CENTER ASM FOR ADDITIONAL INFORMATION.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:






FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 42B TV, REAR-WITHOUT
- 31T FRONT CAP W/BED
- 31P FRONT CAP W/O BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV:	
3 OF 8	000045197 / 32085401000		



DETAIL DD



VIEW DC

- NOTES:
- 4 FROM WIRE ASM-CHASSIS.
 - 3 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB. ADJUST HEIGHT TO MATCH MAGNET.
 - 2 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME. MOUNT WITH MAGNET TOWARD SWITCH.
 - 1 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHERS AND TERMINALS.

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265


DESCRIPTION: WIRING INSTL-BODY, 12V

SHEET: 4 OF 8 ITEM/PART NO: 000045197 / 32085401000 REV

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


X-X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000




SWITCH-ROCKER
135740-01-CHT (2)
135740-04-CHT
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-03-CHT
SCREW
G11-08-08U (4)

DETAIL EA




SWITCH-ROCKER
135740-01-CHT (3)
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-03-CHT
SCREW
G11-08-08U (4)

DETAIL EB




SWITCH
108357-21-000
ACTUATOR
108356-23-CHT
SCREW
G11-06-10U (2)
PLATE-SWITCH
144363-02-CHT

DETAIL EC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL ED




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-59-CHT
SCREW
G11-08-08U (2)

DETAIL EE




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
WIRE ASM-RESISTOR
140195-01-000

DETAIL EF




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL EG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL EH



SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
WIRE ASM-RESISTOR
140195-01-000

DETAIL EJ




SWITCH-BLANK
138253-01-CHT ← 1JD
SWITCH-ROCKER
135740-06-CHT ← 23T OR 23R
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)
LABEL
134563-01-CHT ← 23T OR 23R

DETAIL EK

HOLDING TANK HEATER
TURN OFF When Not In Use
SEE OPERATORS MANUAL

321 → MONITOR PANEL
175724-06-000
33F → 175724-03-000
SCREW
G11-08-12U (4)



CONTROL-CHARGE,
SOLAR 30 AMP
191278-01-000
SCREW
G11-08-08U (2)
DETAIL FB





SWITCH
108357-18-000 (2)
ACTUATOR
108356-31-CHT (2)
PLATE-SWITCH
144363-02-CHT (2)
SCREW
G11-06-10U (4)

LABEL-SLIDEOUT,DRIVER,FRONT
163992-01-CHT

HOLDING TANK HEATER
TURN OFF When Not In Use
SEE OPERATORS MANUAL



SWITCH
DETAIL EK




SWITCH
DETAIL EE

WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.

LABEL-WARNING,SLIDEOUT
116549-01-000




REMOTE PANEL-INVERTER
000037772 / 318694-01-CHT
SCREW
000G11-06-08U (2)



PANEL-GENERATOR
(REFERENCE) 33F 1

DETAIL EL




SWITCH-BATT DISC
108357-18-000
ACTUATOR-BATT DISC
108356-19-CHT
ADD WIRE ASM-THERM
186796-01-000

SWITCH-STEP
108357-19-000

PLATE-SWITCH
158431-19-CHT
SCREW
G11-06-10U (4)

DETAIL EM




SWITCH-ROCKER
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT

PLATE-SWITCH
158431-19-CHT
SCREW
G11-06-10U (4)


SWITCH-ROCKER
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT

DETAIL EN



SWITCH-ROCKER
135740-01-CHT
SWITCH-BLANK
138253-01-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL EP 41M



SWITCH-ROCKER
135740-01-CHT
135740-03-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL EP 316



- 321 GENERATOR PREP KIT
- 33F GEN-3.2 KW ONAN DIESEL
- 316 SKYLIGHT/ROOF VENT, POWER
- 41M VENT-POWER VENTILATOR
- 1JD DRAINAGE SYSTEM-HEATED-W/O
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

1B1	265
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 5 OF 8	ITEM/PART NO: 000045197 / 32085401000
REV 03-Oct-2018	


NOTES:
1 SUPPLIED WITH GENERATOR.




PANEL-SOLAR 100 WATT, FLEXIBLE
 000131101 / 325665-01-000 (2)
 WASHER
 077071-01-000 (8)
 SCREW
 000G39-10-16U (8)




2 ANTENNA-TV,OMNIDIRECTIONAL, PORTABLE
 000120035 / 323063-01-CHT
 SCREW
 G67-10-16U (3)
 PLATE-ROOF, CABLE ENTRY
 146488-01-000
 SCREW
 G67-10-10U (10)



VIEW FC



DETAIL FD



VIEW FA


- NOTES:
- 5 COIL AND SECURE SOLAR PANEL WIRES ON EACH SIDE OF SOLAR PORT WITH CLAMPS CALLED OUT.
 - 4 WIRE IS MARKED WITH YELLOW TAPE.
 - 3 WIRE IS MARKED WITH GOLD TAPE.
 - 2 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.
 - 1 WRAP BRACKET LEGS AROUND ANTENNA BASE.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1	265
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
6 OF 8	000045197 / 32085401000		



VIEW GA

VIEW GB

- 3 SLIDE-ROOM CONTROL WIRES NEED TO BE SECURELY CLAMPED ON BOTH SIDES OF THE ROLLER BRACKETS.
- 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:


265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000




FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
1B1 265	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO. REV
7 OF 8	000045197 / 32085401000

8 7 6 5 4 3 2 1



READ-6



- 31T FRONT CAP W/BED
- 31P FRONT CAP W/O BED
- 41M VENT-POWER VENTILATOR
- 316 SKYLIGHT/ROOF VENT, POWER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
8 OF 8	000045197 / 32085401000		

8 7 6 5 4 3 2 1 03-Oct-2018