

- 7 WIRE TO BE MARKED BY WRAP OF 19 MM WIDE RED TAPE WITHIN 150 MM OF END.
- 6 CABLE MARKED WITH PURPLE TAPE.
- 5 CABLE MARKED WITH BLUE TAPE.
- 4 CABLE MARKED WITH GREEN TAPE.
- 3 CABLE MARKED WITH YELLOW TAPE.
- 2 WIRING PART OF WIRE ASM-CHASSIS.

1. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIME WITH PRIMER 94.

NOTES:

WIRE ASM-HEATER RELAY 153891-01-000
 WIRE ASM-HEATER, TANKS 000005789 / 312411-01-000 } 23T OR 23R

WIRE ASM-AUX HOLDING 151316-05-000 5

WIRE ASM-MAIN HOLDING 151317-05-000 7

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:		
UNSPECIFIED TOLERANCES:	MATERIAL:	
WHOLE DIM (X) : 3		
ONE-PLACE (X.X) : 1.5		
TWO-PLACE (X.XX) : 0.50		
ANGLE : 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED: 18 326A
DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 1 OF 5	ITEM/PART NO: 000045561 / 32098001000	REV:
REF:		1 05-Oct-2018



- 3 WIRING PART OF WIRE ASM-BACKWALL.
- 2 WIRING PART OF WIRE ASM-CHASSIS.

1. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIME WITH PRIMER 94.


NOTES:

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		1B1	265
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
2 OF 5	000045561 / 32098001000		




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DA



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB



SWITCH-ROCKER
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
SWITCH-BLANK
096241-03-000

52N
52F

SWITCH-ROCKER
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
SWITCH-BLANK
096241-03-000

52N
52F

DETAIL DE




PLATE-SWITCH
158431-19-CHT
SCREW
G11-06-10U (4)

HOLDING TANK HEATER
TURN OFF When Not In Use
SEE OPERATORS MANUAL

DETAIL DG





PLATE-SWITCH
144363-02-CHT
SCREW
G11-06-10U (4)

SWITCH-BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS:
LH,LJ,LG,JP,JA
WIRE ASM-THERMISTOR
186796-01-000

DETAIL DC




LABEL-STABILIZER
000007799 / 310651-01-CHT

SWITCH-ROCKER
108357-06-000 (2)
ACTUATOR
108356-01-CHT (2)
SWITCH-BLANK
096241-03-000 (2)

64A
60T


PLATE-SWITCH
144363-02-CHT (2)
SCREW
G11-06-10U (4)

DETAIL DD



SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DF



LABEL
163992-01-CHT


PLATE-SWITCH
144363-02-CHT
SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
SCREW
G11-08-08U (2)

DETAIL DH

WARNING
CRUSH HAZARD. Keep people and objects clear of the inside and outside of the slideout room when operating. Failure to comply could result in death or serious injury.


LABEL
116549-02-000

DETAIL DH



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DJ



SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

23T 23R

1JD

DETAIL DK


CIRCUIT BREAKER-20 AMP
184387-01-000

FUSE-5 AMP
062901-02-000 (2)

FUSE-30 AMP
062901-08-000 (2)

J 6 BLK
(BATTERY COMPT)

8 GRN
(GROUND)



DETAIL DK

WARNING
CRUSH HAZARD. Keep people and objects clear of the inside and outside of the slideout room when operating. Failure to comply could result in death or serious injury.

LABEL
116549-02-000

DETAIL DF

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 1JD DRAINAGE SYSTEM-HEATED-W/O
- 60T JACKS-STABILIZING,ELECT W/O
- 52F AWNING-PATIO
- 52N AWNING - PATIO, ELECTRIC
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 64A JACKS-STABILIZING, ELECTRIC
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO:	REV
4 OF 5	000045561 / 32098001000	

8 7 6 5 4 3 2 1



D
C
B
A



D
C
B
A

LIGHT-LED,ROUND 4.5 PLASTIC
000166889 / 329926-01-CHT (8)
SCREW
G13-06-16U (24)
CONNECTOR
58028-01-000 (16)

LIGHT-LED,ROUND W/SWITCH,3.5 PLASTIC
000166892 / 329927-01-CHT
SCREW
G13-06-16U (3)
CONNECTOR
58028-01-000 (2)

ANTENNA-TV, OMNIDIRECTIONAL
000171487 / 331386-01-CHT
SCREW
G67-10-16U (4)

1J8 1



1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT
INSTALLATION PROCEDURE.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 1J8 TV ANTENNA-OMNIDIRECTIONAL
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 5 OF 5	ITEM/PART NO.: 000045561 / 32098001000
REV	

8 7 6 5 4 3 2 1 05-Oct-2018