


8 7 6 5 4 3 2 1

D


C

B

A



- 5 WIRE IS PART OF WIRE ASM-CHASSIS. ROUTE WIRES ABOVE HOLDING TANKS TO THE SLIDEOUT CONTROL MODULE.
- 4 NOT USED WITH 1DF. ROUTE WIRES INTO SLIDEROOM FOR IN-WALL EXTERIOR TV.
- 3 WIRE PASSES THROUGH FLOOR IN THIS AREA.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.



VIEW AA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000




- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

**WINNEBAGO**  
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED: <b>18 L38F</b>
DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>	
SHEET: <b>1 OF 8</b>	ITEM/PART NO.: <b>000045773 / 32106201000</b>
REF:	REV: <b>1 07-Nov-2018</b>

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1



2 WIRE PASSES THROUGH FLOOR IN THIS AREA.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 1BU WTR HTR TKLS W/RECIRCUL PUMP
- 53F WATER HEATER-ELEC. IGNITION
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV:	
2 OF 8	000045773 / 32106201000		

8 7 6 5 4 3 2 1 07-Nov-2018

8 7 6 5 4 3 2 1

D  
C  
B  
A



LABEL-WARNING, SLIDEOUT 116549-02-000

**WARNING**  
CRUSH HAZARD. Keep people and objects clear of the inside and outside of the slideout room when operating. Failure to comply could result in death or serious injury.

LABEL-SLIDEOUT, DRIVER, FRONT 163992-01-CHT

DRIVER'S SIDE FRONT

SWITCH-ROCKER 108357-18-000  
ACTUATOR-SWITCH 108356-31-CHT

LABEL-SLIDEOUT, PASS, FRONT 163992-04-CHT


PASSENGER'S SIDE FRONT

SWITCH-ROCKER 108357-18-000  
ACTUATOR-SWITCH 108356-31-CHT

DETAIL CA

LABEL-WARNING, SLIDEOUT 116549-02-000

**WARNING**  
CRUSH HAZARD. Keep people and objects clear of the inside and outside of the slideout room when operating. Failure to comply could result in death or serious injury.



PANEL-CONTROL 000027745 / 316105-01-CHT  
SCREW G67-08-12U (4)

1BU

NOTES:  
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 1DF EXT TV ENTERTAINMENT CENTER
- 1BU WTR HTR TKLS W/RECIRCUL PUMP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	1B1 265	
<b>WIRING INSTL-BODY, 12V</b>		
SHEET:	ITEM/PART NO.:	REV
3 OF 8	000045773 / 32106201000	




8 7 6 5 4 3 2 1 07-Nov-2018



DETAIL DA (FRONT VIEW)



DETAIL DA (BACK VIEW)



DETAIL DC

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS  
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1	265
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV	
4 OF 8	000045773 / 32106201000		

8 7 6 5 4 3 2 1

D  
C  
B  
A



- 571 RADIO SPEAKERS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: <b>WIRING INSTL-BODY, 12V</b>		
SHEET: 5 OF 8	ITEM/PART NO: 000045773 / 32106201000	REV

8

7

6


5

4

3

2

1



THE SATELLITE DISH AND WIRE CONNECTIONS ARE TO BE PLACED ON THE CENTERLINE OF THE MOTORHOME FACING FORWARD.

SEPARATE CABLES AND INSTALL WIRE COVER OVER HOLE IN ROOF ASM WITH CABLES EXITING ON PASSENGERS SIDE.

WHEN APPLYING ROOF SEALANT TO SATELLITE DISH, PLACE ROOF SEALANT HERE (APPROX. 75MM WIDE) AND PUSH THE CABLES INTO THE SEALANT TO STABILIZE THEM.

CONNECT CABLE ASM-COAX FROM ROOF ASM TO COAX CABLES ON SATELLITE DISH AND CONNECT 10' CABLE-DATA FROM ROOF ASM TO DATA CABLE FROM SATELLITE DISH AND PLACE ALL CONNECTIONS BACK INTO ROOF ASM.

DETAIL FA

1 787 DA-4  
DETAIL FA

RED-GR  
BLK-HHB

PLATE-ROOF CABLE ENTRY  
146488-01-000  
SCREW  
G13-10-12U (10)

ANTENNA-TV, OMNIDIRECTIONAL  
000171487 / 331386-01-CHT  
SCREW  
000G67-10-16U (4)

1 193

RED-KJ  
BLK-HHB

RED-GGB  
BLK-HHB

- 787 SAT TV ANT, AUTO DIRECTV
- 193 TV ANTENNA-AMPLIFIED SYSTEM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1 SEE MANUFACTURER'S INSTALLATION FOR ADDITIONAL INFORMATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		1B1 265	
<b>WIRING INSTL-BODY, 12V</b>			
SHEET:	ITEM/PART NO.:	REV	
6 OF 8	000045773 / 32106201000		

8

7

6

5






4

3

2

1

07-Nov-2018



- 3 ROUTE WIRES ABOVE FLOOR.
- 2 ROUTE WIRES BELOW FLOOR.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.



NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265
<b>WIRING INSTL-BODY, 12V</b>		
SHEET:	ITEM/PART NO.:	REV:
7 OF 8	000045773 / 32106201000	



KIT\*: Firefly P/N: 90854A  
 Winnebago P/N: 322450-01-000  
 \* Kits may not include all components shown on print

<b>WINNEBAGO - L38F - V3</b>			DI: MD	<b>Network Legend</b> Trunk Cable ——— Drop Cable ——— Switch Position ■	
Network Wiring Diagram and Switch Panel Layout			PI: AA		
SSP-17 & 4.3" Screen (6v8)	Rev. 0v2	05/10/17			

NOTES:  
 1. ALL SWITCH PANELS ARE PART OF KIT #000118592 / 322450-01-000.

265 CODES/STANDARDS-CSA/CMVSS  
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265
<b>WIRING INSTL-BODY, 12V</b>	
SHEET: 8 OF 8	ITEM/PART NO: 000045773 / 32106201000
REV	