

- NOTES:**
- 1 CUT LIGHT GREEN/RED WIRE FROM PARK BRAKE SWITCH AND RECONNECT TO CIRCUIT DY OF CHASSIS ASM AS SHOWN.
  - 2 SECURE CONDUIT 41953, TAB AS REQUIRED, OVER ALL WIRES IN CONTACT WITH SHARP EDGES.
  - 3 USE WIRE TIES 8343-04-000 AND 116673-02-000 APPROXIMATELY 600MM ON CENTER UNLESS OTHERWISE SPECIFIED.
  - 4 DATA CABLE TO BE ROUTED WITH WIRE ASM-INVERTER, 110V FROM INVERTER TO REMOTE SWITCH.
  - 5 SEE RADIO/MONITOR INSTL FOR ADDITIONAL INFORMATION.
  - 6 FUSE LOCATED UNDER DASH BY STEERING COLUMN.

- 7 SEE BATTERY INSTALLATION FOR ADDITIONAL INFORMATION.
- 8 ROUTE WIRE ASM WITH CHASSIS WIRE ASM PASSING THROUGH FLOOR ON BOTH LEFT AND RIGHT SIDES.
- 9 HDMI CABLE TO BE ROUTED WITH WIRE ASM-CHASSIS TO FRONT OF CHASSIS.
- 10 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
- 11 FUSE LOCATED UNDER DASH BY PARK BRAKE ASM.

- 12 SEE SHEET 2 FOR ADDITIONAL INFORMATION.
- 13 SEE WIRING INSTL-BODY, 110V FOR ADDITIONAL INFORMATION.
- 14 WIRE ASM TO BE ROUTED FROM CHASSIS ELECTRICAL BOX TO DASH POCKET UNDER THE STEERING COLUMN.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 65Q RENTAL - APOLLO
- 09A PREMIUM PACKAGE
- 9PC TAILGATE PACKAGE
- 60M HYDRAULIC LEVEL JACKS-AUTO
- 401 INVERTER-DC/AC, 1000 WATT
- 283 MIRRORS-UPGRADE W/CAMERA
- 16Y FORD CHASSIS - 14,500#\_GVWR
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

**WINNEBAGO**  
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED:
	18 331G
DESCRIPTION: <b>WIRING INSTL-CHASSIS</b>	
SHEET: 1 OF 3	ITEM/PART NO: 000088903 / 32137801000
REF:	1 15-Feb-2018










PLATE-SWITCH, MOUNTING  
152419-03-CHT  
PLATE-SWITCH  
144363-16-CHT  
SCREW  
G11-06-08U (2)

APPLIQUE-SWITCH,  
BOOST/RADIO  
132954-15-CHT



- NOTES:
- 5 SEE BATTERY INSTL FOR ADDITIONAL INFORMATION.
  - 4 WIRES TO BE TIED TO CROSS MEMBER USING EXISTING HOLES.
  - 3 WIRES TO BE TIED TO TOP OF RAIL USING EXISTING HOLES.
  - 2 WIRES TO BE TIED TO INSIDE OF RAIL USING EXISTING HOLES.
  - 1 CUT OFF EXCESS END OF WIRE TIE.






FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 401 INVERTER-DC/AC, 1000 WATT
- 9PC TAILGATE PACKAGE
- 60M TO LEVELING SYSTEM POWER CABLE
- 16Y FORD CHASSIS - 14,500#\_GVWR
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: <b>WIRING INSTL-CHASSIS</b>		
SHEET: 2 OF 3	ITEM/PART NO: 000088903 / 32137801000	REV

8 7 6 5 4 3 2 1



DETAIL CD 60M



- NOTES:
- 3 ATTACH DUAL LOCK TO BOTTOM OF TRANSMITTER AND ATTACH TO BOTTOM OF POCKET UNDER STEERING COLUMN.
  - 2 LABEL ON TRANSMITTER MUST FACE UPWARD.
  - 1 FOR HOLE SIZE AND LOCATION SEE DETAIL CD.

- 65Q RENTAL - APOLLO
- 60M HYDRAULIC LEVEL JACKS-AUTO
- 16Y FORD CHASSIS - 14,500#\_GVWR
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265 16Y	
<b>WIRING INSTL-CHASSIS</b>		
SHEET:	ITEM/PART NO:	REV
3 OF 3	000088903 / 32137801000	

8 7 6 5 4 3 2 1 15-Feb-2018