


8 7 6 5 4 3 2 1

GROMMET-EDGE LINER
114208-05-000

PLATE-WALL, SINGLE
COAX HORIZ
149557-13-CHT

PLATE-WALL,
POWER SUPPLY
179004-02-CHT

CABINET ASM-
OVHD, DINETTE
(REF)



TV-39" HDTV, INSIGNIA
000167539 / 330141-01-000

SCREW
OMG02U-06-016 (4)

BRACKET ASM-MNTG, TV, 39"INSIG
000168551 / 330408-01-CHT

SCREW
G11-08-12U (5)


TAPE
076322-21-000 (2) (340 MM) 3

SIDEWALL ASM-RIGHT
(REF)

CABINET ASM-BATH
(REF)

CLIP-TRIM
130034-01-CHT
SCREW
G11-08-12U (4)

CABINET ASM-BATH
(REF)



VIEW AA
(TV NOT SHOWN)

- NOTES:
- 3 PREP BOTH SURFACES WITH ADHESIVE-PROMOTER, 087211-01-000.
 - 2. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW G67-10-12U UNLESS OTHERWISE SPECIFIED.
 - 1. WHERE WIRES PASS THROUGH HOLES IN STEEL AND NOT OTHERWISE PROTECTED, USE GROMMET 92908-02-000.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 68Y TV - MAIN
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265 68Y




DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:			
WHOLE DIM (X)	: 3		
ONE-PLACE (X.X)	: 1.5		
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
			18 V29L
DESCRIPTION: WIRING INSTL-TV/DVD			
SHEET:	ITEM/PART NO.:	REV:	
1 OF 4	000122523 / 32333201000		
REF:		1 25-Jul-2018	



8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

D
C
B
A



- TV-32" HDTV
000125949 / 324307-01-000
- SCREW
OMG02U-04-012 (4)
- WASHER
OME02U-04-071 (4)
- BRACKET-TV, 32 INSIG
000128763 / 325071-01-CHT
- SCREW
G11-08-12U (5)
- TAPE-FOAM
076322-23-000 (80 MM) (2) 3
- 076322-23-000 (150 MM)



VIEW BA
(TV NOT SHOWN)

- 3 PREP BOTH SURFACES WITH ADHESIVE-PROMOTER, 087211-01-000.
2. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW G67-10-12U UNLESS OTHERWISE SPECIFIED.
1. WHERE WIRES PASS THROUGH HOLES IN STEEL AND NOT OTHERWISE PROTECTED, USE GROMMET 92908-02-000.

NOTES:

- 68X TV - BEDROOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

1B1 265 68X		
DESCRIPTION: WIRING INSTL-TV/DVD		
SHEET: 2 OF 4	ITEM/PART NO: 000122523 / 32333201000	REV


8 7 6 5 4 3 2 1 25-Jul-2018

8 7 6 5 4 3 2 1




- TV-32" HDTV
000125949 / 324307-01-000
- PLATE-MNTNG,TV,32" INSIGNIA
000127966 / 325048-01-CHT
- SCREW
0MG02U-04-012 (4)
- WASHER
E13-10-00U (4)
- TAPE-FOAM
076322-22-000 (80 MM) (2)
- TAPE-FOAM
076322-23-000 (150 MM) (3)

- BRACKET-TV SWING MOUNT
179241-01-CHT
- SCREW
G11-08-12U (8)



VIEW CA



VIEW CA
(TV NOT SHOWN)

4 ROUTE COAX (YEL) AND TV POWER CORD TOGETHER, COVER WITH MINIMUM POSSIBLE DIAMETER BRAIDED SLEEVING 139049-01-.02-.03-000. SECURE BOTH ENDS WITH TAPE 8363-01-000. TIE CORDS TO TOP OF SWING ARM WITH TIE-WIRE 008343-03-000

3 PREP BOTH SURFACES WITH ADHESIVE-PROMOTER, 087211-01-000.

2. ALL WIRES TO BE SECURED WITH CLAMP 10495-01-000 OR CLIP 80734-01-000 EVERY 600MM. USE SCREW G67-10-12U UNLESS OTHERWISE SPECIFIED.

1. WHERE WIRES PASS THROUGH HOLES IN STEEL AND NOT OTHERWISE PROTECTED, USE GROMMET 92908-02-000.

NOTES:

- 9PC TAILGATE PACKAGE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: 1B1 265 9PC

WIRING INSTL-TV/DVD

SHEET: 3 OF 4 ITEM/PART NO: 000122523 / 32333201000 REV

8 7 6 5 4 3 2 1 25-Jul-2018



- NOTES:
- 4 CABLE IS PART OF WIRE ASM-SLIDEOUT.
 - 3 CONNECTED TO REAR SIDE OF PLATE.
 - 2 CABLE IS PART OF WIRE ASM-COACH.
 - 1 CABLE ROUTED IN ROOF.

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		1B1 265	
WIRING INSTL-TV/DVD			
SHEET:	ITEM/PART NO.:	REV:	
4 OF 4	000122523 / 32333201000		