

SWITCH-WATER PUMP
108357-15-CHT
ACTUATOR
108356-03-CHT
CIRCUITS
AG,JA,AF,JS,JY





PLATE-WALL,DUAL COAX
149557-03-CHT
SCREW
G39-08-08U (2)



VIEW AA

TO COMPT LAMP

LO1-3
6

COAX (RED)
TO CABLE INPUT
COAX (GLD)
TO PORTABLE
SATELLITE
DISH INPUT

TO SLIDEOUT

AA

- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

CONTROL-SLIDEOUT,IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GA

COVER-ELECTRICAL
194965-01-CHT (2)
LABEL-SLIDEOUT
098379-09-000 (2)

2 PIN HOUSING
TO WIRE ASM-AUX
HOLDING TANK

3 WIRE ASM-AUX
HOLDING TANK
151316-03-000

TO COMPT LAMP

401 INVERTER CONTROL CABLE
TO REMOTE PANEL

3 WIRE ASM-MAIN
HOLDING TANK
151317-02-000

2 PIN HOUSING
TO WIRE ASM-MAIN
HOLDING TANK

4

PANEL-SERVICE
132862-08-CHT (2)
SCREW
G39-10-12U (8)

BRACKET-MOUNTING,COMPT LAMP
185915-01-CHT (2)
SCREW
G39-10-12U (8)

WIRE ASM-CHASSIS
(REF)

CONTROL-SLIDEOUT,IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GC

WIRE ASM-COACH
000128354 / 324948-01-000

4

PANEL-RECEPTACLE
151376-02-CHT
ADAPTOR
82134-01-000
NUT
82136-01-000
LABEL
157486-01-CHT
SCREW
G67-10-12B (4)

WIRE ASM-TANK,WATER
151317-01-000

3

CONTROL-SLIDEOUT,IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GB

INVERTER CONTROL CABLE
TO INVERTER FROM INVERTER
CONTROL MODULE

401

2 PIN HOUSING
TO WIRE ASM-TANK,WATER

2 PIN HOUSING
TO WATER PUMP

- 401 INVERTER-DC/AC, 1000 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265



DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFFR:	MATERIAL:	
UNSPECIFIED TOLERANCES:		
WHOLE DIM (X) :	3	
ONE-PLACE (X.X) :	1.5	
TWO-PLACE (X.XX) :	0.50	
ANGLE :	1°	

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES


WEIGHT: (LBS) FIRST USED:
18 E30T

DESCRIPTION:
WIRING INSTL-BODY, 12V


SHEET:	ITEM/PART NO.:	REV:
1 OF 7	000127425 / 32474601000	

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000



LAMP-DINETTE
 000028895 / 316335-01-000
 CONNECTOR
 058028-01-000 (2)
 BULB
 117502-02-000 (2)
 SCREW
 G11-08-16U (2)



WIRE ASM-OVHD
 186328-01-000

PSLED-2
 2

14W

14W WIRE ASM-OVHD
 133572-01-015

14W TO WIRE ASM-SIDEWALL

3 PIN HSG TO RANGE HOOD FROM SIDEWALL

WIRES TO SLIDEOUT MOTOR

TO WIRE ASM-ROOF
 DETAIL FB

45B SWITCH
 DETAIL FD

SWITCH
 DETAIL DB

SWITCHES
 DETAIL DK

4 PIN HOUSING TO FURNACE

PSLED-2

WIRES TO SLIDEOUT MOTOR

SWITCH
 DETAIL DA

WIRE ASM-OVHD
 192894-01-000

SWITCH
 DETAIL DD

PSLED-2
 2

WIRES TO SLIDEOUT MOTOR

TO SIDEWALL

LO1-3

2 PIN HSG TO SIDEWALL

THERMOSTAT
 000016556 / 313194-01-CHT 078
 000016270 / 313193-01-CHT 29J OR 078

REMOTE PANEL-INVERTER
 000037772 / 318694-01-CHT 401
 SCREW
 G11-06-08U (2)

SWITCH
 DETAIL DP

SWITCH
 DETAIL DG

THERMOSTAT
 000016556 / 313194-01-CHT 078

SWITCH
 DETAIL DN

CLAMP
 10497-03-000
 SCREW
 G11-10-12U

DETAIL BB 21R

RECEPTACLE-12V
 132958-01-000
 DETAIL BA

SWITCH
 DETAIL DR

PANEL-MONITOR
 134940-06-CHT
 SCREW
 G11-08-08U (4)

PANEL-MONITOR, EMS 078 4
 174295-06-000

- 45B LOFT BED
- 078 ALL WEATHER UPGRADE PACKAGE
- 401 INVERTER-DC/AC, 1000 WATT
- 25Q A/C ROOF AIR (1) 14,800 BTU
- 29J AC HEAT PUMP-1
- 14W DINETTE
- 21R DINING/BUFFET/POWERED TV
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA




- 4 DATA CABLE FOR EMS PANEL IS MARKED WITH RED TAPE.
- 3 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 2 WIRE ROUTED WITH 110V WIRING. SEE WIRING INSTL-BODY, 110V FOR ROUTING INFORMATION.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: 1B1 265
WIRING INSTL-BODY, 12V
 SHEET: 2 OF 7 ITEM/PART NO.: 000127425 / 32474601000 REV: 12-Jan-2018



- NOTES:
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.
 2. MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.
 3. MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
 4. WIRES ROUTED THROUGH FLOOR IN THIS AREA.
 5. SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
 6. ROUTE RCA & COAX TO BEDROOM TV THROUGH THE ROUTED PATH IN SIDEWALL.
 7. REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.

- 12D WIRE ASM-EXTENSION 000128562 / 325012-01-000
- 078 WIRE ASM-EXTENSION 000128557 / 325010-01-000


- 078 CONVERTER 184353-01-000 WIRE ASM-CONVERTER 000128567 / 325016-01-000 SCREW G11-08-12U (3) DETAIL CD

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 078 ALL WEATHER UPGRADE PACKAGE
- 12D ELECTRICAL SYSTEM 30 AMP
- 42B TV, REAR-WITHOUT
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 3 OF 7	ITEM/PART NO: 000127425 / 32474601000	REV:
12-Jan-2018		




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DF




SWITCH-TV LIFT
108357-16-000
ACTUATOR
108356-26-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DM 21R




SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DN




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC 21R




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DJ




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DP




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DD




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DL



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)


DETAIL DR



DETAIL DE

SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-20-CHT
CIRCUITS UUC,TTY,UUB,
UUB,TTZ,UUC,UUC,UUA
WIRE ASM-THERM
186796-01-000

SWITCH-COACH BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS KF,LG,LJ,
LJ,LH,KF,KF,LK
WIRE ASM-THERM
186796-01-000




DETAIL DH 1

SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS FFD,FFR,FFE,
FFE,JJR,FFD

SWITCH-AWNING
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
CIRCUITS SP,ZZL,WE,ZZL


SWITCH-STEP
108357-19-000
CIRCUITS ER,ES

PLATE-SWITCH
158431-04-CHT
SCREW
G11-06-10U (6)




DETAIL DK


WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.



DETAIL DS 078 (FRONT VIEW)



DETAIL DS 078 (BACK VIEW)



DETAIL DT 078

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 078 ALL WEATHER UPGRADE PACKAGE
- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 21R DINING/BUFFET/POWERED TV
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DE

DESCRIPTION:		WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO.:	REV	
4 OF 7	000127425 / 32474601000		

8 7 6 5 4 3 2 1

D
C
B
A

D
C
B
A





FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA


1B1 265	
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 5 OF 7	ITEM/PART NO: 000127425 / 32474601000
REV 1 12-Jan-2018	

8 7 6 5 4 3 2 1








ANTENNA-TV ROOF
000039180 / 318992-01-CHT
SCREW
G67-10-12U (6)

(1)



ANT-R (1D5 SEAL)



- (45B) LOFT BED
- (1D5) ENTERTAINMENT CENTR/EXT W/CD
- (265) CODES/STANDARDS-CSA/CMVSS
- (1B1) CODES/STANDARDS USA

NOTES:



(2) WRAP BRACKET LEGS AROUND ANTENNA BASE.

(1) SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
6 OF 7	000127425 / 32474601000		



DETAIL GA



DETAIL GB



DETAIL GC

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191661-01-000

HARNESS-SLIDEOUT MOTOR 191661-02-000

GROMMET 016188-11-000 (6)

HARNESS-SLIDEOUT MOTOR 191661-02-000

- 4 COIL UP EXCESS HARNESS IN LOWER COMPARTMENT.
- 3 WIRE IS ROUTED THROUGH FLOOR IN THIS AREA.
- 2 ROUTE WIRES BELOW FLOOR.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
7 OF 7	000127425 / 32474601000		