

8 7 6 5 4 3 2 1



D

D

CABLE ASM-CHASSIS GND EXT (BLK)		133566-12-011
CABLE ASM-CHASSIS BATTERY DISCONNECT SUPPLY (RED)		141415-32-026
CABLE ASM-COACH BATTERY DISCONNECT SUPPLY (YEL)		141416-52-024
CABLE ASM-COACH BATTERY GND (BLK)		133567-12-008
CABLE ASM-GENERATOR (GRN)		141415-42-078
CABLE ASM-GENERATOR GND (BLK)		133566-12-008
LEVELING SYSTEM POWER CABLE (BLU)	60M	141415-29-021
LEVELING SYSTEM GND CABLE (BLK)	60M	133566-12-008
CABLE ASM-STARTER (RED)		141416-32-010
CABLE ASM-COACH BATTERY FUSE		141416-52-003
CABLE ASM-CHASSIS BATTERY FUSE		141415-32-003
CABLE ASM-INVERTER (ORG)	401	141415-62-030
CABLE ASM-INVERTER GND (BLK)	401	133566-12-030
CABLE ASM-INVERTER CASE GND (GND)	401	136145-05-028
CABLE ASM-INVERTER FUSE (ORG)	401	141415-62-003

C

C



B

B

- 401 INVERTER-DC/AC, 1000 WATT
- 60M HYDRAULIC LEVEL JACKS-AUTO
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265



COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:		
UNSPECIFIED TOLERANCES:	MATERIAL:	
WHOLE DIM (X) : 3		
ONE-PLACE (X.X) : 1.5		
TWO-PLACE (X.XX) : 0.50		
ANGLE : 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED: 18 E32YE

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: BATTERY INSTL


SHEET: 1 OF 4 ITEM/PART NO: 000131534 / 32577801000 REF: 1 12-Jan-2018

8 7 6 5 4 3 2 1



A

A



401 FUSE HOLDER  
115187-02-000  
SCREW  
G39-10-16U (2)  
FUSE-150 AMP  
115187-03-000

CABLE ASM-  
INVERTER FUSE 401  
(ORG)

CHASSIS SUPPLIED  
GROUND CABLE 2

FUSE HOLDER  
188460-01-000  
FUSE-400A  
188461-03-000  
SCREW  
G42-04-12U (2)

CABLE ASM-COACH  
BATTERY FUSE (YEL)

FUSE HOLDER  
188460-01-000  
FUSE-400A  
188461-03-000  
SCREW  
G42-04-12U (2)

CABLE ASM (RED)  
141415-32-002

3 CABLE ASM-COACH BATTERY  
DISCONNECT SUPPLY (YEL)  
TO CHASSIS ELECTRICAL BOX

401 CABLE ASM-  
INVERTER  
(ORG)

CABLE ASM-CHASSIS GND EXT (BLK) 5  
TO GROUND BOLT ON FRAME RAIL

CABLE ASM-STARTER (RED) 5  
TO FUSE ON FRONT  
RIGHT FRAME RAIL

401 CABLE ASM-  
INVERTER CASE GND  
(GND)

CABLE ASM-CHASSIS BATTERY  
DISCONNECT SUPPLY (RED) 3  
TO CHASSIS ELECTRICAL BOX

CABLE ASM-CHASSIS  
BATTERY FUSE (RED)

401 CABLE ASM-  
INVERTER GND  
(BLK)

TERMINAL-BATTERY  
47441-01-000

CABLE ASM-COACH  
BATTERY GND (BLK)

CABLE ASM (BLK)  
133566-11-002

1 BATTERY  
(CHASSIS SUPPLIED)  
TIEDOWN ASM  
160014-03-CHT  
BOLT  
51387-06-000 (2)  
NUT  
D39-06-00B (2)  
WASHER-RUBBER  
184541-01-CHT (2)

BATTERY  
63739-01-000 (2)  
TIEDOWN ASM  
160014-03-CHT (2)  
BOLT  
51387-06-000 (2)  
NUT  
D39-06-00B (3)  
WASHER-RUBBER  
184541-01-CHT (2)


- NOTES:
- 5 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
  - 4 USE TWO NUTS HERE TO ACCOUNT FOR BATTERY HEIGHT DIFFERENCE.
  - 3 SEE CHASSIS ELECTRICAL BOX ASM FOR ADDITIONAL INFORMATION.
  - 2 LOCATE CHASSIS SUPPLIED GROUND CABLE, REDUCE LENGTH TO 700MM AND ADD TERMINAL 8348-01-000 TO THE CUT END.
  - 1 SUPPLIED WITH CHASSIS.


- 401 INVERTER-DC/AC, 1000 WATT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR  
ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

DESCRIPTION: <b>BATTERY INSTL</b>		REV
SHEET: 2 OF 4	ITEM/PART NO: 000131534 / 32577801000	





A-BODY GAS WITHOUT CHASSIS BATTERY DISCONNECT

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
<b>BATTERY INSTL</b>			
SHEET:	ITEM/PART NO.:	REV:	
4 OF 4	000131534 / 32577801000		