

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A



- NOTES:
- 4 NOT USED WITH CHASSIS SUPPLIED IGNITION INTERLOCKING SWIVEL SEAT.
  - 3 REMOVE PAINT AND UNDER COATING FROM GROUND BOLT AND NUT TO INSURE PROPER CONTACT.
  - 2 SEE SHEET 5 FOR ADDITIONAL INFORMATION.
  - 1. SECURE CONDUIT 41953, TAB AS REQUIRED, OVER ALL WIRES IN CONTACT WITH SHARP EDGES.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 28D WINDOW BLINDS\_(3) CAB
- 07B RUNNING BOARDS - ALUMINUM
- 1E2 ENTRANCE STEP-ELEC.
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

**WINNEBAGO**  
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:	MATERIAL:	
UNSPECIFIED TOLERANCES:	WEIGHT: (LBS)	FIRST USED:
WHOLE DIM (X) : 3		<b>19 259G</b>
ONE-PLACE (X.X) : 1.5		
TWO-PLACE (X.XX) : 0.50		
ANGLE : 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		
<b>DESCRIPTION:</b>		
<b>WIRING INSTL-CHASSIS</b>		
SHEET: 1 OF 5	ITEM/PART NO: 000042797 / 32194701000	REV:
REF:		1 02-May-2019

8 7 6 5 4 3 2 1

8 7 6 5 4 3 2 1

D

C

B



A

D

C

B

A



VIEW BA

- 7 SECURE WIRE HARNESS WITH CABLE TIE 008343-02-000.
- 6 SEE WIRING INSTL-BODY, 12V FOR ADDITIONAL INFORMATION.
- 5 SEE SHEET 5 FOR ADDITIONAL INFORMATION.
- 4 CLAMP 83610-02-000, SCREW G39-08-12U.
- 3 SEE CHASSIS ELECTRICAL BOX ASM FOR ADDITIONAL INFORMATION.
- 2 CUTOUT BACKSIDE OF POCKET TO DIMENSION SHOWN.

NOTES:  
1. SECURE CONDUIT 41953, TAB AS REQUIRED, OVER ALL WIRES IN CONTACT WITH SHARP EDGES.

- 28D WINDOW BLINDS\_(3) CAB
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

X-X FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: 1B1 265	
<b>WIRING INSTL-CHASSIS</b>	
SHEET: 2 OF 5	ITEM/PART NO: 000042797 / 32194701000
REV	

8 7 6 5 4 3 2 1 02-May-2019

8

7

6

5




4



3

2

1





VIEW CA

-  LOCATED IN CAB FLOOR.
-  DRILL HOLE IN BOTTOM OF PLASTIC BATTERY BOX.
- 1. SECURE CONDUIT 41953, TAB AS REQUIRED, OVER ALL WIRES IN CONTACT WITH SHARP EDGES.

NOTES:

 CODES/STANDARDS-CSA/CMVSS

 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

 FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: **WIRING INSTL-CHASSIS**

SHEET: **3 OF 5** ITEM/PART NO: **000042797 / 32194701000** REV

8

7

6

5





4

3

2

1 02-May-2019



- 5 CONTROL SUPPLIED WITH WIRING HARNESS-TRLR HITCH. SECURE CONTROL IN PLACE WITH DOUBLE SIDED TAPE SUPPLIED WITH WIRING HARNESS-TRLR HITCH.
- 4 WIRE TIE 4-PIN TRAILER PLUG TO HITCH ASSEMBLY NEAR RECEIVER.
- 3 WIRE TIE TRAILER WIRING BEHIND BUMPER.
- 2 SEE WIRING INSTL-BODY, 12V FOR ADDITIONAL INFORMATION.

1. SECURE CONDUIT 41953, TAB AS REQUIRED, OVER ALL WIRES IN CONTACT WITH SHARP EDGES.

NOTES:

VIEW DA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS  
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265
<b>WIRING INSTL-CHASSIS</b>		
SHEET:	ITEM/PART NO.:	REV
4 OF 5	000042797 / 32194701000	



8 7 6 5 4 3 2 1

D

C

B



A

D

C

B

A



VIEW EA

CABLE ASM-STARTER (RED)	185087-01-063
CABLE ASM-COACH BATTERY (YEL)	141415-52-022
CABLE ASM-COACH BATTERY GND (BLK)	133566-17-009
CABLE ASM-GENERATOR (GRN)	141415-42-020
CABLE ASM-GENERATOR GND (BLK)	133566-17-016
CABLE ASM-JUMPER,POS	141415-52-009
CABLE ASM-JUMPER,NEG	133566-17-009
CABLE ASM-INVERTER FUSE (ORG)	141415-61-005
CABLE ASM-INVERTER (ORG)	141415-62-035
CABLE ASM-INVERTER GND (BLK)	133566-12-029
CABLE ASM-INVERTER CASE GND (BLK)	136145-05-037

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS  
1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION:  
**WIRING INSTL-CHASSIS**

SHEET: 5 OF 5 ITEM/PART NO: 000042797 / 32194701000 REV

1 02-May-2019

8 7 6 5 4 3 2 1