











DETAIL AB





DETAIL AD

- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSOR OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:



DETAIL AC

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000




FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 95R SATELLITE TV ANTENNA - AUTOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

- 1B1 265



DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:	WHOLE DIM (X)	:	3
	ONE-PLACE (X.X)	:	1.5
	TWO-PLACE (X.XX)	:	0.50
	ANGLE	:	1°
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
			19 F33C
DESCRIPTION:			
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV:	
1 OF 7	000155323 / 32630001000		



- 276 THERMOSTAT 000016557 / 313195-01-CHT
- 29R THERMOSTAT 000016556 / 313194-01-CHT

- 4 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 3 WIRE FROM ROOF.
- 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.


1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 29R AC HEAT PUMP-2 HI EFFICIENCY
- 276 A/C-HIGH EFF (2) W/EMS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 2 OF 7	ITEM/PART NO.: 000155323 / 32630001000	REV:



- 7 CLAMP WIRES TO BACK OF LAV CABINET OFF OF FLOOR AS MUCH AS POSSIBLE.
 - 6 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
 - 5 DATA CABLE FOR EMS IS MARKED WITH RED TAPE.
 - 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
 - 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
 - 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.




- 29R AC HEAT PUMP-2 HI EFFICIENCY
- 276 A/C-HIGH EFF (2) W/EMS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: 1B1 265		
WIRING INSTL-BODY, 12V		
SHEET: 3 OF 7	ITEM/PART NO: 000155323 / 32630001000	REV:




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DA




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DF




SWITCH-ROCKER
135740-01-CHT
135740-02-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DG



DETAIL DK
(BACK VIEW)



SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DB

PLATE-SWITCH
158431-07-CHT
SCREW
G11-06-10U (6)


SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-20-CHT
CIRCUITS TTY,TTZ,MK,
UUB,UUC
WIRE ASM-THERM
186796-01-000

SWITCH-COACH BATT
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS KF,LJ,LG,
LH,WC
WIRE ASM-THERM
186796-01-000

SWITCH-STEP
108357-19-000
CIRCUITS ER,ES


SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS
FFD,FFR,FFE,
FFE,JJR,FFD

SWITCH-AWNING
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
CIRCUITS
WC,WE,ZZK




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DC




SWITCH-TV-LIFT
108357-16-000
ACTUATOR
108356-26-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DD




DETAIL DJ




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)


DETAIL DE




DETAIL DL




DETAIL DK
(FRONT VIEW)



DETAIL DM



DETAIL DR



DETAIL DP

LABEL-SLIDEOUT,PASS,FRONT
163992-04-CHT

LABEL-SLIDEOUT,
DRIVER,FRONT
163992-01-CHT

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
(HHF,KE,HHE,ACA,ACB)


LABEL-WARNING,SLIDEOUT
116549-01-000

SWITCH-CONTROL,LOFTBED,TOUCH
189056-01-000
WIRE ASM-LOFTBED SWITCH
000122806 / 323456-01-000
SCREW
000G11-02-08U (2)

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
(DR,KE,DU,ABY,ABZ)

LABEL-SLIDEOUT,PASS,REAR
163992-03-CHT

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
(HHH,KE,HHG,ACC,ACD)



DETAIL DN

WARNING CRUSH HAZARD: Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION:
WIRING INSTL-BODY, 12V

SHEET: 4 OF 7
ITEM/PART NO.: 000155323 / 32630001000
REV:

NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DJ.

8

7

6

5



4


3

2

1

SPEAKER-ROUND,CEILING
180783-01-CHT (2)
SCREW
G11-10-12U (8)

LIGHT-LED,ROUND 4.5 PLASTIC
000166889 / 329926-01-CHT (15)
LIGHT-LED,ROUND 3.5 PLASTIC
000166893 / 329928-01-CHT (2)
SCREW
G13-06-16U (45)
CONNECTOR
58028-01-000 (30)




GROMMET
016188-11-000 (2)

GROMMET
016188-11-000 (2)

LIGHT-DOME,SGL,W/SWITCH
000040266 / 319326-01-CHT (9)
SCREW
G11-08-16U (36)
CONNECTOR
031876-01-000 (18)

GROMMET
016188-11-000 (2)




265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000



FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:
WIRING INSTL-BODY,12V

SHEET: 5 OF 7 ITEM/PART NO: 000155323 / 32630001000 REV

8

7

6

5



4

3

2

1 24-Jan-2019

D

D

C

C

B



B

A

A

8 7 6 5 4 3 2 1

D
C
B
A



2 WRAP LEGS AROUND ANTENNA BASE.

1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

NOTES:


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000


- 1D3 ENTERTAIN CENTR/EXT TV-DVD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 6 OF 7	ITEM/PART NO: 000155323 / 32630001000
REV	


8 7 6 5 4 3 2 1 24-Jan-2019




VIEW GB



DETAIL GA



DETAIL GC



DETAIL GD

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
WIRING INSTL-BODY, 12V	
SHEET: 7 OF 7	ITEM/PART NO: 000155323 / 32630001000
REV	