


PLATE-WALL, TRIPLE COAX
000159230 / 327556-01-CHT
SCREW
G39-08-08U (2)

SWITCH-WATER PUMP
108357-15-CHT
ACTUATOR
108356-03-CHT
CIRCUITS
AG,JA,AF,JS,JY



VIEW AA

LIGHT-DOME, SGL, W/SWITCH
000040266 / 319326-01-CHT (6)
SCREW
G11-08-16U (24)
CONNECTOR
031876-01-000 (12)

COAX (RED)
TO CABLE INPUT
COAX (GLD)
TO MAIN PORTABLE
SATELLITE
DISH INPUT
COAX (SIL)
TO AUX
PORTABLE
SATELLITE
DISH INPUT

TO SLIDEOUT

TO COMPT LAMP

3 WIRE ASM-MAIN
HOLDING TANK
151317-02-000

2 PIN HOUSING
TO WIRE ASM-MAIN
HOLDING TANK

3 WIRE ASM-AUX
HOLDING TANK
151316-03-000

TO COMPT LAMP

INVERTER CONTROL CABLE
TO REMOTE PANEL

2 PIN HOUSING
TO WIRE ASM-AUX
HOLDING TANK

COVER-ELECTRICAL
194965-01-CHT (2)
LABEL-SLIDEOUT
098379-09-000 (2)

CONTROL-SLIDEOUT, IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GA

ANTENNA-SATELLITE, AUTO,
STATIONARY, DISH NETWORK
000157700 / 327102-01-CHT

95R

CONTROL-SLIDEOUT, IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GC

WIRE ASM-COACH
000162225 / 328640-01-000

PANEL-RECEPTACLE
151376-02-CHT
ADAPTOR
82134-01-000
NUT
82136-01-000
LABEL
157486-01-CHT
SCREW
G67-10-12B (4)

WIRE ASM-TANK, WATER
151317-01-000

CONTROL-SLIDEOUT, IN-WALL
189400-01-000
SCREW
G11-10-12U (4)
DETAIL GB

INVERTER CONTROL CABLE
TO INVERTER FROM INVERTER
CONTROL MODULE

2 PIN HOUSING
TO WIRE ASM-TANK, WATER

2 PIN HOUSING
TO WATER PUMP

- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.

2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 95R SATALLITE TV ANTENNA - AUTOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


1B1 265



DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:		MATERIAL:	
UNSPECIFIED TOLERANCES:			
WHOLE DIM (X)	: 3		
ONE-PLACE (X.X)	: 1.5		
TWO-PLACE (X.XX)	: 0.50		
ANGLE	: 1°		
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED:
			19 F30T
DESCRIPTION: WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV:	
1 OF 7	000162010 / 32853001000		
REF:		1 23-Jan-2019	



DETAIL BA



- 4 DATA CABLE FOR EMS PANEL IS MARKED WITH RED TAPE.
- 3 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 2 WIRE ROUTED WITH 110V WIRING. SEE WIRING INSTL-BODY, 110V FOR ROUTING INFORMATION.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.




NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 45B LOFT BED
- 078 ALL WEATHER UPGRADE PACKAGE
- 25Q A/C ROOF AIR (1) 14,800 BTU
- 29J AC HEAT PUMP-1
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
2 OF 7	000162010 / 32853001000		



- NOTES:
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.
 2. MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.
 3. MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
 4. WIRES ROUTED THROUGH FLOOR IN THIS AREA.
 5. SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
 6. ROUTE HDMI & COAX TO BEDROOM TV THROUGH THE ROUTED PATH IN SIDEWALL.
 7. REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
 8. SEE LOAD CENTER ASM FOR ADDITIONAL INFORMATION.




FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 078 ALL WEATHER UPGRADE PACKAGE
- 12D ELECTRICAL SYSTEM 30 AMP
- 42B TV, REAR-WITHOUT
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 3 OF 7	ITEM/PART NO: 000162010 / 32853001000	REV




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DF




SWITCH-TV LIFT
108357-16-000
ACTUATOR
108356-26-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DM




SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DG




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DN




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DJ




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DP




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DD




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DL



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)


DETAIL DR



DETAIL DE

SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-20-CHT
CIRCUITS UUC,TTY,UUB,
UUB,TTZ,UUC,UUC,UUA
WIRE ASM-THERM
186796-01-000

SWITCH-COACH BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS KF,LG,LJ,
LJ,LH,KF,KF,LK
WIRE ASM-THERM
186796-01-000




DETAIL DH

SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS FFD,FFR,FFE,
FFE,JJR,FFD


SWITCH-AWNING
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
CIRCUITS SP,ZZL,WE,ZZL

SWITCH-STEP
108357-19-000
CIRCUITS ER,ES

PLATE-SWITCH
158431-04-CHT
SCREW
G11-06-10U (6)




DETAIL DT




DETAIL DK

WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.



DETAIL DS (FRONT VIEW)



DETAIL DS (BACK VIEW)

- 078 ALL WEATHER UPGRADE PACKAGE
- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA



NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DE

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO.:	REV:	
4 OF 7	000162010 / 32853001000		

8 7 6 5 4 3 2 1



DETAIL EA



265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
1B1 265	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO:
5 OF 7	000162010 / 32853001000
REV	
1 23-Jan-2019	



8 7 6 5 4 3 2 1



ANTENNA-TV, OMNIDIRECTIONAL
000171487 / 331386-01-CHT
SCREW
G67-10-16U (4) 1



ANT-R 1D5 SEAL





- 45B LOFT BED
- 1D5 ENTERTAINMENT CENTR/EXT W/CD
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

NOTES:
 2 WRAP BRACKET LEGS AROUND ANTENNA BASE.
 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 6 OF 7	ITEM/PART NO: 000162010 / 32853001000	REV



DETAIL GA



DETAIL GB



DETAIL GC

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191661-02-000

HARNESS-SLIDEOUT MOTOR 191661-02-000

GROMMET 016188-11-000 (6)

HARNESS-SLIDEOUT MOTOR 191661-02-000

- 4 COIL UP EXCESS HARNESS IN LOWER COMPARTMENT.
- 3 WIRE IS ROUTED THROUGH FLOOR IN THIS AREA.
- 2 ROUTE WIRES BELOW FLOOR.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
7 OF 7	000162010 / 32853001000		