




VIEW AA



DETAIL AB



DETAIL AC



- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED.TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

- 95R SATALLITE TV ANTENNA - AUTOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265




WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS	
DIFTR:		MATERIAL:	
UNSPECIFIED TOLERANCES:		WEIGHT: (LBS)	FIRST USED:
WHOLE DIM (X)	± 3		19 F35F
ONE-PLACE (X.X)	± 1.5		
TWO-PLACE (X.XX)	± 0.50		
ANGLE	± 1°		

REFER TO ES0018 FOR FASTENER
TIGHTENING GUIDELINES

DESCRIPTION:
WIRING INSTL-BODY, 12V

SHEET: 1 OF 8 ITEM/PART NO: 000163553 / 32893601000 REV: REF:



D

C

B

A

D

C

B

A

- 3 ROUTE RCA & COAX TO BEDROOM TV THROUGH THE ROUTED PATH IN SIDEWALL.
- 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.


NOTES:
 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

- 21M WASHER/DRYER PREP
- 29R AC HEAT PUMP-2 HI EFFICIENCY
- 276 A/C ROOF-HI EFF (2) W/EMS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV	
2 OF 8	000163553 / 32893601000		



CONNECT ALL GROUNDS TO GROUND BAR

NEGATIVE BAR
140031-01-CHT
BOLT
C26-06-12U (6)
NUT
D39-06-00B (6)
STUD-ISOLATED
86233-01-000 (2)
NUT
D34-06-00B (2)
SCREW
G67-10-12U (4)

DETAIL CB

LIGHT-LED,ROUND 3.5 PLASTIC
000166893 / 329928-01-CHT
SCREW
G13-06-10U (3)
CONNECTOR
58028-01-000 (2)

DETAIL DJ

ENTERTAINMENT CTR COMPL-TV
(REF)

TO EXT ENT CTR
ANTENNA

2 PIN HSG
TO WIRE ASM-
EXT ENT CTR
COAX (YEL)

TO WIRE ASM-ROOF
FOR COAX CONNECTIONS
DETAIL FB

4 PIN HSG
TO WATER HEATER

ET.EU
TO REFRIGERATOR

CLAMP
10495-01-000
SCREW
G67-10-12U

4 PIN HSG
TO FURNACE

2 PIN HSG
TO SIDEWALL

HARNESS-SLIDEOUT
(REF)

6 PIN HSG
TO SIDEWALL

DETAIL DK

WIRE ASM-OVHD
192894-01-000

LIGHT-LED,ROUND 3.5 PLASTIC
000166893 / 329928-01-CHT (2)
SCREW
G13-06-10U (6)
CONNECTOR
58028-01-000 (4)

HARNESS-SLIDEOUT
(REF)

SWITCH
DETAIL DG

SWITCHES
DETAIL DF

SWITCHES
DETAIL DH

12V BREAKER
DETAIL GB

LCR-1

SWITCH
DETAIL CA

RELAY-AWNING
63912-02-000
SCREW
G11-08-08U

RELAY-ISOLATION
63912-02-000 (2)
SCREW
G11-08-08U (2)

TO COMPT LAMP

LPGD

IR RECEIVER

TO MAIN TV

DETAIL CB

PLATE-WALL.HDMI
175530-04-CHT

MAIN CONNECTION
TO WIRE ASM-CHASSIS

SWITCH
DETAIL DM

SWITCH
DETAIL DL

2 PIN HSG
TO SIDEWALL

ROUTE WIRES
THRU HOLE

GROMMET
8386-01-000

WASHER-LOCK
000007554 / 310611-01-000 (2)

DETAIL CA

JAMB-DOOR

SWITCH/MAGNET-
STEP, ELECTRIC
116995-03-000
SCREW
G11-06-08U (4)

- 7 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 6 ROUTE 12V REFRIGERATOR WIRES THROUGH CLAMP TO KEEP OFF OF THE TOP OF THE FURNACE.
- 5 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV:
3 OF 8	000163553 / 32893601000	

D

C


B

A




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DF




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DM




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DG




SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-35-CHT
SCREW
G11-08-08U (2)

DETAIL DP




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DJ




SWITCH-ROCKER
135740-02-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-61-CHT
SCREW
G11-08-08U (2)

DETAIL DR




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DD




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DK




DETAIL DS




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DE




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DL



DETAIL DH 1



DETAIL DN

NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DS


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV
4 OF 8	000163553 / 32893601000	

8 7 6 5 4 3 2 1



SPEAKER-ROUND,CEILING
 180783-01-CHT (2)
 SCREW
 000G11-08-12U (8)

LIGHT-LED,ROUND 4.5 PLASTIC
 000166889 / 329926-01-CHT (14)
 SCREW
 G13-06-16U (42)
 CONNECTOR
 58028-01-000 (28)

D
C
B
A

D
C
B
A




265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
 TORQUE
 SPECIFICATIONS
 SEE DWG NO.
 128783-01-000

FOR
 ELECTRICAL
 CALLOUTS
 SEE DWG NO.
 121339-01-000

DESCRIPTION:	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO:
5 OF 8	000163553 / 32893601000
REV	

8 7 6 5 4 3 2 1



D C B A

D C B A

NOTES:

1 WRAP LEGS AROUND ANTENNA BASE.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

DESCRIPTION:	
1B1 265	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO. REV
6 OF 8	000163553 / 32893601000

8 7 6 5 4 3 2 1 14-Feb-2019



45B SWITCH-CONTROL, LOFTBED, TOUCH 189056-01-000
WIRE ASM-LOFT BED SWITCH 000122806 / 323456-01-000
SCREW 000G11-02-08U (2)

SWITCH DETAIL DP SWITCH DETAIL DR




2 REMOTE PANEL-INVERTER 175385-02-000
SCREW G11-08-08U (2)

SWITCHES DETAIL DN

PANEL-MONITOR, PCS 50 AMP 174384-06-000

PANEL-MONITOR 000167994/330355-01-CHT
SCREW G11-08-08U (4)

1 MODULE-AUTO GENERATOR START 158425-01-000



VIEW GA

2 CONFIRM "BAT TYPE" SET TO "FLOODED", SET "LBCO" TO "11 VDC". SET "BAT AHRS" TO "400 AH" WITH SEE OPERATORS MANUAL FOR SETUP PROCEDURE.

1 SEE 'GEN TYPE' TO 'GAS/LP' SET 'SAFE TYPE' TO 'IGNITION' SET 'SP SENSE' TO 'AFTER' SEE OPERATOR'S MANUAL FOR SETUP PROCEDURE.

NOTES:

- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
1B1 265	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO.:
7 OF 8	000163553 / 32893601000
REV	

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A



265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
 TORQUE
 SPECIFICATIONS
 SEE DWG NO.
 128783-01-000

FOR
 ELECTRICAL
 CALLOUTS
 SEE DWG NO.
 121339-01-000

1B1 265	
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 8 OF 8	ITEM/PART NO: 000163553 / 32893601000
REV 1 14-Feb-2019	

8 7 6 5 4 3 2 1