

GROMMET
023942-01-000

FREIGHTLINER
STARTER CABLE

CIRCUIT BREAKERS
DETAIL CA

CB

PANEL-CLOSEOUT
175347-02-CHT (2)
SCREW
G39-10-12U (4)

CHASSIS
BATTERIES
(REF)

POWER DISTRIBUTION MODULE
(CHASSIS SUPPLIED)
(REF)

VIEW BA

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

DESCRIPTION:
WIRING INSTL-CHASSIS

SHEET: 2 OF 4 ITEM/PART NO: 000166074 / 32962001000 REV

1 13-Dec-2018




CIRCUIT BREAKER-55 AMP
113482-01-000 (3)

DETAIL CA

CIRCUIT BREAKER-30 AMP
93655-02-000
SCREW
G52-06-05U
SPACER-CIRCUIT BREAKER
141789-01-000

CIRCUIT BREAKER-15 AMP
93654-02-000 (2)
SCREW
G52-06-05B (2)
SPACER-CIRCUIT BREAKER
141789-01-000 (2)

PANEL-CLOSEOUT,ELECTRICAL
175347-06-CHT
SCREW
G11-08-12U (4)



DETAIL CA
(BACK VIEW-COMPONENTS)

1 REPLACE EXISTING SCREW TO PROPERLY ATTACH BREAKER TO BUSS BAR.


NOTES:

CABLE ASM (PUR)
FROM CHASSIS
BATTERY DISCONNECT
TO CHASSIS
ISOLATED STUD

CABLE ASM (BLU)
TO LEVELING PUMP

RELAY
63912-02-000
(CHASSIS BATTERY
DISCONNECT LOCKOUT)
PLUG INTO WIRE
ASM-CHASSIS

CABLE ASM (RED)
FROM CHASSIS BATTERY
TO CHASSIS SIDE OF
AUX START SOLENOID




VIEW CB

- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-CHASSIS		
SHEET:	ITEM/PART NO:	REV
3 OF 4	000166074 / 32962001000	



2 PIN HOUSING TO PASSENGERS POWER SEAT

2-PIN HSG TO CONDENSER FAN

TIE UP TO FRAME CENTERSECTION HERE

2-PIN HSG TO DRIVERS POWER SEAT

CLAMP TO REAR SIDE OF GENERATOR HERE

CHASSIS SUPPLIED GROUNDS 2

CHASSIS SUPPLIED POSITIVES 2

CABLE ASM (RED)

CABLE ASM (GRN) (FROM COACH SIDE OF BATTERY DISCONNECT)
CABLE ASM (GRN) (TO GENERATOR) 2 1

30 PIN HOUSING TO WIRE ASM-IP, MAIN 2

10-PIN HSG TO GENERATOR

CABLE ASM (BLK) GENERATOR GROUND TO STUD ON FRAME RAIL

1000 MM LOOP BEHIND GENERATOR FOR TRAY MOVEMENT

CABLE ASM (GRN) & CABLE ASM (BLK) (TO GENERATOR)

2 SEE WIRING INSTL-FRONT END FOR ADDITIONAL INFORMATION.

1 SEE BATTERY INSTL FOR ADDITIONAL INFORMATION.

NOTES:

VIEW DA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

DESCRIPTION: **WIRING INSTL-CHASSIS**

SHEET: **4 OF 4** ITEM/PART NO: **000166074 / 32962001000** REV