


8 7 6 5 4 3 2 1

D
C
B
A



1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 14C FIREPLACE-ELECTRIC
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 110V			
SHEET:	ITEM/PART NO.:	REV	
2 OF 6	000166641 / 32980401000		

8 7 6 5 4 3 2 1 16-Apr-2019



1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000


- 49C BED-KING, AIR SLEEP SYSTEM
- 48D BED-QUEEN, AIR SLEEP SYSTEM
- 48A BED-QUEEN, INNERSPRING
- 1DF EXT TV ENTERTAINMENT CENTER
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 110V			
SHEET:	ITEM/PART NO.:	REV:	
3 OF 6	000166641 / 32980401000		



CONNECTOR-WIRE
008311-01-000 (5)

DETAIL DB



DETAIL DA


- NOTES:
- 5 CABLES PART OF WIRE ASM-COACH.
 - 4 DO NOT USE POWER/AIR TOOL TO INSTALL NUT. TORQUE TO 10-12 FT LBS. DO NOT USE A HAMMER.
 - 3 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.
 - 2 BRACKET IS LOCATED BY HOLES ON BRACKET.
 - 1 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
WIRING INSTL-BODY, 110V	
SHEET:	ITEM/PART NO. REV
4 OF 6	000166641 / 32980401000



BRACKET-110V CONNECTOR 191366-01-CHT SCREW G39-10-12U (3)
 LOCATED UNDER GALLEY IN BASEMENT
 SLIDEOUT WIRE #4 (GLD) 1
 SLIDEOUT WIRE #3 (BLK) 1
 SLIDEOUT WIRE #2 (BLU) 1
 SLIDEOUT WIRE #7 (WHT) 1
 LOCATED UNDER THE GALLEY CABT
 BRACKET-110V CONNECTOR 191366-01-CHT SCREW G39-10-12U (3)
 CONNECTOR-WIRE,NM 144283-02-000 SCREW G39-06-24U (2)
 CLAMP 10495-01-000 (14) SCREW G67-10-12U (14)



NOTES:
 2 WIRE ROUTED IN SIDEWALL.
 1 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.





DETAIL EA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 110V			
SHEET:	ITEM/PART NO.:	REV	
5 OF 6	000166641 / 32980401000		



- NOTES:
- 5 CABLE ROUTED BELOW FLOOR.
 - 4 WIRE ROUTED IN SIDEWALL.
 - 3 WIRE ROUTED IN ROOF.
 - 2 REMOVE & DISCARD CONNECTOR TO CONNECT TO RCP WITHOUT (1DF)
 - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- 49C BED-KING, AIR SLEEP SYSTEM
- 14C FIREPLACE-ELECTRIC
- 1DF EXT TV ENTERTAINMENT CENTER
- 48D BED-QUEEN, AIR SLEEP SYSTEM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION: WIRING INSTL-BODY, 110V		
SHEET: 6 OF 6	ITEM/PART NO.:	REV
	000166641 / 32980401000	