





- 10 PROVIDE HOSE-WATER, 179279-01-000, WITH FEATURE **65Q**
9. ALL CRIMP FITTINGS TO 3/4" PEX TUBING REQUIRE 3/4" CLAMP 000156247 / 326668-01-000.
8. ALL CRIMP FITTINGS TO 1/2" PEX TUBING REQUIRE 1/2" CLAMP 000156249 / 326670-01-000.
7. ALL CRIMP FITTINGS TO 5/8" FLEX TUBING REQUIRE 5/8" CLAMP 000156248 / 326669-01-000.
- 6** LABEL HOT AND COLD SUPPLY TUBES AND TAPE FITTING TO TUBE BEFORE CABINET SET TO PREVENT MOVEMENT.
- 5** ADD PIPE WRAP (LADDER SCRAP 110157-02-000) INSULATION.
- 4** ADD TEFLON TAPE 010405-01-000.
3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12U OR EQUIVALENT.
2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.

NOTES:

65Q RENTAL - APOLLO





COPYRIGHT 2018 WINNEBAGO INDUSTRIES, INC.

DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS		
DFTR:				
UNSPECIFIED TOLERANCES:		MATERIAL:		
WHOLE DIM (X)	± 3			
ONE-PLACE (X.X)	± 1.5			
TWO-PLACE (X.XX)	± 0.50			
ANGLE	± 1°			
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)	FIRST USED: (REF)	
		-	20 931N	
DESCRIPTION:				
WATER SYSTEM INSTL				
SHEET:	ITEM/PART NO:	REF:		REV
1 OF 4	000171771 / 33146601000			

X-X


FOR WATER CALLOUTS SEE DWG NO. 000209446 / 303369-01-000





VIEW CA

DESCRIPTION:		
WATER SYSTEM INSTL		
SHEET:	ITEM/PART NO:	REV
3 OF 4	000171771 / 33146601000	



SCREW
000G39-08-16U (4)

FILL-WATER, GRAVITY
166288-01-CHT
SCREW
000G11-10-12U (3)

CLAMP
010497-01-000 (4)
SCREW
000G67-10-12U (4)

TANK ASM-WATER, 34 GAL
000129839 / 325363-01-000
STRAP-TANK, WATER
118994-10-CHT (2)
WASHER
000E13-16-00U (4)
NUT
000D39-05-00U (4)

DESCRIPTION:		
WATER SYSTEM INSTL		
SHEET:	ITEM/PART NO:	REV
4 OF 4	000171771 / 33146601000	