


8 7 6 5 4 3 2 1

PANEL-ELECTRICAL  
000120078 / 322696-01-CHT  
SCREW  
G11-08-12U (4)

PANEL-ELECTRICAL  
000120062 / 322693-01-CHT  
SCREW  
G11-08-12U (8)

SUPPORT ASM-BATTERIES  
000119986 / 322665-01-CHT



- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265



DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DIFFR:	MATERIAL:	
UNSPECIFIED TOLERANCES:		
WHOLE DIM (X) :	3	
ONE-PLACE (X.X) :	1.5	
TWO-PLACE (X.XX) :	0.50	
ANGLE :	1°	

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

WEIGHT: (LBS) FIRST USED: 20 V-SER


DESCRIPTION: CHASSIS ELECTRICAL BOX ASM

SHEET: 1 OF 3 ITEM/PART NO.: 000172109 / 33157501000 REV:

8 7 6 5 4 3 2 1

D  
C  
B  
A

D  
C  
B  
A



FUSE HOLDER-MEGA FUSE  
188460-01-000  
FUSE-125 AMP  
188461-01-000  
SCREW  
G55-08-12U (2)  
(LEVELING SYSTEM)

WIRE ASM-  
CHASSIS ELECTRICAL BOX  
000175750 / 332575-01-000

CIRCUIT BRKR-30A,AUTO RESET  
183624-03-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(SLIDEOUT)

CIRCUIT BRKR-30A,AUTO RESET  
183624-03-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(SLIDEOUT)

FUSE HOLDER  
115187-02-000  
FUSE-150 AMP, NON-DELAY  
115187-03-000  
SCREW  
G39-10-16U (2)  
(INVERTER)

CABLE ASM-LEVELING SYSTEM FUSE (BLU)  
141415-22-004

SOLENOID-SEALED  
008188-01-000  
SCREW  
G55-08-12U (2)

CIRCUIT BRKR-30A,AUTO RESET  
183624-03-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(COACH FRONT PANEL)

FUSE HOLDER-MEGA FUSE  
188460-01-000  
FUSE-400 AMP  
188461-03-000  
SCREW  
G55-08-12U (2)  
(COACH BATTERY)

CIRCUIT BRKR-15A,AUTO RESET  
000038536 / 318846-01-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(AWNING)

FUSE HOLDER-MEGA FUSE  
188460-01-000  
FUSE-300 AMP  
188461-02-000  
SCREW  
G55-08-12U (2)  
(GENERATOR)

CIRCUIT BRKR-50A,AUTO RESET  
183624-01-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(COACH BREAKER PANEL)

STUD-ISOLATED  
086233-02-000  
SCREW  
G39-08-16U (2)  
NUT  
D39-05-00U

LABEL-CIRCUIT BREAKER  
000046182 / 321152-01-CHT

CABLE ASM-  
COACH BATTERY (YEL)  
141416-52-004

CIRCUIT BRKR-40A,AUTO RESET  
000180554 / 333588-01-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(SOLAR PANEL)

CABLE ASM-GENERATOR FUSE (GRN)  
141415-42-004

LABEL-CIRCUIT BREAKER  
000046183 / 321153-01-CHT

CABLE ASM-JUMPER  
141415-31-003

SWITCH-BATTERY DISCONNECT  
183904-01-000  
SCREW  
G67-10-12U (4)  
DETAIL CB

CIRCUIT BRKR-15A,AUTO RESET  
000038536 / 318846-01-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(RADIO)

CIRCUIT BRKR-30A,AUTO RESET  
183624-03-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(SLIDEOUT)

CIRCUIT BRKR-50A,AUTO RESET  
183624-01-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(CHASSIS FRONT PANEL)

CABLE ASM-  
INVERTER FUSE (ORG)  
141415-62-005

CIRCUIT BRKR-5A,AUTO RESET  
183624-02-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(ELEC STEP CONTROL POWER)

CABLE ASM-  
COACH BATTERY FUSE (YEL)  
141416-52-005

CIRCUIT BRKR-20A,AUTO RESET  
000027628 / 316039-01-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(ELEC STEP BATTERY POWER)

CABLE ASM-BATTERY  
DISCONNECT BATTERY (PUR)  
141416-12-006



CIRCUIT BRKR-5A,AUTO RESET  
183624-02-000  
NUT  
D24-10-00U (2)  
WASHER  
E13-10-00U (2)  
SCREW  
G71-08-08U (2)  
(ELEC STEP IGNITION POWER)

FOR ELECTRICAL  
TORQUE  
SPECIFICATIONS  
SEE DWG NO.  
128783-01-000

FOR ELECTRICAL  
CALLOUTS  
SEE DWG NO.  
121339-01-000

- 09L SLIDEOUT ROOM FRONT LEFT
- 19D SLIDEOUT ROOM REAR LEFTHAND
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	CHASSIS ELECTRICAL BOX ASM	
SHEET:	ITEM/PART NO:	REV
2 OF 3	000172109 / 33157501000	



- 8 THIS WIRE COME FROM WIRE ASM-CHASSIS.
- 7 TAPE THIS BRANCH OF WIRE ASSEMBLY BACK FOR V31P AND V29E.
- 6 SEE BATTERY INSTL FOR ADDITIONAL INFORMATION.
- 5 SECURE WITH SOLENOID MOUNTING SCREW.
- 4 WIRE MARKED WITH RED TAPE.
- 3 WIRE MARKED WITH YELLOW TAPE.

2. SECURE CONDUIT 41953, TAB AS REQUIRED, OVER ALL WIRES IN CONTACT WITH SHARP EDGES.

1. LEGEND: — WINNEBAGO: - - - - - CABLE: - - - - - CHASSIS SUPPLIED WIRING.

NOTES:

265 CODES/STANDARDS-CSA/CMVSS  
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:	
1B1 265 CHASSIS ELECTRICAL BOX ASM	
SHEET:	ITEM/PART NO:
3 OF 3	000172109 / 33157501000
REV	