




- 5 MOUNT TO STICK SO THEY ARE OFF OF THE FLOOR.
- 4 MOUNT ON EXTERIOR SURFACE OF VAN SIDEWALL.
- 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

CC

INDICATES A CRITICAL CHARACTERISTIC.
ENSURE PROPER PROCEDURES ARE FOLLOWED.

SC

INDICATES A SIGNIFICANT CHARACTERISTIC.
ENSURE PROPER PROCEDURES ARE FOLLOWED.

KC

INDICATES A KEY CHARACTERISTIC.
ENSURE PROPER PROCEDURES ARE FOLLOWED.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

X-X

FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000


- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA
- 1B1 265




















WINNEBAGO

COPYRIGHT 2023 WINNEBAGO INDUSTRIES, INC.

DSNR:		ALL DIMENSIONS ARE IN MILLIMETERS			
DFTR:		MATERIAL:			
UNSPECIFIED TOLERANCES:					
WHOLE DIM (X)		± 3			
ONE-PLACE (X.X)		± 1.5			
TWO-PLACE (X.XX)		± 0.50			
ANGLE		± 1°			
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES		WEIGHT: (LBS)		FIRST USED: 20 B44E	
DESCRIPTION: WIRING INSTL-BODY,12V					
SHEET: 1 OF 4	ITEM/PART NO: 000186386 / 33515101000				REV

REF: 1 29-Nov-2023





- 26Q AWNING DELETE
- 26R AWNING-RACK MOUNT, ELECTRIC
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

- | | | | |
|-----------------------|--|-------------------------|--|
| 1B1 | | 265 | |
| DESCRIPTION: | | | |
| WIRING INSTL-BODY,12V | | | |
| SHEET: | | ITEM/PART NO: | |
| 3 OF 4 | | 000186386 / 33515101000 | |

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000
---	--

1 29-Nov-2023

