

8

7

6

5

4

3

2

1

LAMP ASM-PORCH,LED
 000206039 / 338884-01-CHT
 SCREW
 G68-06-10U (2)
 CONNECTOR
 58028-01-000 (2)



LAMP-MARKER,W RED LENS
 195141-02-CHT
 SCREW
 G11-08-12U (2)



LAMP-MARKER,W RED LENS
 195141-02-CHT
 SCREW
 G11-08-12U (2)

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265



COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFTR:	MATERIAL:	
UNSPECIFIED TOLERANCES:		
WHOLE DIM (X) :		
ONE-PLACE (X.X) :		
TWO-PLACE (X.XX) :		
ANGLE :		

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

WEIGHT: (LBS) FIRST USED: 20 500-SER

DESCRIPTION: WIRING INSTL-EXTERIOR LAMPS

SHEET: 1 OF 3	ITEM/PART NO: 000210437 / 33992501000	REV:
---------------	---------------------------------------	------

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

8

7

6

5

4

3

2

1

D

D

C


C

B

B

A

A



VIEW BA

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

DESCRIPTION:
WIRING INSTL-EXTERIOR LAMPS

SHEET:	ITEM/PART NO:	REV
2 OF 3	000210437 / 33992501000	

8

7

6

5

4

3

2

1

04-Jul-2022

8 7 6 5 4 3 2 1

D
C
B
A

WIRE ASM-CLEARANCE LAMP
000203864 / 338182-01-000

BRACKET-LICENSE
066432-03-000
SCREW
000G67-10-12U (2)
LIGHT-LICENSE
066432-02-000
SCREW
000G39-08-12U (2)
CONNECTOR
058028-01-000 (2)

LAMP ASM-STOP,TURN,TAIL,BACKUP,LED
000261266 / 351599-01-000 (2)
SCREW
G39-06-16U (4)

CONNECTS TO
SPRINTER
CHASSIS WIRING

WIRE ASM-TAILLAMP
000203863 / 338180-01-000

TRAILER PLUG ASM
(CHASSIS SUPPLIED)
SCREW
101618-01-000 (4)

LAMP ASM-CLEARANCE,RED
170777-01-000 (5)
LAMP ASM-CLEARANCE,GASKET
170777-03-000 (5)
SCREW
000G11-08-12U (10)

LIGHT ASM-BRAKE
CENTER MOUNT
151076-01-000 (2)
SCREW
G39-08-08U (4)

LAMP ASM-STOP,TURN,TAIL,BACKUP,LED
000261266 / 351599-01-000 (2)
SCREW
G39-06-16U (4)

REFLECTOR-RECT,STK ON,RED
166850-01-000 (4)

CONNECTS TO
WIRE ASM-CHASSIS

VIEW CA

- 4 CONNECT RED TO OUTSIDE LAMP AND YEL TO INSIDE LAMP.
- 3 RUN WIRE THROUGH THE INSIDE OF ALUMINUM EXTRUSION.
- 2 SECURE WIRE BELOW COACH WITH CLAMP 10495-01-000 AND SCREW G67-10-12U.
- 1 REMOVE EXTENSION LOOMS THAT ARE SUPPLIED WITH CHASSIS. THE CHASSIS IS SUPPLIED WITH TWO 7-PIN CONNECTORS ALONG THE LEFT SIDE FRAME RAIL. THE CHASSIS WIRING WITH THE TWO 7-PIN CONNECTORS HAS A LONGER DROP AND A SHORTER DROP. ATTACH THE LONGER DROP TO THE WIRE ASM-TAILLAMP CONNECTOR WITH ONLY 5 PINS IN IT. ATTACH THE SHORTER DROP TO THE WIRE ASM-TAILLAMP CONNECTOR WITH 6 PINS.

NOTES:

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-EXTERIOR LAMPS		
SHEET:	ITEM/PART NO.:	REV
3 OF 3	000210437 / 33992501000	

8 7 6 5 4 3 2 1 04-Jul-2022