



RCP-2 (BLU)
EXT COMPT

PANEL-RECEPTACLE
151376-01-CHT

— 110V CONNECTIONS
DETAIL AB

— PANEL-CLOSEOUT
000141904 / 325875-01-CHT
SCREW
G11-08-12U (7)

– INVERTER (REF)
DETAIL DA

- BLU, BRN CIRCUITS TO LEFT SIDE

- 3700 DROP (MAIN)
FROM LOAD CENTER
TO POWER CORD BOX

- | | |
|-----|---------------------------|
| 258 | A/C DEVIATION -2 A/C |
| 073 | COOLING UPGRADE PACKAGE |
| 12D | ELECTRICAL SYSTEM 30 AMP |
| 265 | CODES/STANDARDS-CSA/CMVSS |
| 1B1 | CODES/STANDARDS USA |

1B1 265

A

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED: 21 E32M
---	---------------	-------------------------------

WIRING INSTL-BODY,110V

SHEET:	ITEM/PART NO:	R
1 OF 7	000204041 / 33825401000	

REF:	1	15-Jul-2021
------	---	-------------

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

	FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000
---	--


4. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


3 WITHOUT INVERTER, THROW IN WIRE #4 (BRN-2) CONNECTS TO (BRN) FROM LOAD CENTER.

2 WIRE ROUTES THROUGH FLOOR IN THIS AREA.

1. WIRES ROUTED UNDER FLOOR.

NOTES:





1 SP-04 RCP-2 (BRN-2) SDWL,RH,FRT

258 OR 12D 000202795 / 337770-01-000
073 000202796 / 337771-01-000

RCP-B (BLU) SIDEWALL

258 OR 073 RCP-1 (YEL) CONVERTER
PANEL-RECEPTACLE 188004-02-CHT
SCREW G39-10-12U (2)

BRACKET-110V CONNECTOR 155223-05-CHT
SCREW G39-10-12U (2)

110V CONNECTIONS
DETAIL CA

RCP-B (BRN-2) UNDER GALLEY

RCP-2 (BRN-2) BDRM FRT

BRACKET-110V CONNECTOR,MOUNT 155223-07-CHT

110V CONNECTIONS
DETAIL CB

RCP-2 (BRN-2) BDRM REAR

4. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

- 3 WIRE ROUTED IN ROOF.
- 2 WIRE ROUTED THRU FLOOR IN THIS AREA.
- 1 WIRE ROUTED IN SIDEWALL.

NOTES:


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

- 258 A/C DEVIATION -2 A/C
- 79W REFRIGERATOR-4 DOOR
- 1DF EXT TV ENTERTAINMENT CENTER
- 073 COOLING UPGRADE PACKAGE
- 12D ELECTRICAL SYSTEM 30 AMP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		
WIRING INSTL-BODY,110V		
SHEET:	ITEM/PART NO:	REV
3 OF 7	000204041 / 33825401000	

15-Jul-2021



DETAIL DA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS
SEE DWG NO.
121339-01-000

265 CODES/STANDARDS-CSA/CMVSS


1B1 CODES/STANDARDS USA


1B1 265

DESCRIPTION:
WIRING INSTL-BODY, 110V

SHEET: 4 OF 7 ITEM/PART NO: 000204041 / 33825401000 REV

15-Jul-2021





- NOTES:
- 5 WIRES ARE PART OF WIRE ASM-CHASSIS.
 - 4 SEE MANUFACTURER'S DIAGRAM.
 - 3 WIRE IN SIDEWALL.
 - 2 WIRE IN ROOF.
 - 1 ALL OUTLETS DOWN STREAM AND INCLUDING THIS OUTLET ARE GROUND FAULT INTERRUPT PROTECTED.

- 1DF EXT TV ENTERTAINMENT CENTER
- 12D ELECTRICAL SYSTEM 30 AMP
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG NO. 121339-01-000

DESCRIPTION:		
WIRING INSTL-BODY, 110V		
SHEET:	ITEM/PART NO:	REV
6 OF 7	000204041 / 33825401000	

