

- 5 SPLICE YELLOW TO YELLOW AND WHITE TO BLACK.
 - 4 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.
 - 3 WIRE PASSES THROUGH FLOOR IN THIS AREA.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

1B1 265









WINNEBAGO
 COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DIFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED: 21 E32M
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 1 OF 7	ITEM/PART NO: 000204042 / 33825501000
REF:	1 04-Jul-2022

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000


FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

CONTROL-SLIDEOUT, IN-WALL
 000235616 / 345480-01-000
 SCREW
 G67-10-12U (6)
 COVER-ELECTRICAL
 194965-01-CHT
 SCREW
 G39-08-12U (4)
 DETAIL AC



NOTES:


1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.



- 290 A/C DEVIATION
- 258 A/C DEVIATION -2 A/C
- 68X TV - BEDROOM
- 12D ELECTRICAL SYSTEM 30 AMP
- 073 COOLING UPGRADE PACKAGE
- 42B TV, REAR-WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV:
2 OF 7	000204042 / 33825501000	

NEGATIVE BAR
140031-01-CHT
BOLT
C26-06-12U (5)
NUT
D39-06-00U (5)
STUD-ISOLATED
86233-01-000 (2)
NUT
D34-06-00U (2)
SCREW
G67-10-12U (4)



D

C

B

A

NOTES:

- 7 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 6 SPEAKER MOUNTED TO EXTERIOR SURFACE OF SIDEWALL.
- 5 SEE LOAD CENTER/ATS ASM FOR ADDITIONAL INFORMATION.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET TO SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH TO DOOR JAMB WITH TAPE 076322-21-000.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

PLATE-WALL, WIFI, PREWIRE, BLACK
000174367 / 332323-01-000
BOX-ELEC-FIBERGLASS
000213062 / 340536-01-000

PLATE-WALL,HDMI
175530-04-CHT
SCREW
G12-06-08U (2)
CONNECTOR-HDMI,90 LEFT
179395-04-000

SPEAKER
171547-01-CHT (2)
SCREW
G39-10-12U (8)

LIGHT-LED,ROUND 3.5 PLASTIC
000166893 / 329928-01-CHT (2)
SCREW
G13-06-10U (6)
CONNECTOR
58028-01-000 (4)

WIRE ASM-OVHD
000204286 / 338312-01-000

SWITCHES
DETAIL DK

LED-2

6. 3-PIN HOUSINGS
TO WIRE ASM-
SIDEWALL

ET,EU
TO REFRIGERATOR

GROMMET
108505-01-000

SWITCH-ROCKER
108357-06-000
ACTUATOR-SWITCH
108356-01-CHT
PLATE-SWITCH
144363-02-CHT
SCREW
000G11-06-10U (2)

TO HDMI SPLITTER

HARNESS-
SLIDEOUT MOTOR
191661-02-000

USB-CHARGER DUAL,DC
188312-01-000
DETAIL CD

WIRE ASM-OVHD,P/S
000200311 / 337061-01-000

LIGHT-LED,ROUND W/SWITCH,3.5 PLASTIC
000166892 / 329927-01-CHT (2)
SCREW
G13-06-10U (6)
CONNECTOR
58028-01-000 (4)

HARNESS-
SLIDEOUT MOTOR
191661-01-000

WIRE ASM-SLIDEOUT
000204287 / 338313-01-000

USB-CHARGER DUAL,DC
188312-01-000
DETAIL CD

AWNING-RELAY
63912-02-000
SCREW
G11-08-08U

AMPLIFIER-STEREO
2 CHANNEL
147139-03-000
RELAY-RADIO,TV
SPEAKER SWITCH
115539-01-000

JW,JU & JX
TO WATER
HEATER
DETAIL CB

LPGD

GROUND BAR
DETAIL CC

STUD-ISOLATED
86233-01-000
NUT
D34-06-00U
SCREW
G67-10-12U (2)
BOOT
77479-02-000


CONVERTER-45 AMP
184353-01-000
SCREW
G11-08-12U (3)
DETAIL EA

258 OR 073

GROMMET
016188-11-000

CLAMP-CABLE
10495-01-000 (2)
SCREW
G67-10-12U (2)

GROMMET
016188-11-000



7 WASHER-LOCK
000007554 / 310611-01-000 (2)


ROUTE WIRES
THRU HOLE

GROMMET
8386-01-000

JAMB-DOOR

SWITCH/MAGNET-
STEP,ELECTRIC
116995-03-000
SCREW
G11-06-06U (2)

DETAIL CA



DETAIL CD

- 258 A/C DEVIATION -2 A/C
- 23B BED-KING SIDEWALL (POWERED)
- 12D ELECTRICAL SYSTEM 30 AMP
- 073 COOLING UPGRADE PACKAGE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

DESCRIPTION: WIRING INSTL-BODY,12V	
SHEET: 3 OF 7	ITEM/PART NO: 000204042 / 33825501000
REV 04-Jul-2022	

8

7

6

5


4

3

2


1

04-Jul-2022




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB




DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DD

LABEL-SLIDEOUT,
DRIVER,FRONT
163992-01-CHT



DETAIL DE




LABEL-SLIDEOUT,
PASS,REAR
163992-03-CHT

SWITCH-ROCKER
108357-18-000
ACTUATOR
108356-31-CHT
CIRCUITS
DU,KE,DR,ABY,ABZ

LABEL-WARNING,
SLIDEOUT
116549-01-000

WARNING CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.




DETAIL DF

SWITCH-CONTROL,LOFTBED,TOUCH
189056-01-000
WIRE ASM-LOFT BED SWITCH
000181510 / 333797-01-000
SCREW
000G11-02-08U (2)
COVER-LOFT BED SWITCH
000196732 / 336063-01-CHT
SCREW
G67-08-12U (2)


45B

45D




DETAIL DG

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)




DETAIL DH

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)




DETAIL DK

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)




DETAIL DL

SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)



DETAIL DM

SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)



DETAIL DJ

SPLITTER
86756-02-000
SCREW
G11-08-12U (2)

CABLE ASM-COAX
(BRN)

CABLE ASM-COAX
(GRN)

FROM WIRE ASM-COACH

CABLE ASM-COAX
(UNMARKED)

FROM WIRE ASM-ROOF

CABLE ASM-COAX
(YEL)

ADAPTER
82134-01-000 (2)


CABLE ASM-COAX
(RED,GLD)

FROM WIRE ASM-ROOF

CABLE ASM-COAX
(RED,GLD)

FROM WIRE ASM-COACH

SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS
FFD,FFR,FFE
FFE,JJR,FFD



DETAIL DN 1

PLATE-SWITCH
158431-07-CHT
SCREW
G11-06-10U (6)

SWITCH-COMPT LIGHTS
108357-01-000
ACTUATOR-SWITCH
108356-14-CHT
CIRCUITS: NW,WC

SWITCH-COACH BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS
KF,LG,LJ,LH,WC
WIRE ASM-THERM
186796-01-000

SWITCH-STEP
108357-19-000
CIRCUITS ER,ES

SWITCH-AWNING
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
CIRCUITS
SP,ZZL,WE

45D LOFT BED WITHOUT

45B LOFT BED

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA


1B1 265

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

DESCRIPTION: WIRING INSTL-BODY,12V		
SHEET: 4 OF 7	ITEM/PART NO: 000204042 / 33825501000	REV


NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DC.




DETAIL EA




DETAIL EB (BACK VIEW)



DETAIL EB (FRONT VIEW)



VIEW EC-EC



DETAIL ED

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

- 45B LOFT BED
- 45D LOFT BED - WITHOUT
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V		
SHEET: 5 OF 7	ITEM/PART NO: 000204042 / 33825501000	REV

8

7

6


5

4


3

2

1



LIGHT-LED,ROUND 4.5 PLASTIC
 000166889 / 329926-01-CHT (15)
 SCREW
 G13-06-16U (45)
 CONNECTOR
 58028-01-000 (30)



PANEL-ONE PLACE
 000196493 / 336009-01-CHT
 SCREW
 G67-10-12U (6)

CONTROL-CHARGE,SOLAR 40 AMP
 000260959 / 351588-01-000
 SCREW
 G11-08-08U (2)
 DETAIL GA

PANEL-MONITOR, W/GEN
 000167995 / 330356-01-CHT
 SCREW
 G11-08-08U (6)

25Q OR 073
 THERMOSTAT
 000016556 / 313194-01-CHT
 THERMOSTAT
 000226912 / 344157-01-CHT
 DETAIL BB
 SCREW
 G13-07-12U (2)

REMOTE PANEL-INVERTER
 000037772 / 318694-01-CHT
 SCREW
 G11-06-08U (2)

PANEL-MON,PCS-MIDI,45 AMP
 000235569 / 345440-01-000
 SCREW
 G11-08-08U (4)
 COVER-50 AMP CONTROLLER
 000196733 / 336064-01-CHT
 SREW
 G67-08-12U (2)

073 OR 258

12D

VIEW FA

- 290 A/C DEVIATION
- 258 A/C DEVIATION -2 A/C
- 25Q A/C
- 12D ELECTRICAL SYSTEM 30 AMP
- 073 COOLING UPGRADE PACKAGE
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
 TORQUE
 SPECIFICATIONS
 SEE DWG NO.
 128783-01-000

FOR
 ELECTRICAL
 CALLOUTS SEE
 DWG 000228177
 344479-01-000

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY,12V			
SHEET:	ITEM/PART NO.:	REV	
6 OF 7	000204042 / 33825501000		

8

7

6

5

4

3

2

1

04-Jul-2022

8 7 6 5 4 3 2 1

D

D

C


C

B

B

A

A







3AA PANEL-SOLAR 115 WATT
000173911 / 332174-01-CHT
BOLT
000C12-04-08U (8)
WASHER-LOCK
000E11-04-00U (8)
NUT-T
000224221 / 343407-01-CHT (8)
BRACKET-MOUNTING,SOLAR PANEL
000223989 / 343383-01-CHT (4)
SCREW
000G39-10-10U (12)

PORT-SOLAR, 3 POSITION
000170803 / 331218-01-CHT
DETAIL GB

GC

1 ANTENNA-TV, OMNIDIRECTIONAL
000171487 / 331386-01-CHT
SCREW
G67-10-16U (4)

4 ENCLOSURE-WIFI, PREWIRE
000174584 / 332365-01-000
CABLE-ANTENNA,WIFI,RP-SMA/SMB,11'
000174370 / 332324-01-000



- NOTES:
- 5 MOUNT FEET OF SOLAR PANEL AT DIMENSIONS SHOWN.
 - 4 SEE ENCLOSURE INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.
 - 3 WIRE TO BE MARKED WITH RED TAPE.
 - 2 WIRE TO BE MARKED WITH GLD TAPE.
 - 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

- 3AA SOLAR PANEL/BATT CHARGER SYS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

DESCRIPTION:	1B1 265	
WIRING INSTL-BODY,12V		
SHEET:	ITEM/PART NO:	REV
7 OF 7	000204042 / 33825501000	