





- 4 SPLICE YELLOW TO RED AND WHITE TO BLACK.
- 3 WIRE ROUTED THROUGH FLOOR IN THIS AREA.
2. FOR TANK WIRES USE WIRE TIE MOUNT 155366-01-000 AS NEEDED. FOR INSDIE COMPT AND CABINETS USE WIRE TIE 357004-01-000 AS NEEDED. ALL SURFACES MUST BE CLEANED USING ISOPROPYL ALCOHOL, TANKS TO BE PRIMED WITH PRIMER 94 AS WELL.
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.



- 60R JACKS-STABL,ELEC, PREP
- 60M HYDRAULIC LEVEL JACKS-AUTO
- 64A JACKS-STABILIZING, ELECTRIC
- 23R DRAINAGE SYSTEM/HEAT-PREWIRE
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

CC INDICATES A CRITICAL CHARACTERISTIC. ENSURE PROPER PROCEDURES ARE FOLLOWED.

SC INDICATES A SIGNIFICANT CHARACTERISTIC. ENSURE PROPER PROCEDURES ARE FOLLOWED.

KC INDICATES A KEY CHARACTERISTIC. ENSURE PROPER PROCEDURES ARE FOLLOWED.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

WINNEBAGO
COPYRIGHT 2024 WINNEBAGO INDUSTRIES, INC.

DSNR: _____ ALL DIMENSIONS ARE IN MILLIMETERS

DFFR: _____ MATERIAL: _____

UNSPECIFIED TOLERANCES:		
WHOLE DIM (X)	3	
ONE-PLACE (X.X)	1.5	
TWO-PLACE (X.XX)	0.50	
ANGLE	1°	

REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES

WEIGHT: (LBS) _____ FIRST USED: **21 524D**

DESCRIPTION: **WIRING INSTL-BODY, 12V**

SHEET: **1 OF 8** ITEM/PART NO.: **000210429 / 33992201000** REV: _____


REF: _____

D

C


B

A




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER
135740-01-CHT
SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT (3)
SWITCH-BASE
135741-03-CHT
SWITCH-BEZEL
135742-03-CHT
SCREW
G11-08-08U (4)

DETAIL DD



DETAIL DH
(SHOWN WITH
COVER REMOVED)

GROUND BAR
CIRCUITS,
ND, NF, JN, NE, JP,
PM, UK, NC, JX, FFE,
JM, MS, JY, EED,
GGA, GZ




DETAIL DH
(BACK SIDE)

- PZ 14 YEL (THEATER SEAT)
- EEC 10 YEL (BED)
- JA 12 YEL (PUMP)
- JB 14 YEL (FURNACE/VENTS)
- JG 10 YEL (REFRIGERATOR)
- JC 14 YEL (LAMPS)
- JD 14 YEL (A/V COMPONENTS)
- JE 14 YEL (LAMPS)
- NM 12 YEL (TANK HEATERS)
- JF 14 YEL (USB/LAMPS)
- WB 16 YEL (LP LEAK DETECTOR)
- FFZ 14 YEL (USB & 12V RECEPTACLES)


1 THEATER SEAT	10 A/V COMPONENTS
15 A FUSE MAX	15 A FUSE MAX
2	11
A FUSE MAX	A FUSE MAX
3 BED	12 LAMPS
30 A FUSE MAX	15 A FUSE MAX
4 PUMP	13 TANK HEATERS
15 A FUSE MAX	15 A FUSE MAX
A FUSE MAX	A FUSE MAX
6 FURNACE/VENTS	15 USB/LAMPS
15 A FUSE MAX	15 A FUSE MAX
7 REFRIGERATOR	16 LP LEAK DETECTOR
15 A FUSE MAX	15 A FUSE MAX
8	17 USB & 12V RECEPTACLES
A FUSE MAX	A FUSE MAX
9 LAMPS	18
15 A FUSE MAX	A FUSE MAX

DETAIL DH
(BACK SIDE
OF COVER)




SWITCH-ROCKER
135740-06-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DE 23T OR 23R




DETAIL DF

SWITCH
108357-21-000
ACTUATOR
108356-23-CHT
PLATE-SWITCH
144363-02-CHT
SCREW
G11-06-10U (2)



DETAIL DK



LABEL-SWITCH,
HTR, HOLDING TK
134563-01-CHT


LABEL-WARNING
116549-01-000

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
PLATE-SWITCH
144363-02-CHT
SCREW
G11-06-10U (2)

MONITOR PANEL
175724-06-000
175724-03-000
SCREW
G11-08-08U (4)

CONTROL-CHARGE, SOLAR 40 AMP
000282852 / 356478-01-000
SCREW
G11-08-16U (2)


DETAIL DG



DETAIL DG

1 33F SWITCH-PANEL,
GENERATOR

REMOTE PANEL-INVERTER
000160575 / 328082-01-000
(ROUTE SUPPLIED INVERTER
CABLE WITH WIRE ASM-COACH
TO INVERTER)



DETAIL DJ

- NOTES:
- 5 SEE COMPONENT DRAWING FOR TORQUE SPECIFICATIONS.
 - 4 CIRCUIT FROM WIRE ASM-CHASSIS.
 - 3 WIRE IS MARKED WITH YELLOW TAPE.
 - 2 WIRE IS MARKED WITH GOLD TAPE.
 - 1 PANEL SUPPLIED WITH GENERATOR.


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

- 42Z THEATER SEATING
- 33F GEN-3.2 KW ONAN DIESEL
- 52G GEN-3.6KW ONAN LP MICROQUIET
- 23R DRAINAGE SYSTEM/HEAT-PREWIRED
- 23T DRAINAGE SYSTEM-HEATED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1	265
DESCRIPTION:	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO:
4 OF 8	000210429 / 33992201000
REV	
1 23-Jan-2024	

8 7 6 5 4 3 2 1



RECEPTACLE-12V
132958-01-000
USB-CHARGER DUAL,DC
188312-01-000
DETAIL BB

CONNECT ANTENNA
GROUND TO ANTENNA
PLATE

GROMMET
071015-36-000


BLUETOOTH
CONTROLLER
(SUPPLIED
WITH AWNING)
DETAIL EB

READ-6

TO WIRE ASM-ROOF

TO ROOF VENT
DETAIL EA

WIRE ASM-VENT,ROOF CAP
000160097 / 327852-01-000



FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1	265
WIRING INSTL-BODY,12V			
SHEET:	ITEM/PART NO.:	REV	
5 OF 8	000210429 / 33992201000		


8 7 6 5 4 3 2 1 23-Jan-2024

8 7 6 5 4 3 2 1



LIGHT-LED, ROUND 4.5 PLASTIC
000166889 / 329926-01-CHT (10)
SCREW
000G13-06-16U (30)
CONNECTOR
058028-01-000 (20)

BATHROOM VENT
(REF)




PANEL-SOLAR 105 WATT, ATP
000282851 / 356477-01-000
BRACKET-MOUNTING, SOLAR PANEL
000223989 / 343383-01-CHT (4)
CABLE-EXTENSION, SOLAR, 21 INCH
000282879 / 356483-01-000
WIRE ASM-SOLAR EXT, 10 FOOT
000282849 / 356473-01-000
NUT-T, 1/4-20
000224221 / 343407-01-CHT (8)
BOLT-HEX, 1/4-20X1/2
000C12-04-08U (8)
SCREW-PAN, HEAD
000G39-10-10U (12)

PANEL-SOLAR 105 WATT, ATP
000282851 / 356477-01-000
BRACKET-MOUNTING, SOLAR PANEL
000223989 / 343383-01-CHT (4)
CABLE-EXTENSION, SOLAR, 21 INCH
000282879 / 356483-01-000
NUT-T, 1/4-20
000224221 / 343407-01-CHT (8)
BOLT-HEX, 1/4-20X1/2
000C12-04-08U (8)
SCREW-PAN, HEAD
000G39-10-10U (12)


PORT-SOLAR, DOUBLE, ATP
000282789 / 356474-01-000
SCREW
000G67-10-12U (6)
DETAIL FB

DETAIL FA




DETAIL FB

CONNECT WINNEBAGO
BLACK WIRE THAT HAS
RED TAPE FROM ROOF
CONNECT WINNEBAGO
GREEN WIRE FROM ROOF



ANTENNA-TV, OMNIDIRECTIONAL
000171487 / 331386-01-CHT
SCREW
000G67-10-20U (4)



DETAIL FC

- 6 TORQUE TO 8.6 NM ± 0.4 NM (76 IN LBS ± 3.8 IN LBS).
- 5 SEE DETAIL FC FOR MOUNTING FEET LOCATION.
- 4 SEE COMPONENT DRAWINGS FOR TORQUE SPECIFICATIONS.
- 3 PLACE ROOF SEALANT WHERE NEEDED (APPROXIMATELY 75MM WIDE) AND PUSH THE CABLES INTO THE SEALANT TO STABILIZE THEM.
- 2 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

1. SEE ROOF ASM FOR ADDITIONAL INFORMATION.

NOTES:


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
TORQUE
CALLOUTS SEE
DWG 000228177
344479-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV:
6 OF 8	000210429 / 33992201000	

8 7 6 5 4 3 2 1 23-Jan-2024



6 PIN HSG TO
SLIDEOUT MOTOR
WITH GREEN TAPE

6 PIN HSG TO
SLIDEOUT MOTOR
WITH YELLOW TAPE

WIRE ROUTED
BEHIND TRIM PIECE
IN THIS AREA

WIRE ROUTED
BEHIND TRIM PIECE
IN THIS AREA

WIRE PASSES
THROUGH FLOOR TO
SLIDEOUT CONTROL
DETAIL AB

WIRE PASSES
THROUGH FLOOR TO
SLIDEOUT CONTROL
DETAIL AB

WIRE ASM-
SLIDEOUT MOTORS
(REFERENCE)

VIEW GA

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

1B1 265

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000


FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

DESCRIPTION:
WIRING INSTL-BODY, 12V

SHEET: 7 OF 8 ITEM/PART NO.: 000210429 / 33992201000 REV:


1 23-Jan-2024

8 7 6 5 4 3 2 1



1BE CABLE-FAKRA C, SIGNAL BLUE
000182978 / 334056-01-000

CABLE-FAKRA A, JET BLACK
000182977 / 334055-01-000
CABLE-FAKRA C, SIGNAL BLUE
000182978 / 334056-01-000
CABLE-FAKRA D, CLARET VIOLET
000182979 / 334057-01-000
CABLE-FAKRA E, LEAF GREEN
000182980 / 334058-01-000



DETAIL HA

- 4 CAMERA-REAR 000209106 / 339716-01-000
- 4 SHROUD-CAMERA, REAR 000171916 / 331533-01-CHT
- 4 SCREW-PAN, HEAD 000G55-08-16U (3)
- 4 RETAINER-CAMERA, REAR 000171924 / 331534-01-CHT
- 3 SCREW-PAN, HEAD 000G39-08-06U (2)
- 3 TAPE-LOOP 029094-07-000
- 4 CAMERA-REAR 000209106 / 339716-01-000
- 4 CAMERA-REAR, DIGITAL REARVIEW (CHASSIS SUPPLIED)
- 3 SCREW-PAN, HEAD 000G55-08-16U (4)
- 3 SCREW-PAN, HEAD 000G39-08-06U (5)
- 3 TAPE-LOOP 029094-07-000
- 2 SHROUD-CAMERA, REAR 000280286 / 356925-01-CHT
- 2 RETAINER-CAMERA, REAR 000283664 / 356778-01-CHT
- 2 BRACKET-MOUNTING, CAMERA SHROUD 000284727 / 356990-01-CHT
- 2 SCREW-MACH-1/4-20X3/4 PPH 000G50-04-12U (4)
- 2 CLIP-U, 1/4-20 000245460 / 348023-01-CHT (4)

- NOTES:
- 4 CONNECT TO FAKRA CABLE WITH BRN TAPE.
 - 3 CONNECT TO UNMARKED FAKRA CABLE.
 - 2 APPLY LOCTITE, 243 000279740 / 355628-01-000 TO THREADS. KC
 - 1 SEE WIRING INSTL-CHASSIS FOR ADDITIONAL INFORMATION.

- 67W DIGITAL REARVIEW MIRROR
- 67X DIGITL RRVIEW MIRROR WITHOUT
- 1BE CHASSIS DEVIATION B
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

DESCRIPTION: WIRING INSTL-BODY, 12V

SHEET: 8 OF 8 ITEM/PART NO.: 000210429 / 33992201000 REV: 1

8 7 6 5 4 3 2 1 23-Jan-2024