

- 6 SPLICE YELLOW TO YELLOW AND WHITE TO BLACK.
- 5 WIRES ARE PART OF WIRE ASM-CHASSIS.
- 4 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.
- 3 WIRE PASSES THROUGH FLOOR IN THIS AREA.
2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

NOTES:

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

- 95R SATELLITE TV ANTENNA - AUTOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

1B1 265

WINNEBAGO
COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.

DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS	
DFTF:	MATERIAL:	
UNSPECIFIED TOLERANCES:		
WHOLE DIM (X)	3	
ONE-PLACE (X.X)	1.5	
TWO-PLACE (X.XX)	0.50	
ANGLE	1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS)	FIRST USED:
		21 F29B
DESCRIPTION:		
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV:
1 OF 7	000210668 / 33996501000	
REF:		1 04-Jul-2022

D

D

C

C

B

B

A

A



8

7

6

5

4

3

2

1

292 THERMOSTAT
000016556 / 313194-01-CHT
THERMOSTAT
000235751 / 345514-01-CHT
258
DETAIL BC
SCREW
G13-07-12U (2)

LIGHT-WARDROBE LED
087694-03-000
SCREW
G11-10-12U (2)
CONNECTOR
58028-01-000 (2)

CLAMP
010495-01-000
SCREW
G11-08-10U

PLATE-WALL,HDMI
175530-04-CHT
CONNECTOR-HDMI,90 DOWN
179395-01-000
SCREW
G12-06-08U (2)

TO SLIDEOUT MOTOR

PLATE-SATELLITE PREP
DETAIL BB

GROMMET
016188-11-000

WIRE ASM-OVHD
000169932 / 330858-01-000

LIGHT-LED,ROUND 3.5 PLASTIC
000166893 / 329928-01-CHT (4)
SCREW
G13-05-10U (12)
CONNECTOR
58028-01-000 (8)

JW,JU AND JX
TO WATER HEATER
DETAIL BA

SWITCH
DETAIL DB

SWITCH
DETAIL DA

HARNES-SLIDEOUT
MOTOR, 78"
191660-01-000

GROMMET
016188-11-000

3 PIN HSG TO
THEATER SEATING

TO STOVE IGNITER

GROUND WIRE
TO STOVE TOP


WIRE ASM-SLIDEOUT
000210844 / 340028-01-000

SWITCH
DETAIL DC



LIGHT-LED,ROUND W/SWITCH,3.5 PLASTIC
000166892 / 329927-01-CHT
SCREW
G13-06-10U (3)
CONNECTOR
58028-01-000 (2)

PLATE-WALL,DUAL COAX HORIZ
149557-09-CHT

COAX
(SIL) COAX
(ORG/ORG)



DETAIL BB



DETAIL BA


- NOTES:
- 3 CONNECT RED WIRE TO YELLOW WIRE AND CONNECT BLACK WIRE TO WHITE WIRE.
 - 2 WIRE PASSES THROUGH FLOOR IN THIS AREA.
 - 1. ALL WIRES TO BE SECURED WITH CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 EVERY 600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

- 258 A/C DEVIATION -2 A/C
- 292 A/C-HIGH EFFICIENCY (2)
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY,12V	
SHEET: 2 OF 7	ITEM/PART NO.: 000210668 / 33996501000
REV	



- 7 SET 'GEN TYPE' TO 'GAS/LP'
SET 'SAFE TYPE' TO 'IGNITION'
SET 'SP SENSE' TO 'AFTER'
SEE OPERATORS MANUAL FOR SETUP PROCEDURE
- 6 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL
LOCK WASHER AND RING TERMINALS.
- 5 WIRING IS PART OF WIRE ASM-CHASSIS.
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET TO SCREEN DOOR FRAME, MOUNT
WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH TO DOOR JAMB WITH TAPE 076322-21-000.

1. ALL WIRES TO BE SECURED WITH CLAMP 10495
OR 10497 OR WIRE TIE 8343 OR 108046 EVERY
600MM, USE SCREW G67-XX-XXX OR G56-XX-XXX
AS APPROPRIATE FOR INSTALLATION.

NOTES:


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR
ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

- 258 A/C DEVIATION -2 A/C
- 292 A/C-HIGH EFFICIENCY (2)
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV:	
3 OF 7	000210668 / 33996501000		

04-Jul-2022




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
108357-09-000
ACTUATOR-SWITCH,
DRAIN PUMP
108356-27-CHT
PLATE-SWITCH, GEN SW
098351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DD




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DK




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DN




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DB




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DF




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DL




DETAIL DP




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DG




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DM




SWITCH-ROCKER
135740-04-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)


DETAIL DR



DETAIL DS



DETAIL DS



DETAIL DE 1

SWITCH-COMPT LIGHTS
108357-01-000
ACTUATOR-SWITCH
108356-14-CHT
CIRCUITS:
NW, WC

SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS:
FFD, FFR, FFE
FFE, JJR, FFD


SWITCH-AWNING, LIGHT
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
CIRCUITS:
SP, ZZL, WE, ZZL

SWITCH-STEP
108357-19-000
CIRCUITS:
ER, ES

PLATE-SWITCH
000209657 / 339789-01-CHT
SEAL-FUSE BOX
092492-25-000
SCREW
G11-06-10U (6)

SWITCH-COACH BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS
KF, LG, LJ-1, LH, WC
WIRE ASM-THERM
186796-01-000

SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR
108356-20-CHT
CIRCUITS
KKZ, UUB, TTY, UUC, MK
WIRE ASM-THERM
186796-01-000



DETAIL DH


CRUSH HAZARD. Keep people and objects clear of the inside and the outside of the slideout room when operating. Failure to comply could result in death or serious injury.

SWITCH-BLANK
096241-03-000 (2)

SWITCH
108357-18-000
ACTUATOR
108356-31-CHT
CIRCUITS
DR, KE, DU
ABY, ABZ

LABEL-SLIDEOUT,
DRIVER, FRONT
163992-01-CHT

LABEL-WARNING,
SLIDEOUT
116549-01-000



DETAIL DJ

SWITCH-CONTROL
LOFT BED, TOUCH
189056-01-000
WIRE ASM-LOFT BED SWITCH
000122806 / 323456-01-000
SCREW
076790-05-000 (2)
COVER-LOFTBED SWITCH
000196732 / 336063-01-CHT
SCREW
G67-08-12U (2)

45D LOFT BED - WITHOUT

45B LOFT BED

265 CODES/STANDARDS-CSA/CMVSS

1B1 CODES/STANDARDS USA

2 PLACE AROUND ENTIRE PERIMETER WITH SEAM AT BOTTOM.

1 FOR SWITCH ORIENTATION SEE DETAIL DP.

NOTES:


FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000


1B1 265

DESCRIPTION:
WIRING INSTL-BODY, 12V


SHEET: 4 OF 7 ITEM/PART NO.: 000210668 / 33996501000 REV




DETAIL EA



VIEW EC-EC



DETAIL EB
(BACK VIEW)



DETAIL EB
(FRONT VIEW)

- 45D → PLUG 081211-06-000
- 45B → CIRCUIT BREAKER-20 AMP 093654-03-000

LABEL-CIRCUIT BREAKER 092547-17-000

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

- 45D LOFT BED - WITHOUT
- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265
WIRING INSTL-BODY, 12V		
SHEET:	ITEM/PART NO.:	REV:
5 OF 7	000210668 / 33996501000	

8

7

6

5




4

3

2

1



SPEAKER-ROUND,CEILING 5.25
 180783-01-CHT (2)
 SCREW
 G11-08-12U (8)

LIGHT-LED,ROUND 4.5 PLASTIC
 000166889 / 329926-01-CHT (10)
 SCREW
 G13-05-10U (30)
 CONNECTOR
 58028-01-000 (20)

D

D

C

C

B

B

A

A



265 CODES/STANDARDS-CSA/CMVSS
 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
 TORQUE
 SPECIFICATIONS
 SEE DWG NO.
 128783-01-000

FOR
 ELECTRICAL
 CALLOUTS SEE
 DWG 000228177
 344479-01-000

1B1 265	
DESCRIPTION: WIRING INSTL-BODY,12V	
SHEET: 6 OF 7	ITEM/PART NO.: 000210668 / 33996501000
REV 1 04-Jul-2022	

8

7

6

5





4




3

2

1



- 3AA**
- PANEL-SOLAR 115 WATT
000173911 / 332174-01-CHT
 - BOLT
000C12-04-08U (8)
 - LOCK WASHER
000E11-04-00U (8)
 - NUT-T
000224221 / 343407-01-CHT (8)
 - BRACKET
000223989 / 343383-01-CHT (4)
 - SCREW
000G39-10-10U (12)



- NOTES:**
- 6 MOUNT FEET OF SOLAR PANEL AT DIMENSIONS SHOWN.
 - 5 SEE ENCLOSURE INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.
 - 4 REMOVE GROUND WIRE FROM ANTENNA BASE.
 - 3 WIRE TO BE MARKED WITH RED TAPE.
 - 2 WIRE TO BE MARKED WITH GLD TAPE.
 - 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

3AA	SOLAR PANEL/BATT CHARGER SYS
265	CODES/STANDARDS-CSA/CMVSS
1B1	CODES/STANDARDS USA
1B1	265
DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 7 OF 7	ITEM/PART NO: 000210668 / 33996501000
REV 1 04-Jul-2022	