

PLATE-WALL, TRIPLE COAX
000159230 / 327556-01-CHT
SCREW
G39-08-08U (2)

SWITCH-WATER PUMP
108357-15-CHT
ACTUATOR
108356-23-CHT
CIRCUITS
AG,JA,AF,JS,JY

PORT-SOLAR, SINGLE, FUSED
000169763 / 330845-01-000
SCREW
G39-10-08U (4)

CONTROL-SLIDEOUT, IN-WALL
000235616 / 345480-01-000
SCREW
G11-10-12U (4)
DETAIL GA

COVER-ELECTRICAL
194965-01-CHT (2)
LABEL-SLIDEOUT
098379-09-000 (2)

2 PIN HOUSING
TO WIRE ASM-AUX
HOLDING TANK

3 WIRE ASM-AUX
HOLDING TANK
151316-03-000

INVERTER CONTROL CABLE
TO REMOTE PANEL

3 WIRE ASM-MAIN
HOLDING TANK
151317-02-000

2 PIN HOUSING
TO WIRE ASM-MAIN
HOLDING TANK

COAX (RED)
TO CABLE INPUT
COAX (GLD)
TO MAIN PORTABLE
SATELLITE
DISH INPUT
COAX (SIL)
TO AUX
PORTABLE
SATELLITE
DISH INPUT

ANTENNA-SATELLITE, AUTO,
STATIONARY, DISH NETWORK
000157700 / 327102-01-CHT 95R

CONTROL-SLIDEOUT, IN-WALL
000235616 / 345480-01-000
SCREW
G11-10-12U (4)
DETAIL GC

WIRE ASM-COACH
000217351 / 341099-01-000

PANEL-RECEPTACLE
151376-02-CHT
ADAPTOR
82134-01-000
NUT
82136-01-000
LABEL
157486-01-CHT
SCREW
G67-10-12B (4)

WIRE ASM-TANK, WATER
151317-01-000

CONTROL-SLIDEOUT, IN-WALL
000235616 / 345480-01-000
SCREW
G11-10-12U (4)
DETAIL GB

2 PIN HOUSING
TO WATER PUMP

INVERTER CONTROL CABLE
TO INVERTER FROM INVERTER
CONTROL MODULE

2 PIN HOUSING
TO WIRE ASM-TANK, WATER






- NOTES:
- 4 WIRE PASSES THROUGH FLOOR IN THIS AREA.
 - 3 PLACE CROSS LOCATOR ON SENSORS OVER DIMPLES ON TANK.
 - 2. ROUTE TANK SENSOR WIRES SO THEY DO NOT PASS OVER SENSORS. USE WIRE TIE MOUNT 155366-01-000 AND WIRE TIE 8343-01-000 AS NEEDED. TANK SURFACE MUST BE CLEANED USING ISOPROPYL ALCOHOL AND PRIMED WITH PRIMER 94.
 - 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000







FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

- 95R SATELLITE TV ANTENNA - AUTOM
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

WINNEBAGO COPYRIGHT 2016 WINNEBAGO INDUSTRIES, INC.	
DSNR:	ALL DIMENSIONS ARE IN MILLIMETERS
DFFR:	
UNSPECIFIED TOLERANCES:	MATERIAL:
WHOLE DIM (X) : 3	
ONE-PLACE (X.X) : 1.5	
TWO-PLACE (X.XX) : 0.50	
ANGLE : 1°	
REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	WEIGHT: (LBS) FIRST USED: 21 F30T
WIRING INSTL-BODY, 12V	
SHEET: 1 OF 7	ITEM/PART NO.: 000217319 / 34109201000
REF:	1 04-Jul-2022



- NOTES:**
- 1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.
 - 2. WIRE ROUTED WITH 110V WIRING. SEE WIRING INSTL-BODY, 110V FOR ROUTING INFORMATION.
 - 3. SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
 - 4. DATA CABLE FOR EMS PANEL IS MARKED WITH RED TAPE.
 - 5. MARKED WITH GOLD TAPE.
 - 6. MARKED WITH RED TAPE.
 - 7. SET 'GEN TYPE' TO 'GAS/LP'
SET 'SAFE TYPE' TO 'IGNITION'
SET 'SP SENSE' TO 'AFTER'
SEE OPERATORS MANUAL FOR SETUP PROCEDURE.



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

- 292 A/C-HIGH EFFICIENCY (2)
- 258 A/C DEVIATION -2 A/C
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV:	
2 OF 7	000217319 / 34109201000		




PLATE-WALL, WIFI
000174367 / 332323-01-000
BOX-ELEC-FIBERGLASS
000213062 / 340536-01-000

WIRES TO
SLIDEOUT MOTOR
TO SIDEWALL

WIRE ASM-OVHD
186327-01-000

LIGHT-LED, ROUND 3.5 PLASTIC
000166893 / 329928-01-CHT (2)
SCREW
G13-06-10U (6)
CONNECTOR
58028-01-000 (4)

SWITCHES
DETAIL DJ

WASHER-LOCK
000007554 / 310611-01-000 (2)

SWITCHES
DETAIL DF

SWITCHES
DETAIL DD

GROMMET
108505-01-000

ENTERTAINMENT CENTER COMPL
000206286 / 338941-01-000


TO REFRIGERATOR

TO EXT ENT CTR
ANTENNA

AV CABLES FROM
WIRE ASM-CHASSIS
DETAIL EB

NEGATIVE BAR
140031-01-CHT
BOLT
C26-06-12U (6)
NUT
D39-06-00B (6)
STUD-ISOLATED
086233-01-000 (2)
NUT
D34-06-00U (2)
SCREW
G67-10-12U (4)


CONNECT ALL
GROUNDS TO
GROUND BAR



DETAIL CD

TO WIRE ASM-COACH
TO WIRE ASM-CHASSIS
J
M
(PART OF
WIRE ASM-
CONVERTER)
STUD-ISOLATED
86233-01-000
NUT
D34-06-00U
SCREW
G67-10-12U (2)
BOOT
77479-02-000
K
(PART OF
WIRE ASM-
CONVERTER)

3-PIN HSG
TO THEATER SEATING



DETAIL CC

PLATE-WALL
149557-09-CHT

COAX (SIL)
COAX (ORG/ORG)

SWITCH
DETAIL CA

LCR-1

RELAY-AWNING
063912-02-000
SCREW
G11-08-08U

LPGD

12V BREAKER PANEL
DETAIL DS

GROUND BAR
DETAIL CB

CONVERTER
184353-01-000
WIRE ASM-CONVERTER
000128567 / 325016-01-000
SCREW
G11-08-12U (3)
DETAIL CD

CONNECTS TO
WIRE ASM-CHASSIS

READ-6

LIGHT-WARDROBE
87694-03-000 (2)
SCREW
G11-10-12U (4)
CONNECTION
58028-01-000 (4)

PLATE-WALL, HDMI
175530-04-CHT (2)
SCREW
G12-06-080 (2)

PLATE-SATELLITE PREP
DETAIL CC

- 7 REMOVE SCREWS FROM MAGNET SWITCH TO INSTALL LOCK WASHER AND RING TERMINALS.
- 6 ROUTE HDMI & COAX TO BEDROOM TV THROUGH THE ROUTED PATH IN SIDEWALL.
- 5 SEE WIRING INSTL-TV/DVD FOR ADDITIONAL INFORMATION.
- 4 WIRES ROUTED THROUGH FLOOR IN THIS AREA.
- 3 MOUNT MAGNET USING PILOT HOLES IN SCREEN DOOR FRAME, MOUNT WITH MAGNET TOWARD SWITCH.
- 2 MOUNT SWITCH AND SPACER TO BLOCK ON JAMB, ADJUST HEIGHT TO MATCH MAGNET.

1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.


NOTES:

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000


265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

DESCRIPTION:		1B1 265	
WIRING INSTL-BODY, 12V			
SHEET:	ITEM/PART NO.:	REV:	
3 OF 7	000217319 / 34109201000		




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DA




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DJ




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DP




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DC




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DL




SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DR




DETAIL DE




SWITCH-TV LIFT
108357-16-000
ACTUATOR
108356-26-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DM




SWITCH-ROCKER
135740-01-CHT (2)
SWITCH-BASE
135741-02-CHT
SWITCH-BEZEL
135742-02-CHT
SCREW
G11-08-08U (4)

DETAIL DF



SWITCH-ROCKER
135740-01-CHT
SWITCH-BASE
135741-01-CHT
SWITCH-BEZEL
135742-01-CHT
SCREW
G11-08-08U (2)

DETAIL DN




SWITCH-PUMP
108357-15-000
ACTUATOR
108356-23-CHT
PLATE
98351-07-CHT
SCREW
G11-06-10U (2)

DETAIL DG

SWITCH-CHASSIS BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-20-CHT
CIRCUITS UUC, TTY, UUB,
UUB, TTZ, UUC, UUC, UUA
WIRE ASM-THERM
186796-01-000

SWITCH-COACH BATTERY
108357-18-000
ACTUATOR-SWITCH
108356-19-CHT
CIRCUITS KF, LG, LJ,
LJ, LH, KF, KF, LK
WIRE ASM-THERM
186796-01-000



DETAIL DD


SWITCH-AWNING
108357-01-000
ACTUATOR-SWITCH
108356-14-CHT
CIRCUITS
NW, WC

PLATE-SWITCH
158431-03-CHT
SCREW
G11-06-10U (6)


SWITCH-AWNING
108357-06-000
ACTUATOR-SWITCH
108356-12-CHT
CIRCUITS
FFD, FFR, FFE,
FFE, JJR, FFD

SWITCH-AWNING
108357-14-000
ACTUATOR-SWITCH
108356-28-CHT
CIRCUITS
SP, ZZL, WE, ZZL


SWITCH-STEP
108357-19-000
CIRCUITS ER, ES




DETAIL DK



DETAIL DB (FRONT VIEW)



DETAIL DB (BACK VIEW)



DETAIL DH



FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000


- 45D LOFT BED - WITHOUT
- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

DESCRIPTION: WIRING INSTL-BODY, 12V	
SHEET: 4 OF 7	ITEM/PART NO.: 000217319 / 34109201000
REV: 04-Jul-2022	


NOTES:
1 FOR SWITCH ORIENTATION SEE DETAIL DE



DETAIL EA



DETAIL EB





DETAIL EC

- 45D LOFT BED - WITHOUT
- 45B LOFT BED
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA

FOR ELECTRICAL
TORQUE
SPECIFICATIONS
SEE DWG NO.
128783-01-000

FOR ELECTRICAL
CALLOUTS SEE
DWG 000228177
344479-01-000

DESCRIPTION: WIRING INSTL-BODY,12V		
SHEET: 5 OF 7	ITEM/PART NO: 000217319 / 34109201000	REV



PORT-SOLAR, 3 POSITION
000170803 / 331218-01-CHT
SCREW
G39-10-10U (4)
DETAIL FB





ANTENNA-TV, OMNIDIRECTIONAL
000171487 / 331386-01-CHT
SCREW
G67-10-16U (4)

ENCLOSURE-WIFI, PREWIRE
000174584 / 332365-01-000
CABLE-ANTENNA, WIFI, RP-SMA/SMB, 11'
000174370 / 332324-01-000

PANEL-SOLAR 115 WATT
000173911 / 332174-01-CHT
BOLT
000C12-04-08U (8)
LOCK WASHER
000E11-04-00U (8)
NUT-T
000224221 / 343407-01-CHT (8)
BRACKET
000223989 / 343383-01-CHT (4)
SCREW
000G39-10-10U (12)

3AA

ANT-R
SEAL





- NOTES:
- 5 MOUNT FEET OF SOLAR PANEL AT DIMENSIONS SHOWN.
 - 4 SEE ENCLOSURE INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.
 - 3 REMOVE GROUND WIRE FROM ANTENNA BASE.
 - 2 WRAP BRACKET LEGS AROUND ANTENNA BASE.
 - 1 SEE ANTENNA INSTALLATION MANUAL FOR CORRECT INSTALLATION PROCEDURE.

- 3AA SOLAR PANEL/BATT CHARGER SYS
- 265 CODES/STANDARDS-CSA/CMVSS
- 1B1 CODES/STANDARDS USA


FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000


DESCRIPTION:	
WIRING INSTL-BODY, 12V	
SHEET:	ITEM/PART NO.:
6 OF 7	000217319 / 34109201000
REV	



DETAIL GA



DETAIL GB



DETAIL GC

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191660-02-000

2100 DROP 6-PIN HSG TO POWER GEAR MOTOR

HARNESS-SLIDEOUT MOTOR 191661-02-000

GROMMET 016188-11-000 (6)

HARNESS-SLIDEOUT MOTOR 191661-02-000

HARNESS-SLIDEOUT MOTOR 191661-02-000

- 4 COIL UP EXCESS HARNESS IN LOWER COMPARTMENT.
- 3 WIRE IS ROUTED THROUGH FLOOR IN THIS AREA.
- 2 ROUTE WIRES BELOW FLOOR.

NOTES:
1. AT MINIMUM ALL WIRES TO BE SUPPORTED AND SECURED PER CODE REQUIREMENTS. USE CLAMP 10495 OR 10497 OR WIRE TIE 8343 OR 108046 AND SCREW G67-XX-XXX OR G56-XX-XXX AS APPROPRIATE FOR INSTALLATION.

FOR ELECTRICAL TORQUE SPECIFICATIONS SEE DWG NO. 128783-01-000

FOR ELECTRICAL CALLOUTS SEE DWG 000228177 344479-01-000

265 CODES/STANDARDS-CSA/CMVSS
1B1 CODES/STANDARDS USA

1B1 265		DESCRIPTION: WIRING INSTL-BODY,12V	
SHEET: 7 OF 7	ITEM/PART NO: 000217319 / 34109201000	REV	