










10. CLEAN BOTH SURFACES OF SIDEWALL AROUND OPENING W/ISOPROPYL ALCOHOL. ADD TAPE 173983-01-CHT WITH 6mm OVERLAP ON FIBERGLASS SIDE. TAPE MUST ADHERE TO BOTH SIDES OF SIDEWALL.
9. SEE DRAWING 160030 COMPARTMENT INSTL-ROTOCAST FOR ADDITIONAL INFORMATION.
8. APPLY SEAL 104692-01-000 TO FLOOR EDGE PRIOR TO INSTALLATION OF SIDEWALLS.
7. USE TAPE SEAL 056795-01-000 BETWEEN THE FLANGE OF DOOR JAMB AND SIDEWALL.
6. USE SCREW 000G55-08-12B (A/R) TO ATTACH DOORS.
5. APPLY SEAL 154585-02-01A AROUND COMPARTMENT OPENINGS PRIOR TO INSTALLATION OF SIDEWALLS.
4. FOR SECTIONS BA THRU BZ SEE DWG 169481.
3. TRI/MARK "KEY ONE"
SEAL: P/N 138292-01-000 USED ON ENTRANCE DOOR.
KEY: P/N 138288-11 THRU -20
ENTRANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20
- STRATTEC KEY
VAL DOORS, WATER FILL: P/N 138637-51-000 THRU -009
- MATCH LAST DIGIT OF V.I.N. # WITH TAB NUMBER
EXAMPLE: V.I.N. # TAB NUMBER
USE: 138287-05-000
138288-05-000
138289-05-000
2. DRILL 3.57 (9/64) DIA PILOT HOLES FOR DOOR ATTACHMENT SCREWS THRU EXISTING HOLES IN DOOR JAMB.
1. SEE SEALANT MANUAL.

- 64V SIDEWALL-PREMIUM HIGH GLOSS
- 64T SIDEWALL-HIGH GLOSS
- 28E EXTERIOR ACCESSORY PACKAGE
- 547 FLOOR-ENTRY/CARPET
- 56K WINDOW-ENTRANCE DOOR
- 1E2 ENTRANCE STEP-ELEC.
- 1E1 ENTRANCE STEP-MANUAL

WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFT#R		ORIG. DATE	
CHK#R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 231N	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
			
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-DOORS & COMPT			
SHEET 1 OF 1		PART NO	REV
		172959	



090868-01

224V

229T

231C

231 J

329B

331C

524DL

524K

524P

728B

730C

D31E

D35J

D37L


E30W

E32K

J35Z

J38N

GEN MOTORHOMES



094708-05-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	094707-04-701	EA	MOTOR "AM 214" F/IMGL STEPS	1101428
13	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
15	143709-01-702	EA	TREAD/NON-SKID 6" X 21" BLK	1915260
16	094708-05-701	EA	FRAME W/SGL STEP,28 SERIES	908028000
17	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-702	EA	COTTER PIN - W/CLEVIS PIN	905205000
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
	094708-05-700	EA	GEAR BOX W/LINKAGE-STRAIGHT	1101426
CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)				

SUPPORT-LID, ENTRANCE STEP
123330-05-CHT
SCREW
G11-10-12D(14)

TREAD-STEP,RUBBER
147781-01-CHT
ADHESIVE
142550-02-000

104005-08-XXX
28E 200-SERIES
300-SERIES
500-SERIES
700-SERIES


CABINET ASM-LID, ENT STEP
141558-01-XXX

BRACKET-CATCH,LID
146747-01-CHT(2)
SCREW
G11-10-12D(4)


1. CENTER TREAD-STEP,RUBBER ON BOARD.

28E EXTERIOR ACCESSORY PACKAGE

FIRST USED			04 300-SERIES		
TITLE:			DO NOT SCALE DRAWING		
			LID ASM-ENTRANCE STEP		
SHEET 8		PART NO	104005		REV







FIRST USED		07 200-SERIES	
DO NOT SCALE DRAWING			
TITLE: LID ASM-ENTRANCE STEP			
SHEET 9		PART NO 104005	REV



00 MOTORHOMES

DOOR COMPL-ENTRANCE,MID



DETAIL D 200-SERIES E-SERIES D-SERIES J-SERIES

LATCH ASM-EXTERIOR
112782-20-01A
GASKET
112782-04-01A

EXTR-C-CHANNEL
134990-51-002
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

CATCH
SCREW
000G11-08-08T (3)

BOLT-STRIKER
092927-20-000

PLUG-PLASTIC
061420-14-000

LATCH-SINGLE ROTARY
112782-22-01A
SCREW
140040-01-000 (3)




STIFFENER M
132207-01-02B
NUTSERT
072893-04-000 (8)
SCREW
075908-01-000 (8)

LATCH-INTERIOR PLATE
112782-27-01A
CAP-VINYL
112782-05-01A
SCREW
112782-08-01A (3)

SPACER-NOTCHED
137230-01-01A
(INSERT INTO FOAM UNTIL
TOP SURFACE EVEN WITH CUTOUT)


CHANNEL-W/NOTCH
171283-01-01A
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
3	PART NO	132206	



00 MOTORHOMES

DOOR COMPL-ENTRANCE,MID




00 G-SERIES, 00 L-SERIES

DOOR ASM-SCREEN

2

132208




KEYED
LOCK

- NOTES:
1. APPLY SEALER ALL AROUND INTERIOR OF DOOR INSERT.
 2. INSTALL LOCK WITH TUMBLERS AT BOTTOM WHEN IN THE INSTALLED POSITION.
 3. CENTER HINGE IN OPENING. FASTEN WITH RIVETS 6.0 FROM EACH END AND SPACE 36.0 APART.
 4. CENTER VERTICALLY ON DOOR ASM.
 5. MOUNT SEAL TO DOOR FRAME.
 6. 64R EXTERIOR WASH STATION.
 7. CENTER UNSEALED AREA.

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHGR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		09 700-SERIES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: DOOR ASM-STORAGE			
SHEET 1 OF 2		PART NO 166903 REV	
REF: REF:		1 10/14/2009	


D
C
B
A




SECTION C-C


TWIST LOCK

- LOCK ASM
110506-27-000
- CLIP-E
110506-40-000
- TENSION WASHER
110506-41-000
- NUT
110506-42-000
- FLAT WASHER
110506-43-000
- GASKET
110506-44-000
- CASE ASM
110506-55-000
- CAM-LOCK
110506-66-000
- SPACER
144734-01-000




FIRST USED			09 700-SERIES
DO NOT SCALE DRAWING			
TITLE:			DOOR ASM-STORAGE
SHEET 2	PART NO	166903	REV






KEY-CORNER,ANGLE
122237-12-CHT
RIVET
000H15-04-03R(4)




DETAIL A

KEY-CORNER,ANGLE
122237-11-CHT
RIVET
000H15-04-03R(4)




DETAIL B

KEY-CORNER,ANGLE
122237-13-CHT
RIVET
000H15-04-03R(4)




DETAIL C

KEY-CORNER,ANGLE
122237-11-CHT
RIVET
000H15-04-03R(4)




DETAIL D

KEY-CORNER,ANGLE
122237-11-CHT
RIVET
000H15-04-03R(4)




DETAIL G

KEY-CORNER,ANGLE
122237-11-CHT
RIVET
000H15-04-03R(4)



DETAIL H


SEAL-SPONGE
156386-01-000(2)
(150)



SECTION F-F

FIRST USED		
09 200-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 2	PART NO	REV
	171614	

172626-01-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	084104-01-700	EA	LOCK-MALE, FASTENER
	084104-01-701	EA	LOCK-FEMALE, FASTENER
			VENDOR NO.
			201-721-010
			201-802-010



DWG NO
169481-01
169481-02

09L 09R 09T

RELEASE		REV	DATE	DWG NO	169481
REV	ZONE	REVISION RECORD		DATE	DFTR.Orig

SECTION AA-AA

SECTION AB-AB

SECTION AD-AD


SECTION AE-AE

SECTION AG-AG

DETAIL AF

- NOTES:
- 2. NOT USED WITH 1L9
 - 1. PLACE SEAL AT THE END OF RAIN CHANNEL.

- 1A8 SLIDEOUT ROOM FRONT LEFT WO
- 1L9 ENTERTAINMENT CENTER-CABOVER
- 09L SLIDEOUT ROOM FRONT LEFT
- 09R SLIDEOUT RM-DINETTE, U-SHAPE
- 09T SLIDEOUT RM-DINETTE, BENCH

WINNEBAGO® INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT:R		ORIG. DATE	
CHK:R		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 200-SERIES	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
BODY INSTL-SECTIONS			
SHEET 1 of 3		PART NO	REV
		169481	

BRACKET
148811-02-CHT
SCREW
G67-10-12B (8)

BRACKET-WINGWALL
106922-01-CHT (4)
SCREW
G67-10-12B (12)

BRACE-SEAT
172938-01-CHT

BRACKET
135773-02-CHT (2)
SCREW
G67-10-12B (12)

SECTION AH-AH
224V
231J

BRACKET
148811-01-CHT
SCREW
G67-10-12B (8)

BRACKET-WINGWALL
106922-01-CHT (4)
SCREW
G67-10-12B (12)

BRACE-SEAT
172938-01-CHT

BRACKET
135773-02-CHT(2)
SCREW
G67-10-12B (12)

SECTION AJ-AJ
224V

SCREW
G11-10-10B (20)
(TOP AND SIDES)

GUSSET-WALL
128367-02-CHT
SCREW
G67-10-12U (8)

GUSSET-WALL
127300-02-CHT
SCREW
G67-10-12U (8)

BRACKET-WINGWALL
106922-01-CHT (4)
SCREW
G67-10-12B (12)

SCREW
54434-02-000 (4)
(BOTTOM)

SECTION AJ-AJ 09L
231J

BRACKET
148811-02-CHT
SCREW
G67-10-12B (8)

BRACKET-WINGWALL
106922-01-CHT (4)
SCREW
G67-10-12B (12)

BRACE-SEAT
172938-01-CHT

BRACKET
135773-02-CHT (2)
SCREW
G67-10-12B (12)

BRACKET
135773-02-CHT(2)
SCREW
G67-10-12B (12)

SECTION AH-AH
231N
229T
231C

BRACKET
148811-01-CHT
SCREW
G67-10-12B (8)

BRACKET-WINGWALL
106922-01-CHT (4)
SCREW
G67-10-12B (12)

BRACE-SEAT
172938-01-CHT

SECTION AJ-AJ 1A8
229T

SCREW
G11-10-10B (20)
(TOP AND SIDES)

GUSSET-WALL
128367-02-CHT
SCREW
G67-10-12U (8)

GUSSET-WALL
127300-02-CHT
SCREW
G67-10-12U (8)


BRACKET-WINGWALL
106922-01-CHT (4)
SCREW
G67-10-12B (12)

SCREW
54434-02-000 (4)
(BOTTOM)


SECTION AJ-AJ 09L
231N
229T
231C

- 1A8 SLIDEOUT ROOM FRONT LEFT WO
- 09L SLIDEOUT ROOM FRONT LEFT
- 09R SLIDEOUT RM-DINETTE, U-SHAPE
- 09T SLIDEOUT RM-DINETTE, BENCH


FIRST USED		
10 200-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY INSTL-SECTIONS		
SHEET 2	PART NO 169481	REV



DETAIL AK




DETAIL AL



SECTION AM-AM


BRACKET-MTG,TV
167406-01-CHT
RIVET
118626-01-CHT (3)
FILM
061606-02-000

TV




SECTION AN-AN

1LK



SECTION BB-BB



SECTION BA-BA

1LK TV-19"DC,COLOR,LCD W/REMOTE

FIRST USED			10 200-SERIES		
			DO NOT SCALE DRAWING		
TITLE:			BODY INSTL-SECTIONS		
SHEET	3	PART NO	169481	REV	