

8		7		6	
DWG NO	MODEL	ROLLER ASM	VIEW C-C	LENGTH	A
169129-01	329B	161748-11-CHT	NO	18'	61
169129-02	331C	161748-08-CHT	YES	15'	61
169129-03	NOT USED	161748-04-CHT	NO	11.5'	131

1		2		3		4		5	
RELEASE	REV	DATE	DWG NO	169129					
REV	ZONE	REVISION RECORD			DATE	DFT-ORIG			

D

C

B

A

D

C

B

A

AWNING-HARDWARE KIT
161748-18-CHT

LENGTH
(SEE TAB)

ROLLER ASM
(SEE TAB)

A

A

C

(SEE TAB)

C

(SEE TAB)


A


DOMETIC A&E
AWNINGS

- NOTES:
- 2. USE IN PLACE OF KIT SUPPLIED BOLT.
 - 1. LOCATE 40 mm ABOVE FEATURE STRIP.




COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.


DFT-ORIG	ORIG. DATE
CHK-OR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 300 SERIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: AWNING INSTL 300-SERIES	
SHEET 1 of 2	PART NO 169129 REV
REF:	1



SECTION A-A



SECTION B-B



VIEW C-C
DOOR SHOWN IN OPEN POSITION

FIRST USED		10 300 SERIES	
DO NOT SCALE DRAWING			
TITLE: AWNING INSTL 300-SERIES			
SHEET 2	PART NO	169129	REV

D

C

B


A

D

C


B

A




- NOTES:
1. PLACE SEALANT AT THE END OF RAIN CHANNEL.
 2. SCREW MUST BE LOCATED WITHIN 50MM OF RAIL-AWNING SPLICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.
 3. DIMENSIONS ARE FROM THE DOOR CUTOUT TO THE UPPER HOLE CLOSEST TO THE DOOR
 4. NOT USED WITH 09L.


09L SLIDEOUT ROOM FRONT LEFT	
COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	FIRST USED
DSNR	10 300-SERIES
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	± 3
ONE-PLACE (X.X)	±
TWO-PLACE (X.XX)	±
ANGLE	±
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: BODY INSTL-SECTIONS	
SHEET 1 of 4	PART NO 169134
REF:	1




SECTION AN-AN




SECTION AM-AM



SECTION AJ-AJ









SECTION AK-AK




SECTION AL-AL

FIRST USED		
10 300-SERIES		
DO NOT SCALE DRAWING		
TITLE: BODY INSTL-SECTIONS		
SHEET 2	PART NO 169134	REV



- 24C EXT FULL BODY PAINT PKG # 3
- 92A EXT FULL BODY PAINT PKG # 2
- 27A EXT FULL BODY PAINT PKG #1

1PY CHEVY CHASSIS 14,050 LB GVWR		
FIRST USED		
10 300-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO 169134	REV





BRACKET-MTG,TV
167406-01-CHT
RIVET
118626-01-CHT (3)
FILM
061606-02-000

BUMPER-RUBBER,CLEAR
120760-01-000

SECTION AV-AV (ILK)

1LK TV-19"DC,COLOR,LCD W/REMOTE

FIRST USED		
10 300-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 4	PART NO 169134	REV



4. PLASTIC TRIM TO BACKWALL GAP: 6.0 MM NOMINAL.
TOLERANCE +4/-2 WITH NO MORE THAN 3.0 MM
VARIANCE WITHIN A SINGLE PART.

³ POSITIONED TO HOLD EACH END OF VINYL INSERT.

² TRIM TO LENGTH ON INSTALL.

¹ CLEAN AND APPLY ADHESIVE PROMOTER 087211-01-000
TO BOND SURFACE AND APPLY DIRECT PRESSURE.

07 300 SERIES

SEE CHART


FOR COLOR VARIATIONS
OF THIS PART

TRIM COMPL-BACKWALL,W/BUMPER

1 1

156341

NOTES:



DWG NO	SHEET
167494-01	1
167494-02	2
167494	NA
167494	NA

- 16B16C16Y28N
- 16B16C16Y28X
- 1PY28N
- 1PY28X

RELEASE	REV	DATE	DWG NO	167494
REV	ZONE	REVISION RECORD		DATE
				0FTR.ORG

- 28X MIRRORS-EXTERIOR W/DEFROST
- 28N MIRRORS-EXTERIOR
- 1PY CHEVY CHASSIS 14,050 LB GVWR
- 16Y FORD CHASSIS - 14,500#_GVWR
- 16C FORD CHASSIS-11,500# GVWR
- 16B FORD CHASSIS 10,700 LB.GVWR

FORD


WINNEBAGO

INDUSTRIES

COPYRIGHT 2009
WINNEBAGO
INDUSTRIES, INC.

0FTR	ORIG. DATE
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS
P.E.	
M.E.	
DSNR	FIRST USED
09 C-BODY	
UNSPECIFIED TOLERANCES ARE:	
WHOLE DIM (X)	: 3
ONE-PLACE (X.X)	: 1.5
TWO-PLACE (X.XX)	: 0.50
ANGLE	: 1°
THIRD ANGLE PROJECTION	
DO NOT SCALE DRAWING	
TITLE: MIRROR INSTL-EXTERIOR	
SHEET 1 OF 2	PART NO 167494
REF:	REV

MIRROR ASM
167450-01-CHT
MIRROR INSTL-ELECT
167487-01-000



MIRROR ASM
167450-02-CHT

FORD

16Y
16C
16B
28X

FIRST USED		09 C-BODY	
DO NOT SCALE DRAWING			
TITLE: MIRROR INSTL-EXTERIOR			
SHEET 2	PART NO	167494	REV

133908-05, 133908-06, 133908-10, 133908-11, 133908-14, 133908-15, -01A/02A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
	117051-01-700	EA	MIRROR-CONVEX	723068-4
	120269-01-700	EA	GLASS KIT W/BEZEL RH/LH	709407-8
	133908-03-700	EA	CAP - RECT/BLACK-W/O LIGHT	709577
	133908-04-700	EA	CAP-MIRROR/ROUND - W/O LIGHT	7095470

167450-01-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-702	EA MIRROR HEAD - RIGHT - CHROME	715998
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113


167450-01-03A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-704	EA MIRROR HEAD - RIGHT - BLACK	715990
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113

167450-02-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-703	EA MIRROR HEAD - LEFT - CHROME	715997
	167450-01-708	EA FLAT GLASS KIT - HEATED/LEFT	716103
	167450-01-709	EA CONVEX GLASS KIT - LEFT	716105
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113


167450-02-03A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-705	EA MIRROR HEAD - LEFT - BLACK	715989
	167450-01-708	EA FLAT GLASS KIT - HEATED/LEFT	716103
	167450-01-709	EA CONVEX GLASS KIT - LEFT	716105
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-715	EA ARM CVR KIT-102" RH & LH-BLK	716113

167450-05-02A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-702	EA MIRROR HEAD - RIGHT - CHROME	715998
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-713	EA ARM CVR KIT-96" RH & LH-BLK	716107


167450-05-03A			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	167450-01-704	EA MIRROR HEAD - RIGHT - BLACK	715990
	167450-01-706	EA FLAT GLASS KIT-HEATED/RIGHT	716104
	167450-01-707	EA CONVEX GLASS KIT - RIGHT	716106
	167450-01-710	EA MOTOR - W/WIRE HARNESS	747832
	167450-01-711	EA GASKETS(2)-BASE MOUNT-FORD	709743
	167450-01-713	EA ARM CVR KIT-96" RH & LH-BLK	716107



TRIM-CONTOUR
166489-01-CHT
SCREW
G39-10-16U (9)
EXTR-VINYL,INSERT
105312-01-CHT
(REF LENGTH 3850)



TRIM-CONTOUR
166489-02-CHT
SCREW
G39-10-16U (9)
EXTR-VINYL,INSERT
105312-01-CHT
(REF LENGTH 3850)



PANEL ASM-FRONT
157215-01-XXX
INSULATION-AIR POCKET W/FOIL
105290-01-000

TRIM-CONTOUR
158152-01-CHT
SCREW
G39-10-16U (13)
EXTR-VINYL,INSERT
158107-01-CHT
(REF LENGTH 2500) 2

TRIM-CONTOUR
166486-01-CHT
SCREW
G39-10-16U (13)


TRIM-CONTOUR
166486-02-CHT
SCREW
G39-10-16U (13)

3 CLEAN FIBERGLASS WITH ISOPROPYL ALCOHOL AND APPLY ADHESIVE PROMOTER 900860-04-000.

2 SECURE VINYL ENDS UNDER SIDE EXTRUSIONS.

1. ALL SEALANTS MUST BE APPLIED PER SPECIFICATIONS IN THE MANUFACTURING SEALANT MANUAL.

NOTES:



LOGOS ARE CARRY OVER FROM 2009



BRILLIANT SILVER MET
#T.B.D.

BLACK MIST MET
#75377

MINERAL GRAY MET.
#60588

MED GOLD MET
#75395

(27A) GRAPHICS INST - 2010 OUTLOOK FBP
"STONE FENCE"

LOGOS ARE CARRY OVER FROM 2009



BRILLIANT SILVER MET
#T.B.D.

PEWTER PEARL MET
#47605-2

BLACK MIST MET
#75377

MED STELLAR BLUE MET.
#51837-2

(92A) GRAPHICS INST - 2010 OUTLOOK FBP
"BLUE MOON"

LOGOS ARE CARRY OVER FROM 2009



BRILLIANT SILVER MET
#T.B.D.

DK TOREADOR RED MET
#75387

CADET BLUE MET.
#78164

MED GARNET RED MET
#35894-7

(24C) GRAPHICS INST - 2010 OUTLOOK FBP
"CRIMSON"

LOGOS ARE CARRY OVER FROM 2009



BRILLIANT SILVER MET
#T.B.D.

MOSS GREEN MET
#50277

SPRUCE GREEN MET.
#75340

BLACK MIST MET
#75377

(24B) GRAPHICS INST - 2010 OUTLOOK FBP
"BLACK FOREST"

FIRST USED		
2010 OUTLOOK (300 SER)		
SPECIFICATION PRINT DO NOT SCALE		
TITLE:		
GRAPHICS INSTL - FBP		
SHEET 2	PART NO 170786	REV

8			7		6		5		↓		4		3		2		1	
DWG NO	UNIT	SHEET	RELEASE REV DATE NO 170443															
170443-01	331C	1,2																
170443-02	329B	1,2																
170443-03	NOT USED																	

REV	ZONE	REVISION RECORD		DATE	DTFR-ORIG
-----	------	-----------------	--	------	-----------

KEY	PART NUMBER (27G)	PART NUMBER (92K)	DESCRIPTION
1	120700-10-21A	120700-10-17A	DECAL-LOGO W
2	120702-03-66A	120702-03-52A	DECAL-LOGO WINNEBAGO SML
3	132664-02-01A		DECAL-LOGO DOMED WINNEBAGO
4	SW#77977/141599-A0-000 (1GF)	SW#78401/141599-98-000 (1GH)	PAINT
5	SW #75401/141599-98-000 (1GF)	SW #75392/141599-A1-000 (1GH)	PAINT
6	151687-01-01A		DECAL/BEZEL DOMED NAMEPLATE WINNEBAGO
7	152852-03-01A		DECAL-OUTLOOK LG
8	152852-04-01A		DECAL-OUTLOOK SML
9	165368-01-03A	165368-01-04A	DECAL-FRONT OVHD
10	165370-01-03A	165370-01-04A	DECAL-SWEEP #1 RH
11	165370-02-03A	165370-02-04A	DECAL-SWEEP #1 LH
12	165372-01-01A	165372-01-03A	DECAL-SWEEP #3 RH
13	165372-02-01A	165372-02-03A	DECAL-SWEEP #3 LH
14	165373-01-03A	165373-01-04A	DECAL-SWEEP #4 RH
15	165373-02-03A	165373-02-04A	DECAL-SWEEP #4 LH
16	165374-01-03A	165374-01-04A	DECAL-SWEEP #2 RH
17	165374-02-03A	165374-02-04A	DECAL-SWEEP #2 LH
18	165376-01-03A	165376-01-04A	DECAL-BACKWALL
19	165377-01-03A	165377-01-04A	FILM-MUTISTRIPE WINGWALL
20	160732-01-01A (1GF) (1GH)		DECAL-WINGWALL PAINT PROTECT RH
21	160732-02-01A (1GF) (1GH)		DECAL-WINGWALL PAINT PROTECT LH
22	170254-01-01A (1GF) (1GH)		PAINT MASK-LOWER BACKWALL
23	170255-01-01A (1GF) (1GH)		PAINT MASK-UPPER FRT SDWL RH
24	170255-02-01A (1GF) (1GH)		PAINT MASK-UPPER FRT SDWL LH
25	170256-01-01A (1GF) (1GH)		PAINT MASK LWR MID SDWL RH
26	170256-02-01A (1GF) (1GH)		PAINT MASK LWR MID SDWL LH
27	173398-01-01A (1GF) (1GH)		PAINT MASK-UPPER BACKWALL

- | | |
|-----|------------------------------|
| 1GH | EXT PAINT #2 W/FBGLS BOARDS |
| 1GF | EXT PAINT #1 W/FBGLS BOARDS |
| 92K | EXTERIOR GRAPHICS PACKAGE #2 |
| 27G | EXTERIOR GRAPHICS PACKAGE #1 |

10 CENTER ON UNIT.

9 LOCATE DECAL 240mm LEFT OF HOOD EDGE AND 60mm UP FROM FRONT EDGE OF HOOD.

8. ALIGN WINGWALL FILM WITH CAB & SIDEWALL DECALS.

7. VINYL DECAL WILL BE APPLIED WHERE EVER GRAPHIC DESIGN PATTERN IS POSITIONED OVER SLIDEROOM EXTRUSION, BUT WILL NOT BE APPLIED TO VINYL SCREW COVER INSERTS.

6. PAINT AREA IS TO BE BELOW FEATURE STRIP FOR OPTIONAL PAINTED MODELS AND CONTINUES ON CAB DOORS TO WHEEL WELL, INCLUDING RUNNING BOARD.

5. NO VINYL OR PAINT ON SLIDEOUT ROOM END PANELS.


4. ALL LOGOS ARE TO BE +/- 1mm ON A HORIZONTAL PLANE (END TO END).





3. CLEAR COAT 141599-27-000 TO BE APPLIED ON ALL PAINTED AREAS.

2. APPLY FILM-URETHANE PROTECTANT 109506-01-000 AT BOTTOM OF ENTRANCE DOOR TO PREVENT SCUFFMARKS.














1. APPLY PROTECTOR 116424-01-000 TO WATER HEATER DOOR LATCH.

NOTES:

		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFR		ORIG. DATE	
CHRR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 300 (OUTLOOK)	
DSNR		(OUTLOOK)	
UNSPECIFIED TOLERANCES ARE: WHOLE DIM (X) ± 3 ONE-PLACE (X.X) ± 1.5 TWO-PLACE (X.XX) ± 0.50 ANGLE ± 1°		MATERIAL:	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
GRAPHICS INSTALLATION			
SHEET 1 OF 2		PART NO 170443	
		REV	



FIRST USED		
10 300 OUTLOOK		
DO NOT SCALE DRAWING		
TITLE: GRAPHICS INSTALLATION		
SHEET 2	PART NO 170443	REV



3. MUDFLAP AND/OR ROCKGUARD TO BE 40mm MIN FROM TIRE WHEN INSTALLED.

2. SEE BODY INSTL-SECTIONS DRAWING FOR SECTION VIEWS AA TO AZ

1. FOR WHEEL COVERS, LINERS VALVE EXTENSIONS, STABILIZERS, AND TIGHTENING OF LUG NUTS SEE DRAWING 159483-01-000.


NOTES:

BODY INSTL-PANEL & TRIM

1 1




170366

140923-02
200-SERIES
329B
P-SERIES FRONT
R-SERIES FRONT



4	01751605000	MUD FLAP-BL	1
3	000C260512U	BOLT	4
2	000D390500U	NUT	4
1	14092201CHT	PLATE-MUDFL	1
ITEM	PART NUMBER	DESCRIPTION	QTY

FIRST USED			
02 MOTORHOMES			
DO NOT SCALE DRAWING			
TITLE:			
MUD FLAP COMPL			
SHEET 2	PART NO 140923	REV	



1 STRAIGHTEN CAB FLANGE ENOUGH TO FASTEN SCREWS AT GIVEN DIMENSION.




LEFT SIDE



RIGHT SIDE

DRILL 9mm HOLE
CENTER ON CHANNEL
DOWN FROM TOP 150
ADD TEC SCREW




FRONT OF
VEHICLE



LEFT SIDE SHOWN, RIGHT SIDE OPPOSITE

SEE
TAB {
RUNNING BOARD-GLASS
(SEE TAB)
MUDFLAP
149604-14-CHT (RH)
149604-15-CHT (LH)
FLAIR
149604-12-CHT (RH)
149604-13-CHT (LH)
MAT-ANTI SLIP
146515-03-CHT (RH)
146515-04-CHT (LH)
HARDWARE KIT
149604-16-CHT

FIRST USED		
07 300 & 700 SERIES		
SPECIFICATION PRINT DO NOT SCALE		
TITLE: RUNNING BOARD INSTL		
SHEET 2	PART NO 151642	REV




2. CAP SEAL TRIM WITH SEALANT 072889-20-000.

NOTES:

09 329B

BACKWALL ASM




10 329B

SIDEWALL ASM-RIGHT

8



170538



10 329B

SIDEWALL ASM-LEFT

8			7			6		5		4		3		2		1				
DWG NO	SHEET	CHASSIS	SERIES	WHEEL	RUNNING BOARD (RH)	RUNNING BOARD (LH)	↓										RELEASE	REV	DATE	DWG NO
173679-01	1	FORD	300	FLAIR	173458-01-CHT	173458-02-CHT											A	04--27--09	173679	
173679-02	1	FORD	700	FLAIR	173458-03-CHT	173458-04-CHT														



RUNNING BOARD-GLASS
(SEE TAB)
MAT-ANTI SLIP
146515-05-CHT (RH)
146515-06-CHT (LH)
HARDWARE KIT
173458-05-000 (UP TO 07-07-09)
149604-09-000 (QTY 0.50) (AFTER 07-08-09)

--->
FRONT OF
VEHICLE

2 STRAIGHTEN CAB FLANGE ENOUGH TO FASTEN SCREW AT GIVEN DIMENSION.

1. LEFT SIDE SHOWN, RIGHT SIDE IS OPPOSITE.

NOTES:



WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
ORIG. DATE		04/27/09	
FIRST USED		10 300 SERIES	
MATERIAL:			
SPECIFICATION PRINT DO NOT SCALE			
TITLE: RUNNING BOARD INSTL			
SHEET	1 OF 1	PART NO	173679

07/23/09

DWG NO	ROOM ASM-SLIDEOUT
170374-02	170374-12-XXX
170374-04	170374-14-XXX
170374-06	170374-16-XXX

094

094 13Y



- 65G WINDOW COACH-SINGLE PANE
- 13Y WINDOWS-COACH-DUAL PANE
- 094 WINDOWS - SE-GI
- 64V SIDEWALL-PREMIUM HIGH GLOSS
- 64T SIDEWALLS-HIGH GLOSS


10 329B








19. SECURE ONE OF THE SLIDEOUT ROOM ACTIVATION KEYS TO THE ROD-LOCK STRAP. KEYS ARE INCLUDED WITH SWITCH ASSEMBLY P/N 163097(REF).
18. SCREWS CANNOT BE REUSED ANYTIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE TREADS SEAL.
17. ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING.
16. FILL ALL NAIL HOLES PER ES0068.
15. ADJUST THIS DIMNSION TO ACHIEVE 8MM ±2 OF FALL AT THE END OF THE RAM STROKE.
14. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
13. CRANK FOR ROOM RETRACTION IS PROVIDED BY KWIKEE.
12. SEE SEALANT MANUAL.
11. TORQUE TO 77 Nm (57 Ft-lb).
10. USE SCREW 000G39-08-08S TO HOLD EACH END OF TRIM.
9. AFTER ALL ADJUSTMENTS ARE COMPLETE, TIGHTEN THE JAM NUTS.
8. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE IN THE SLOTS ON THE MOUNTING BRACKETS UNTIL IT IS CENTERED IN THE OPENING.
7. LOOSEN JAM NUTS AND ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING.
6. TORQUE TO 56 Nm. (41 Ft-lb).
5. THIS IS THE NOMINAL DIMENSION, THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
4. THE RETRACTED LENGTH IS ADJUSTED BY THREADING THE STOP BOLT IN OR OUT UNTIL THE OUTSIDE WALL OF THE ROOM SEALS AGAINST THE SIDEWALL.
3. THE EXTENDED LENGTH IS ADJUSTED BY TURNING THE STOP BOLT UNTIL THE INSIDE TRIM OF THE ROOM SEALS AGAINST THE SIDEWALL.
2. TORQUE TO 9.5-12.2 Nm (7-9 Ft-lb).

NOTES:

1. FOR ADDITIONAL INFORMATION SEE THE WIRE INSTALLATION FRONT END.

SLIDEOUT COMPL









- 1G9 FLOORCOVERING-VINYL-FRONT
- 513 FLOORCOVERING-VINYL-THRU OUT
- 54M FLOOR COVERING CARPET W/PAD

10 329B

SLIDEOUT COMPL




10 329B

DWG NO	ROOM ASM-SLIDEOUT
170557-02	170557-12-XXX
170557-04	170557-14-XXX
170557-06	170557-16-XXX

094

13Y

094









- 65G WINDOW COACH-SINGLE PANE
- 13Y WINDOWS-COACH-DUAL PANE
- 094 WINDOWS - SE-GI
- 64V SIDEWALL-PREMIUM HIGH GLOSS
- 64T SIDEWALLS-HIGH GLOSS




10 329B

1. FOR ADDITIONAL INFORMATION SEE THE WIRE INSTALLATION FRONT END.
2. TORQUE TO 77 Nm (57 Ft-lb).
3. THE EXTENDED LENGTH IS ADJUSTED UNTIL THE INSIDE TRIM OF THE ROOM SEALS AGAINST THE SIDEWALL.
4. THE RETRACTED LENGTH IS ADJUSTED UNTIL THE OUTSIDE TRIM OF THE ROOM SEALS AGAINST THE SIDEWALL.
5. THIS IS THE NOMINAL DIMENSION, THE PARTS SHOULD BE ADJUSTED AS REQUIRED FROM THERE.
6. ADJUST BOLT TO MOVE ROOM UP OR DOWN TO BE CENTERED IN THE SIDEWALL OPENING.
7. LOOSEN BOLTS TO ALLOW ROOM TO MOVE SIDE TO SIDE IN THE SLOTS ON THE MOUNTING BRACKET UNTIL IT IS CENTERED IN THE OPENING.
8. AFTER ALL ADJUSTMENTS ARE COMPLETE, TIGHTEN THE JAM NUTS.
9. USE SCREW 000G39-08-08B TO HOLD EACH END OF TRIM.
10. SEE SEALANT MANUAL.
11. USE POLY-CLEAR 047034-07-000 AND ATTACH IT USING WASHER 044533-01-000 TO PROTECT THE SLIDEOUT FLOOR.
12. FILL ALL NAIL HOLES PER ES0068.
13. SCREWS CANNOT BE REUSED. ANYTIME A SCREW IS REMOVED IT MUST BE DISCARDED AND REPLACED WITH A NEW SCREW TO INSURE THE THREADS SEAL.

NOTES:









FABWELL SDW

TRIM ASM-SLIDEOUT, TOP






VIEW B

FABWELL SDW


TRIM ASM-SLIDEOUT,SIDE

1 2 151763

4/27/2010




FABWELL SDW





SEAT BELT
160167-01-CHT 2 X 102" BLACK
160167-02-CHT 2 X 90" BLACK

FIRST USED		
07 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE:		
SEAT BELT INSTL		
SHEET 1	PART NO 159417	REV



2007 MOTORHOMES

TRIM KIT-EXTERIOR,SLIDEOUT



2007 MOTORHOMES






TRIM KIT-EXTERIOR,SLIDEOUT


KEY	PART NUMBER	U/M	DESCRIPTION
	162495-01-700	EA	BUTTON-DBL. PLAS. SNAP



162495-01-01A, 162495-02-01A
VENDOR NO.
DP130

162832-01-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	130294-04-700	EA SCREW - 5/16"-18 X 1 1/2"	1202060
	131281-01-702	EA PIN/CLEVIS-1/4" PLATED	1213190
	131281-01-704	EA HAIRPIN/COTTER - 3/8" SPRING	1213460
	131682-01-700	EA ROLLER - (BEARING)	1912040
	138173-01-701	EA POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA WEAR PUCK - PLASTIC F/DRIVE	1612523
	140457-01-701	EA ROLLER - 1"OD X 1/2"ID	1614006
	140457-01-704	EA SHAFT/AXLE - REAR ROLLER	7204523
	148875-01-700	EA PIN/COTTER - 3/32" X 1/2"	1213520
	148875-01-701	EA PIN/ROLL - 3/16" X 3/4"	1213693
	148875-01-702	EA PIN/ROLL - 1/4" X 1"	1213701
	148875-01-704	EA END CARRIER - PLASTIC - 1"	1612549
	148875-01-705	EA MOTOR/LINEAR - SLIDE ROOM	1820111
	148875-01-706	EA DRIVE SCREW - 1" X 30"	1820401
	148875-01-707	EA END GUIDE F/SCREW - 1"	1820450
	148875-01-708	EA TUBE - OUTER F/SLIDE RAM	7201200
	162832-01-700	EA CLEVIS PIN - 5/16" X 2 1/4"	1213239
	162832-01-701	EA RIVET - 3/16" PLASTIC TREE	1214710
	162832-01-702	EA NUT - 1" PLASTIC W/5/16" PIN	1612554
	162832-01-703	EA PLATE-REAR ROLLER SUPPORT	7207530

162834-01-000			
KEY	PART NUMBER	U/M DESCRIPTION	VENDOR NO.
	131281-01-702	EA PIN/CLEVIS-1/4" PLATED	1213190
	131281-01-704	EA HAIRPIN/COTTER - 3/8" SPRING	1213460
	138173-01-701	EA POP RIVET - SS 3/16"X1/4"	1214630
	138173-01-707	EA WEAR PUCK - PLASTIC F/DRIVE	1612523
	148875-01-700	EA PIN/COTTER - 3/32" X 1/2"	1213520
	148875-01-703	EA NUT - PLASTIC - 1"	1612548
	148875-01-705	EA MOTOR/LINEAR - SLIDE ROOM	1820111
	149165-01-700	EA BEARING - 5/8" ID	1102015
	149165-01-701	EA PIN/CLEVIS - 1/4" X 2 7/8"	1213204
	149165-01-703	EA SEAL/RUBBER - INNER FRAME	1612007
	149165-01-704	EA SEAL/LOWER ROOM - "Z"	1612009
	149165-01-705	EA DRIVE/WORM SCREW - 30"	1820400

8		7		6		5		4		3		2		1																										
DWG NO	SLIDEOUT SLUG SIZE 	TOP TRIM	TOP TRIM (SECOND PIECE)	RH VERT TRIM	LH VERT TRIM	LH VERT TRIM (SECOND PIECE)	SUPPORT-ASM	SUPPORT ASM (SECOND PIECE)	TOTAL SEAL LENGTH 																															
174648-01	1907 X 3915	139624-09-CHT	—	139624-01-CHT	139624-02-CHT	—	125466-01-CHT	—	7960	D																														
174648-02	1788 X 1935	169060-02-CHT	—	139624-51-CHT	139624-50-CHT	—	—	—	5750																															
174648-03	1907 X 5535	169060-28-CHT	169060-21-CHT	139624-01-CHT	139624-02-CHT	—	125466-22-CHT	155339-17-CHT	9590																															
174648-04	1886 X 2835	169329-08-CHT	—	139624-18-CHT	139624-19-CHT	—	—	—	6850																															
174648-05	1907 X 1935	169060-02-CHT	—	139624-01-CHT	139624-02-CHT	—	—	—	5990																															
174648-06	1886 X 5535	169329-28-CHT	169329-21-CHT	139624-18-CHT	139624-19-CHT	—	—	—	9550																															
174648-07	1801 X 2535	139624-23-CHT	—	139624-01-CHT	139624-02-CHT	—	125466-23-CHT	—	6380																															
174648-08	1804 X 2939	139624-66-CHT	—	139624-01-CHT	139624-02-CHT	—	125466-13-CHT	—	6790																															
174648-09	1801 X 3585	169060-13-CHT	—	139624-01-CHT	139624-02-CHT	—	125466-02-CHT	—	7430																															
174648-10	1635 X 2226	139624-82-CHT	—	139624-37-CHT	139624-38-CHT	—	—	—	5740																															
174648-11	2057 X 3915	139624-09-CHT	—	139624-47-CHT	139624-46-CHT	—	—	—	8270	C																														
174648-12	1897 X 7263	139624-65-CHT	139624-64-CHT	139624-25-CHT	139624-26-CHT	—	125466-11-CHT	125468-10-CHT	11300																															
174648-13	1948 X 3585	139624-04-CHT	—	139624-41-CHT	139624-42-CHT	—	—	—	7720																															
174648-14	2057 X 2985	169329-09-CHT	—	139624-45-CHT	139624-44-CHT	—	—	—	7340																															
174648-15	1967 X 7485	139624-92-CHT	171623-02-CHT	139624-99-CHT	171623-01-CHT	—	—	—	11660																															
174648-16	1635 X 2116	139624-84-CHT	—	139624-37-CHT	139624-38-CHT	—	—	—	5630																															
174648-17	2057 X 3585	139624-06-CHT	—	139624-59-CHT	139624-60-CHT	—	125466-02-CHT	—	7940																															
174648-18	1948 X 2116	139624-84-CHT	—	139624-41-CHT	139624-42-CHT	—	—	—	6250																															
174648-19	2057 X 4213	153113-03-CHT	—	139624-45-CHT	139624-44-CHT	—	—	—	8570																															
174648-20	2057 X 3270	153113-05-CHT	—	139624-45-CHT	139624-44-CHT	—	—	—	7630																															
174648-21	1948 X 2176	139624-90-CHT	—	139624-41-CHT	139624-42-CHT	—	—	—	6310																															
174648-22	2057 X 1821	139624-86-CHT	—	139624-41-CHT	139624-42-CHT	—	—	—	6180																															
174648-23	2057 x 4561	153113-11-CHT	—	139624-45-CHT	139624-44-CHT	—	—	—	8920																															
174648-24	2057 x 3780	153113-10-CHT	—	139624-45-CHT	139624-44-CHT	—	—	—	8140																															
174648-25	2057 x 3735	169329-17-CHT	—	139624-45-CHT	139624-44-CHT	—	—	—	8090																															
174648-26	2057 x 4635	169060-20-CHT	—	139624-41-CHT	139624-42-CHT	—	125466-02-CHT	—	8990																															
174648-27	1635 x 1935	169060-02-CHT	—	139624-37-CHT	139624-38-CHT	—	—	—	5450																															
174648-28	2057 x 6735	169329-36-CHT	169329-21-CHT	139624-45-CHT	139624-44-CHT	—	—	—	11090																															
174648-29	2057 x 4935	169329-24-CHT	169329-21-CHT	139624-45-CHT	139624-44-CHT	—	—	—	9290																															
174648-30	2057 x 3850	169060-15-CHT	—	139624-47-CHT	139624-46-CHT	—	125466-18-CHT	—	8200																															
174648-31	1978 x 7785	169329-36-CHT	169329-22-CHT	139624-94-CHT	139624-93-CHT	—	169689-02-CHT	169689-01-CHT	11980																															
174648-32	1801 x 2235	169060-04-CHT	—	139624-51-CHT	139624-50-CHT	—	—	—	6080																															
174648-33	2057 x 4185	169060-17-CHT	—	139624-47-CHT	139624-80-CHT	139624-81-CHT	125466-19-CHT	—	8540																															
174648-34	2057 x 4935	169060-24-CHT	169060-21-CHT	139624-47-CHT	139624-46-CHT	—	169719-01-CHT	—	9290																															
174648-35	2057 x 3735	169060-14-CHT	—	139624-47-CHT	139624-46-CHT	—	125466-20-CHT	—	8090																															
174648-36	2057 x 4035	169060-16-CHT	—	139624-47-CHT	139624-46-CHT	—	125466-21-CHT	—	8390																															
174648-37	2057 x 4935	169329-24-CHT	169329-21-CHT	139624-45-CHT	139624-44-CHT	—	169689-03-CHT	—	9290																															
174648-38	1801 x 1935	169060-02-CHT	—	139624-25-CHT	139624-26-CHT	—	—	—	5780																															
174648-39	2057 x 4335	169060-18-CHT	—	139624-41-CHT	139624-42-CHT	—	125466-26-CHT	—	8690																															
174648-40	2057 x 5085	169329-25-CHT	169329-21-CHT	139624-45-CHT	139624-44-CHT	—	—	—	9440																															
174648-41	1718 x 2583	139624-73-CHT	—	139624-75-CHT	139624-74-CHT	—	—	—	6260																															
174648-42	1907 x 3435	139624-95-CHT	—	139624-25-CHT	139624-26-CHT	—	125466-24-CHT	—	7490																															
174648-43	1908 x 1590	139624-72-CHT	—	139624-25-CHT	139624-26-CHT	—	—	—	5650																															
174648-44	1907 x 3925	139624-91-CHT	—	139624-25-CHT	139624-26-CHT	—	—	—	7980																															
174648-45	1804 x 2566	139624-23-CHT	—	139624-01-CHT	139624-02-CHT	—	125466-09-CHT	—	6420																															
174648-46	1718 x 3495	139624-07-CHT	—	139624-13-CHT	139624-14-CHT	—	125466-03-CHT	—	7170																															
174648-47	1475 x 1926	139624-04-CHT	—	139624-20-CHT	139624-21-CHT	—	—	—	5120																															
174648-48	1804 x 2535	169060-06-CHT	—	139624-01-CHT	139624-02-CHT	—	—	—	6390																															
174648-49	1804 x 3495	139624-07-CHT	—	139624-01-CHT	139624-02-CHT	—	125466-03-CHT	—	7350																															
174648-50	1804 x 1926	139624-04-CHT	—	139624-01-CHT	139624-02-CHT	—	—	—	5780																															
174648-51	1718 x 1865	139624-35-CHT	—	139624-13-CHT	139624-14-CHT	—	—	—	5540																															
3. TOTAL SEAL LENGTH = (SLUG HEIGHT X 2) + SLUG LENGTH + 240mm 2. SLIDEOUT SLUG SIZE IS MEASURED TO THE SURFACE OF THE ALUMINUM TUBES AND LISTED BY HEIGHT X LENGTH. 1. TRIM VIEWED FROM THE INSIDE OF THE SLIDEOUT ROOM UNLESS NOTED. NOTES:										A WINNEBAGO INDUSTRIES COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC. <table><tr><td>DFTF</td><td>ORIG. DATE</td></tr><tr><td>CHRR</td><td rowspan="3">ALL DIMENSIONS ARE IN MILLIMETERS</td></tr><tr><td>P.E.</td></tr><tr><td>M.E.</td></tr><tr><td>DSNR</td><td>FIRST USED</td></tr><tr><td colspan="2">2010 MOTORHOMES</td></tr><tr><td colspan="2">UNSPECIFIED TOLERANCES ARE:</td></tr><tr><td>WHOLE DIM (X)</td><td>: 3</td></tr><tr><td>ONE-PLACE (X.X)</td><td>: 1.5</td></tr><tr><td>TWO-PLACE (X.XX)</td><td>: 0.50</td></tr><tr><td>ANGLE</td><td>: 1°</td></tr><tr><td>THIRD ANGLE PROJECTION</td><td></td></tr></table> DO NOT SCALE DRAWING TITLE: TRIM KIT-INTERIOR,SLIDEOUT <table><tr><td>SHEET 1 OF 4</td><td>PART NO 174648</td><td>REV</td></tr></table>						DFTF	ORIG. DATE	CHRR	ALL DIMENSIONS ARE IN MILLIMETERS	P.E.	M.E.	DSNR	FIRST USED	2010 MOTORHOMES		UNSPECIFIED TOLERANCES ARE:		WHOLE DIM (X)	: 3	ONE-PLACE (X.X)	: 1.5	TWO-PLACE (X.XX)	: 0.50	ANGLE	: 1°	THIRD ANGLE PROJECTION		SHEET 1 OF 4	PART NO 174648	REV
DFTF	ORIG. DATE																																							
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS																																							
P.E.																																								
M.E.																																								
DSNR	FIRST USED																																							
2010 MOTORHOMES																																								
UNSPECIFIED TOLERANCES ARE:																																								
WHOLE DIM (X)	: 3																																							
ONE-PLACE (X.X)	: 1.5																																							
TWO-PLACE (X.XX)	: 0.50																																							
ANGLE	: 1°																																							
THIRD ANGLE PROJECTION																																								
SHEET 1 OF 4	PART NO 174648	REV																																						
8	7	6	5	4	3	2	REF: 1		10/15/2009																															

8		7		6		5		4		3		2		1	
DWG NO	SLIDEOUT SLUG SIZE 	TOP TRIM	TOP TRIM (SECOND PIECE)	RH VERT TRIM	LH VERT TRIM	LH VERT TRIM (SECOND PIECE)	SUPPORT-ASM	SUPPORT ASM (SECOND PIECE)	TOTAL SEAL LENGTH 	DWG NO 174648					
174648-52	1788 x 1926	139624-04-CHT	–	139624-25-CHT	139624-26-CHT	–	–	–	5750						
174648-53	1804 x 1865	139624-35-CHT	–	139624-01-CHT	139624-02-CHT	–	–	–	5720						
174648-54	1922 x 3495	139624-07-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-03-CHT	–	7580						
174648-55	1718 x 3495	139624-07-CHT	–	139624-18-CHT	139624-19-CHT	–	125466-03-CHT	–	7170						
174648-56	1718 x 2167	139624-32-CHT	–	139624-13-CHT	139624-14-CHT	–	–	–	5850						
174648-57	1428 x 1782	139624-76-CHT	–	139624-83-CHT	139624-78-CHT	–	–	–	4880						
174648-58	1718 x 2583	139624-28-CHT	–	139624-13-CHT	139624-14-CHT	–	125466-17-CHT	–	6260						
174648-59	1718 x 1828	139624-79-CHT	–	139624-13-CHT	139624-14-CHT	–	–	–	5510						
174648-60	1428 x 1782	139624-76-CHT	–	139624-77-CHT	139624-78-CHT	–	–	–	4880						
174648-61	1635 x 2085	169060-03-CHT	–	139624-37-CHT	139624-38-CHT	–	–	–	5595						
174648-62	1804 x 2805	139264-27-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-08-CHT	–	6660						
174648-63	1907 x 3585	139624-06-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-02-CHT	–	7640						
174648-64	2057 x 2835	169329-08-CHT	–	139624-45-CHT	139624-44-CHT	–	–	–	7190						
174648-65	1978 x 7185	169060-39-CHT	169060-21-CHT	139624-94-CHT	139624-93-CHT	–	125466-11-CHT	–	11380						
174648-66	1907 x 2685	169060-07-CHT	–	139624-25-CHT	139624-26-CHT	–	–	–	6740						
174648-67	1801 x 2685	169060-07-CHT	–	139624-01-CHT	139624-02-CHT	–	125466-25-CHT	–	6530						
174648-68	1801 x 1935	169060-02-CHT	–	139624-01-CHT	139624-02-CHT	–	–	–	5777						
174648-69	1935 x 1935	169060-02-CHT	–	171623-05-CHT	171623-04-CHT	–	–	–	6045						
174648-70	1417 x 1935	169060-03-CHT	–	171623-09-CHT	171623-10-CHT	–	–	–	5010						
174648-71	1723 x 2235	169060-04-CHT	–	171623-11-CHT	171623-12-CHT	–	–	–	5920						
174648-72	1723 x 1935	169060-02-CHT	–	171623-11-CHT	171623-12-CHT	–	–	–	5620						
174648-73	1688 x 3885	169060-15-CHT	–	139624-96-CHT	139624-97-CHT	–	125466-18-CHT	–	7500						
174648-74	1688 x 1420	139624-98-CHT	–	139624-96-CHT	139624-97-CHT	–	–	–	5045						
174648-75	1978 x 7185	139624-64-CHT	171623-08-CHT	171623-07-CHT	171623-06-CHT	–	125468-10-CHT	125466-11-CHT	11380						
174648-76	1978 x 7485	139624-92-CHT	171623-02-CHT	171623-07-CHT	171623-06-CHT	–	–	–	11680						



SECTION A-A

FIRST USED			2010 MOTORHOMES		
DO NOT SCALE DRAWING					
TITLE:					
TRIM KIT-INTERIOR,SLIDEOUT					
SHEET 3		PART NO 174648		REV	

TRIM SEAL FLUSH WITH STRAIGHT
CUT ENDS OF TOP TRIM

SEAL-TRIANGLE

SEAL-TRIANGLE

TOP TRIM

TOP TRIM

DETAIL D

(USE WITH SPLICED TOP TRIM)

(VIEWED FROM THE BACKSIDE OF THE TRIM)

SEAL-TRIANGLE

305 ± 25

TOP TRIM

DETAIL A

(MITERED ENDS TOP TRIM)

(VIEWED FROM THE BACKSIDE OF THE TRIM)

SEAL-TRIANGLE

425 ± 25

LEAVE PLASTIC BACKING
ON SEAL IN THIS AREA.
REMOVE TO ATTACH
SEAL TO TOP TRIM.

VERTICAL TRIM

SEAL-TRIANGLE

TRIM SEAL FLUSH WITH END
OF VERTICAL TRIM

DETAIL C

(BOTTOM OF VERTICAL TRIM)

(VIEWED FROM THE BACKSIDE OF THE TRIM)

VERTICAL TRIM

SEAL-TRIANGLE

DO NOT CUT THROUGH SEAL

90°

17 ± 3

DETAIL E

SEAL IS NOTCHED DURING THE INSTALLATION
OF THE TRIM AND ATTACHED TO THE TOP TRIM

VERTICAL TRIM

E

125 ± 25

LEAVE PLASTIC BACKING
ON SEAL IN THIS AREA.
REMOVE AFTER SEAL
HAS BEEN NOTCHED.

DETAIL B

(MITERED ENDS OF VERTICAL TRIM)

(VIEWED FROM THE BACKSIDE OF THE TRIM)

FIRST USED			2010 MOTORHOMES		
TITLE:			DO NOT SCALE DRAWING		
SHEET 4			PART NO 174648		
REV			10/15/2009		