




RELEASE		REV	DATE	DWG	NO	172819
REV	ZONE	REVISION RECORD			DATE	OFFR.ORG

26F 26H 26J 27G 92K GRAPHICS PACKAGE
DOOR COMPL-ENTRANCE,MID
DWG# 132206-21-XXX
PART# P32206-21-XXX
24B 24C 24H 24L 27A 92A FULL BODY PAINT PACKAGE
DWG# 132206-21-XXX
PART# M09571-01-XXX

GARNISH
139100-09-01A WHT
139100-09-02A BLK
139101-07-01A WHT
139101-07-02A BLK
EXTR
100885-51-007
100885-51-020
TUBE-NOTCHED
139086-01-01A (2)
SCREW
000G39-10-12T (12)
CONTACT ASM
138897-01-000

TREAD STEP,RUBBER
133114-03-01A
STEP BOX
151332-03-XXX
LID ASM-ENTRANCE STEP
104005-11-XXX
LATCH ASM
116975-01-01A
SEAL
151104-01-01A
(1520)

PANEL ASM-HOLDING TANKS
147784-22-000

PANEL ASM-HOLDING TANKS
147784-14-000

PANEL ASM WHEEL LIP
160620-06-XXX
ANGLE
140309-03-02B (2)
SCREW
000G39-10-12B (16)
HINGE, 2"
158982-01-04B

CATCH-DOOR HOLDER
104099-03-04A WHT
104099-03-05A BLK
SCREW
000G39-08-170(4)

DOOR ASM-VALANCE
160265-15-XXX
KEEPER-LATCH
163586-01-02B
SCREW
000G39-10-12B (20)
BOLT
000C26-04-12F (2)
CABLE ASM
076767-16-000
RIVET
118626-01-CHT (2)

CATCH-DOOR HOLDER
104099-02-05A BLK
104099-02-06A PEWTER
RIVET
118626-01-CHT(4)

DOOR ASM-VALANCE
160265-16-XXX
KEEPER-LATCH
163586-01-02B
SCREW
000G39-10-12B (10)

PANEL ASM-WHEEL LIP
160620-05-XXX
SCREW
000G39-10-12B(8)
HINGE, 2"
158982-01-04B

KEEPER-LATCH
163586-01-02B (2)
SCREW
000G39-10-12B (4)

CATCH-DOOR HOLDER
104099-02-05A(2) BLK
104099-02-06A(2) PEWTER
RIVET
118626-01-CHT(8)

DOOR ASM-STORAGE
160265-12-XXX
SEAL
132892-08-XXX
(1000)
SCREW
000G39-10-12B(11)

CATCH-DOOR HOLDER
104099-03-04A WHT
104099-03-05A BLK
SCREW
000G39-08-170 (4)

PANEL ASM-VALANCE
161405-02-XXX
RETAINER-SCREW
118383-01-13A (2) WHT
118383-01-14A (2) PEWTER
CAP-SCREW RETAINER
118383-04-13A (2) WHT
118383-04-14A (2) PEWTER
SCREW
000G39-10-12B (2)
000G39-10-24B (2)

STEP ASM-ELECTRIC, DOUBLE
094707-04-01A
GROUND BOLT
151004-01-000

FLOOR ASM-COMPARTMENT
136303-54-000

COMPARTMENT ASM-DRAINAGE
169014-01-XXX
PANEL-ELECTRIC
151707-02-12B
HATCH ASM-POWER
142226-02-01A


DOOR ASM
160265-09-XXX
SCREW
000G39-10-12B(2)


PLATE-SEAL
152031-05-02B
RIVET-POP
113133-02-01A (12)
WASHER
000E13-10-00B (12)
SEAL
107721-07-000
(1700)
107721-07-000 (1100)
SCREW
000G39-08-08B (5)
KEEPER-LATCH
163586-01-02B(2)
SCREW
000G39-10-12B(4)

DOOR ASM-STORAGE
160265-08-XXX
CABLE ASM
076767-16-000
RIVET
118626-01-CHT (2)
SCREW
000G39-10-12B(13)


5. TORQUE GROUND BOLT TO 26 FT-LBS.
4. DOOR TO BE MINIMUM OF 150mm AWAY FROM WATER HEATER WHEN OPEN.
3. USE ADHESIVE 119938-02-000 FOR CARPET INSTALLATION.
2. TRI MARK "KEY ONE"
SEAL: P/N 138292-01-000 USE ON ENTRANCE DOOR.
KEY: P/N 138288-11 THRU -20
ENTRANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20
VALANCE: P/N 138289-11-000 THRU -20
- MATCH LAST DIGIT OF V.I.N. # WITH TAB NUMBER
EXAMPLE: V.I.N. # TAB NUMBER
USE: 138287-15-000
138288-15-000
138289-15-000
1. SEE BODY INSTL-SECTIONS DWG 172821 FOR SECTION BA-BZ

(1E2) ENTRANCE STEP-ELEC.

WINNEBAGO® INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTF		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.			
DSNR		FIRST USED	
		10 524A	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE:			
BODY INSTL-DOORS & COMPTS			
SHEET 1 OF 2		PART NO	REV
		172819	



FIRST USED			10 524A
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-DOORS & COMPTS			
SHEET 2	PART NO	172819	REV



090868-02

524A

524J

D33C

E26P

J32H

J35P

J37F

P34Y

P39N

P40L

P40T

MODELS W/FEATURE 79W

R40BD


R40CD

R40WD

R42AD


GEN MOTORHOMES


DOOR INSTL-REFRIG VENT







094707-04-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	094707-04-701	EA	MOTOR "AM 214" F/IMGL STEPS	1101428
1	094707-04-703	EA	GEAR BOX W/LINKAGE-CURVED	1101425
2	143709-01-700	EA	CAM STOP	1102200
10	094707-04-712	EA	HARNESS/JUMPER W/DIODE	1510000015
12	094707-04-702	EA	COTTOR PIN - W/CLEVIS PIN	905205000
13	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
14	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
16	143709-01-702	EA	TREAD/NON-SKID 6" X 21" BLK	1915260
17	094707-04-704	EA	FRAME W/DBL STEP-32REINF SRS	3202082
18	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	







00 MOTORHOMES




DETAIL L 300-SERIES 500-SERIES 700-SERIES



FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE:		DOOR COMPL-ENTRANCE,MID	
4	PART NO	132206	




500-SERIES
700-SERIES
132208-06-XXX



FIRST USED			05 700-SERIES
DO NOT SCALE DRAWING			
TITLE:			DOOR ASM-SCREEN
SHEB3	PART NO	132208	REV


KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709

524A
524J
524K
524P
160265-07



FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 5	PART NO 160265	REV

524A
160265-08



ANGLE-DOOR, HINGE MOUNT
160585-06-CHT

PLUG-PLASTIC
61420-05-000


HANDLE ASM-COMPT DOOR
160558-01-CHT (2)
SCREW
G39-08-16T (4)

PANEL-VALANCE, OUTER
160263-08-CHT

FIRST USED			08 524J
DO NOT SCALE DRAWING			
TITLE: DOOR ASM-STORAGE			
SHEET 6	PART NO	160265	REV

524A
524J
160265-09


HINGE-CONTINUOUS
158982-01-CHT
SCREW
G39-08-08U (4)
RIVET
113133-01-CHT (4)




TRIM-FEATURE,INNER
160605-07-CHT



PANEL ASM-VALANCE,INNER
168737-02-CHT




PANEL-VALANCE,OUTER
160263-06-CHT



SCREW
113563-01-CHT (2)

FIRST USED			08 524J					
DO NOT SCALE DRAWING								
TITLE: DOOR ASM-STORAGE								
SHEET 7		PART NO 160265		REV				

HINGE-CONTINUOUS
158982-01-CHT (3)
SCREW
G39-08-08U (12)
RIVET
113133-01-CHT (12)



TRIM-FEATURE,INNER
160605-01-CHT

524A
524K
160265-12

ANGLE-DOOR, HINGE MOUNT
160585-01-CHT

BRACKET ASM-LATCH
160580-04-CHT
RIVET
113133-01-CHT

LATCH ASM-TWISSET
138290-04-000
WASHER-SPUR,LOCKING
148817-01-000

PLUG-PLASTIC
61420-05-000

BRACKET ASM-LATCH
160580-08-CHT
RIVET
113133-01-CHT

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)

LATCH-SINGLE ROTOR
149359-05-CHT
BOLT
C12-04-16U (2)


PANEL-VALANCE,INNER
160264-09-CHT

PANEL-VALANCE,OUTER
160263-02-CHT

HANDLE ASM-COMPT
160558-01-CHT (2)
SCREW
G39-08-16T (4)

FIRST USED			08 524J
DO NOT SCALE DRAWING			
TITLE: DOOR ASM-STORAGE			
SHEET 8	PART NO	160265	REV

524A
524K
160265-15



FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 11	PART NO	REV
	160265	

524A
524J
524K
160265-16

BRACKET ASM-LATCH
160580-02-CHT
RIVET
113133-01-CHT

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-10-CHT

TRIM-FEATURE,INNER
160605-12-CHT


HINGE-CONTINUOUS
158982-01-CHT (2)
SCREW
G39-08-08U (8)
RIVET
113133-01-CHT (8)

ANGLE-DOOR, HINGE MOUNT
160585-02-CHT


PANEL-VALANCE,OUTER
160263-11-CHT

HANDLE ASM-COMPT DOOR
160558-01-CHT
SCREW
G39-08-16T (2)


FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 12	PART NO	REV
	160265	




SECTION AA-AA




VIEW AB-AB




VIEW AE-AE




SECTION AF-AF




SECTION AC-AC



SECTION AD-AD



DETAIL AG




VIEW AL-AL


1. SCREW MUST BE LOCATED WITH 50MM OF RAIL-AWNING SPICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.

NOTES:


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR			
P.E.			
M.E.	FIRST USED		
DSNR		10 524A	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
TITLE: BODY INSTL-SECTIONS			
SHEET 1 OF 4	PART NO	172821	REV
REF:		1	



SECTION AH-AH






DETAIL AJ (RH SHOWN)
(LH SIMILAR)



SECTION AK-AK

FIRST USED		10 524A	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 2	PART NO	172821	REV



VIEW BE-BE

FIRST USED		
10 524A		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO 172821	REV

D

C

B

A


D

C

B

A

GUSSET-TRIM
152243-13-02B
SCREW
000G39-08-12B (4)




SECTION BG-BG

ANGLE-FORMED, WHEEL LIP
162135-06-02B
SCREW
000G39-08-08B
113563-01-CHT

ANGLE-DOOR, FURNACE
140309-01-02B (2)
SCREW
000G39-08-08B (8)

SECTION BH-BH



ULOCK-RISER
151437-04-01A
BOLT
000C12-06-20B(3)
NUT
000D39-05-00B(3)

PANEL-SUPPORT, STEP BOX
151335-01-01A
BOLT
000C26-05-12B(2)
NUT
000D39-05-00B(2)

BRACKET-WHEELIP
159433-03-02B
BOLT
000C26-06-12B
NUT
000D39-06-00B
SCREW
000G39-08-08B (2)

BRACKET ASM
163630-02-02B
SCREW
000G42-04-16B (8)
SCREW
000G39-08-12B (2)
STRAP-W/SLOTS
161747-01-02B
SCREW
000G39-08-08B (2)

2359
FROM DATUM


PANEL-SUPPORT, STEP BOX
151335-04-01A
BOLT
000C26-05-12B(2)
NUT
000D39-05-00B(2)

ULOCK-RISER
151437-04-01A
BOLT
000C12-06-20B(3)
NUT
000D39-06-00B(3)

ANGLE
140309-01-02B (4)
SCREW
000G39-08-12B (16)

STEP ASM (REF)

VIEW BF-BF



FIRST USED			10 524A
DO NOT SCALE DRAWING			
TITLE:			BODY INSTL-SECTIONS
SHEET 4	PART NO	172821	REV