

D

C

B


A

D


C

B

A



SECTION A-A
(TYPICAL)



SECTION B-B

26F 26H 26J 27G 92K GRAPHICS PACKAGE

DOOR COMPL-ENTRANCE,MID
DWG# 132206-21-XXX(ATWOOD)
PART# P32206-21-XXX

24B 24C 24H 24L 27A 92A FULL BODY PAINT PACKAGE

DWG# 132206-21-XXX(ATWOOD)
PART# M09571-01-XXX

GARNISH
139100-09-01A WHT
139100-09-02A BLK
139101-07-01A WHT
139101-07-01A BLK
EXTR
100885-51-007
100885-51-020
TUBE-NOTCHED
139086-01-01A (2)
SCREW
000G39-10-12T (12)
CONTACT ASM
138897-01-000

PANEL-ACCESS,10GAL
161482-11-02B (UP TO 09-06-09)
161482-11-12B (AFTER 09-07-09,UP TO 10-13-09)
161482-19-12B (AFTER 10-14-09)
RIVET
113133-01-CHT (8)
SEAL-FOAM
099069-01-000
(1700)

ROD
127647-03-01A
RETAINER-EYE
127960-01-01A (2)
SCREW
000G60-10-209 (4)

BUMPER-RUBBER
120863-02-000(2)
SCREW
000G39-06-16T(2)

LID ASM-ENTRANCE STEP
104005-11-XXX
TREAD STEP,RUBBER
133114-03-01A
BOLT
000C26-05-12B (6)
NUT
000D39-05-00B (6)
STEP BOX
151332-03-XXX
LATCH ASM
116975-01-01A

CATCH-DOOR HOLDER
104099-03-05A BLK
104099-03-06A PWT
SCREW
000G39-08-170(4)

STEP ASM-ELECTRIC, DOUBLE
094707-04-01A
GROUND BOLT
151004-01-000

KEEPER-LATCH
163586-01-02B (2)
SCREW
000G39-10-12B (4)

PANEL ASM-HOLDING TANKS
147784-06-000

COMPARTMENT ASM-PWR CRD
169701-01-12B
SCREW
000G11-08-12B (10)
GROMMET
016188-06-000 (2)
071015-06-000
071015-26-000

COMPARTMENT ASM-DRAINAGE
152936-01-XXX

DOOR ASM-VALANCE
160265-09-XXX (UP TO 11-16-09)
160265-22-XXX (AFTER 11-17-09)
BRACKET
164199-03-02B
NUT
000D39-04-00B
SCREW
000G39-10-12B (2)

DOOR ASM-POWER CORD
142894-01-CHT

PANEL ASM WHEEL LIP
160620-07-XXX
SCREW
000G39-10-12B (10)

SEAL
107721-07-000
(2500 MM)

CATCH-DOOR HOLDER
104099-03-05A BLK
104099-03-06A PWT
SCREW
000G39-08-170(4)

CATCH-DOOR HOLDER
104099-02-05A BLK
104099-02-06A PWT
RIVET
118626-01-03A(4)

KEEPER-LATCH
163586-01-02B (2)
SCREW
000G39-10-12B (4)


DOOR ASM-VALANCE
160265-01-XXX
SCREW
000G39-10-12B (11)

PLATE- SEAL
152031-03-02B
RIVET
113133-04-CHT (9)

CATCH-DOOR HOLDER
104099-03-05A BLK
104099-03-06A PWT
SCREW
000G39-08-170(4)

CATCH-DOOR HOLDER
104099-02-05A BLK
104099-02-06A PWT
RIVET
118626-01-03A(4)

DOOR ASM-VALANCE
160265-16-XXX (UP TO 11-16-09)
160265-23-XXX (AFTER 11-17-09)
KEEPER-LATCH
163586-01-02B
SCREW
000G39-10-12B (10)



7. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
6. TORQUE GROUND BOLT TO 26 FT-LBS.
5. IT IS ACCEPTABLE FOR THE OUTER SURFACE OF THESE DOORS TO BE UP TO 10MM DIFFERENT FROM EACH OTHER WHEN THE THE SLIDEOUT IS IN THE EXTENDED POSITION. THIS DIMENSION SHOULD BE MEASURED AT THE LOWER BREAK LINE ON THE DOORS.
4. USE SHIM 120494-01-CHT (A/R)

3. USE ADHESIVE 119938-02-000 FOR CARPET INSTALLATION.

2. TRI MARK "KEY ONE"
SEAL: P/N 138292-01-000 USE ON ENTRANCE DOOR.
KEY: P/N 138288-11 THRU -20
ENTRANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20
VALANCE: P/N 138289-11-000 THRU -20


MATCH LAST DIGIT OF V.I.N. # WITH TAB NUMBER.
EXAMPLE: V.I.N. # TAB NUMBER
USE: 138287-15-000
138288-15-000
138289-15-000

1. SEE BODY INSTL-SECTIONS DWG 173134 FOR SECTION BA-BZ

NOTES:

- 52R AWNING PATIO WITHOUT
- 1E2 ENTRANCE STEP-ELEC.

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR	ORIG. DATE		
CHRR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED		
M.E.	10 524J		
DSNR	MATERIAL:		
UNSPECIFIED TOLERANCES ARE:		DO NOT SCALE DRAWING	
WHOLE DIM (X)	: 3	REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
ONE-PLACE (X.X)	: 1.5	TITLE: BODY INSTL-DOORS & COMPTS	
TWO-PLACE (X.XX)	: 0.50	SHEET 1 OF 1	
ANGLE	: 1°	PART NO 173132	
THIRD ANGLE PROJECTION		REV	
REF:		1	



090868-02

524A

524J

D33C

E26P

J32H

J35P

J37F

P34Y

P39N

P40L

P40T

MODELS W/FEATURE 79W


R40BD

R40CD

R40WD

R42AD

GEN MOTORHOMES



094707-04-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	094707-04-701	EA	MOTOR "AM 214" F/IMGL STEPS	1101428
1	094707-04-703	EA	GEAR BOX W/LINKAGE-CURVED	1101425
2	143709-01-700	EA	CAM STOP	1102200
10	094707-04-712	EA	HARNESS/JUMPER W/DIODE	1510000015
12	094707-04-702	EA	COTTOR PIN - W/CLEVIS PIN	905205000
13	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
14	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
16	143709-01-702	EA	TREAD/NON-SKID 6" X 21" BLK	1915260
17	094707-04-704	EA	FRAME W/DBL STEP-32REINF SRS	3202082
18	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	

SUPPORT-LID, ENTRANCE STEP
123330-05-CHT
SCREW
G11-10-12D(14)

TREAD-STEP,RUBBER
147781-01-CHT
ADHESIVE
142550-02-000

104005-08-XXX
28E 200-SERIES
300-SERIES
500-SERIES
700-SERIES


CABINET ASM-LID, ENT STEP
141558-01-XXX

BRACKET-CATCH,LID
146747-01-CHT(2)
SCREW
G11-10-12D(4)

1. CENTER TREAD-STEP,RUBBER ON BOARD.





28E EXTERIOR ACCESSORY PACKAGE

FIRST USED			04 300-SERIES		
TITLE:			DO NOT SCALE DRAWING		
			LID ASM-ENTRANCE STEP		
SHEET 8		PART NO	104005		REV



00 MOTORHOMES

DOOR COMPL-ENTRANCE,MID



DETAIL L 300-SERIES 500-SERIES 700-SERIES

LATCH ASM-EXTERIOR
112782-20-01A
GASKET
112782-04-01A

ACTUATOR
138898-01-000
SCREW
000G12-06-20B (2)
BRACKET-ACTUATOR
113650-02-02B
SCREW
000G11-06-06B (4)
ROD
113651-01-01A

WIRE ASM-POWERLOCKS
139036-01-000

CONTACT ASM
138897-01-000
SCREW
000G39-06-08B (4)

EXTR-C-CHANNEL
134990-51-002
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

CATCH
SCREW
000G11-08-08T (3)

CHANNEL-W/NOTCH
171283-01-01A
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

BOLT-STRIKER
092927-20-000

PLUG-PLASTIC
061420-14-000

LATCH-SINGLE ROTARY
112782-22-01A
SCREW
140040-01-000 (3)


STIFFENER M
132207-01-02B 300 & E30W,E32K W/64V
132207-03-02B 500,700
NUTSERT
072893-04-000 (8)
SCREW
075908-01-000 (8)

LATCH-INTERIOR PLATE
112782-27-01A
CAP-VINYL
112782-05-01A
SCREW
112782-08-01A (3)


SPACER-NOTCHED
137230-01-01A
(INSERT INTO FOAM UNTIL
TOP SURFACE EVEN WITH CUTOUT)

COVER-LOCK
113960-01-01A
SCREW
000G11-08-08B (4)


FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE:		DOOR COMPL-ENTRANCE,MID	
4	PART NO	132206	




500-SERIES
700-SERIES
132208-06-XXX



FIRST USED			05 700-SERIES		
DO NOT SCALE DRAWING					
TITLE: DOOR ASM-SCREEN					
SHEET# 3		PART NO	132208		REV



RELEASE		REV	DATE	DWG NO	160265
REV	ZONE	REVISION RECORD			DATE
					DTFR-ORIG


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		08 524J	
DSNR			
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET 1 OF 15		PART NO	REF
		160265	

1. ADHESIVE TO BOND THE INNER AND OUTER PANELS TOGETHER IS HOT MELT 110259-02-000 (.25 LBS).

NOTES:

524J
524P
160265-02

FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 2	PART NO	REV
	160265	



524A
524J
524K
524P
160265-07

FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 5	PART NO 160265	REV

HINGE-CONTINUOUS
158982-01-CHT (2)
SCREW
G39-08-08U (8)
RIVET
113133-01-CHT (8)

TRIM-FEATURE,INNER
160605-05-CHT

ANGLE-DOOR, HINGE MOUNT
160585-05-CHT

BRACKET ASM-LATCH
160580-04-CHT
RIVET
113133-01-CHT

BRACKET ASM-LATCH
160580-02-CHT
RIVET
113133-01-CHT

PLUG-PLASTIC
61420-05-000

LATCH ASM-TWIST
138290-04-000
WASHER-SPUR,LOCKING
148817-01-000 (2)

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)

HANDLE ASM-COMPT
160558-01-CHT (2)
SCREW
G39-08-16T(4)


LATCH-SINGLE ROTOR
149359-05-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-06-CHT

PANEL-VALANCE,OUTER
160263-07-CHT

524A
524J
160265-09


HINGE-CONTINUOUS
158982-01-CHT
SCREW
G39-08-08U (4)
RIVET
113133-01-CHT (4)




TRIM-FEATURE,INNER
160605-07-CHT



PANEL ASM-VALANCE,INNER
168737-02-CHT



PANEL-VALANCE,OUTER
160263-06-CHT



SCREW
113563-01-CHT (2)

FIRST USED		08 524J	
DO NOT SCALE DRAWING			
TITLE: DOOR ASM-STORAGE			
SHEET 7		PART NO 160265	REV

524A
524J
524K
160265-16

BRACKET ASM-LATCH
160580-02-CHT
RIVET
113133-01-CHT

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-10-CHT

PANEL-VALANCE,OUTER
160263-11-CHT


HANDLE ASM-COMPT DOOR
160558-01-CHT
SCREW
G39-08-16T (2)

HINGE-CONTINUOUS
158982-01-CHT (2)
SCREW
G39-08-08U (8)
RIVET
113133-01-CHT (8)

TRIM-FEATURE,INNER
160605-12-CHT

FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 12	PART NO	REV
	160265	

524J
160265-17



BRACKET ASM-LATCH
160580-04-CHT
RIVET
113133-01-CHT

BRACKET ASM-VALANCE
168758-01-CHT (2)

BRACKET ASM-LATCH
160580-02-CHT
RIVET
113133-01-CHT

LATCH ASM-TWIST
138290-04-000
WASHER-SPUR,LOCKING
148817-01-000 (2)

ANGLE-DOOR, HINGE MOUNT
160585-07-CHT

PLUG-PLASTIC
61420-05-000

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)


HANDLE ASM-COMPT
160558-01-CHT (2)
SCREW
G39-08-16T(4)

LATCH-SINGLE ROTOR
149359-05-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-11-CHT


PANEL-VALANCE,OUTER
160263-12-CHT


FIRST USED		08 524J	
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET 13	PART NO	160265	REV




RELEASE		REV	DATE	DWG NO	173134
REV	ZONE	REVISION RECORD			DATE
					DFTR.Orig

33F GEN-3.2 KW ONAN DIESEL


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 524J	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
BODY INSTL-SECTIONS			
SHEET 1 OF 4		PART NO	REV
		173134	



SECTION AH-AH




DETAIL AJ (RH SHOWN)
(LH SIMILAR)




SECTION AN-AN


FIRST USED			10 524J
DO NOT SCALE DRAWING			
TITLE:			BODY INSTL-SECTIONS
SHEET 2	PART NO	173134	REV




SECTION BA-BA




SECTION BB-BB



VIEW BC-BC




SECTION BD-BD



VIEW BE-BE


1A3 GENERATOR WITHOUT

FIRST USED		
10 524J		
DO NOT SCALE DRAWING		
TITLE:		
BODY INSTL-SECTIONS		
SHEET 3	PART NO	REV
	173134	



GUSSET-TRIM
152243-13-02B
SCREW
000G39-08-12B (5)

SECTION BG-BG



ANGLE-FROMED, WHEEL LIP
162135-03-02B
SCREW
000G39-08-08B
113563-01-CHT

ANGLE-DOOR, FURNACE
140309-03-02B (2)
SCREW
000G39-08-08B (4)

SECTION BH-BH

PANEL-SUPPORT, STEP BOX
151335-03-01A
BOLT
000C26-05-12B (2)
NUT
000D39-05-00B (2)

ULOCK-RISER
151437-04-01A
BOLT
000C12-06-20B (3)
NUT
000D39-05-00B (3)

PANEL-SUPPORT, STEP BOX
151335-01-01A
BOLT
000C26-05-12B (2)
NUT
000D39-05-00B (2)

ULOCK-RISER
151437-04-01A
BOLT
000C12-06-20B (3)
NUT
000D39-06-00B (3)

BRACKET-WHEEL LIP
159433-04-02B
BOLT
000C26-06-12B
NUT
000D39-06-00B
SCREW
000G39-08-08B (2)

BRACKET ASM
163630-01-02B
SCREW
000G42-04-16B (8)
SCREW
000G39-08-12B (2)

2290
FROM DATUM

STEP ASM (REF)

VIEW BF-BF

FIRST USED		10 524J	
DO NOT SCALE DRAWING			
TITLE:			
BODY INSTL-SECTIONS			
SHEET 4	PART NO	173134	REV