






SECTION A-A
(TYPICAL)




7. PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
6. TORQUE BOLT TO 26 FT-LBS.
5. IT IS ACCEPTABLE FOR THE OUTER SURFACE OF THESE DOORS TO BE UP TO 10MM DIFFERENT FROM EACH OTHER WHEN THE SLIDEOUT IS IN THE EXTENDED POSITION. THIS DIMENSION SHOULD BE MEASURED AT THE LOWER BREAK LINE ON THE DOORS.
4. USE SHIM 120494-01-CHT AS REQUIRED.
3. USE ADHESIVE 119938-02-000 FOR CARPET INSTALLATION.
2. TRI MARK "KEY ONE"
SEAL: P/N 138292-01-000 USE ON ENTRANCE DOOR.
KEY: P/N 138288-11 THRU -20
ENTRANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20
VALANCE, POWER CORD: P/N 138289-11-000 THRU -20
- MATCH LAST DIGIT OF V.I.N. # WITH TAB NUMBER.
EXAMPLE: V.I.N. # TAB NUMBER
USE: 138287-15-000
138288-15-000
138289-15-000
1. SEE BODY INSTL-SECTIONS DWG 169013 FOR SECTION BA-BZ



- (52R) AWNING PATIO WITHOUT
- (1E2) ENTRANCE STEP-ELEC.

WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR		FIRST USED	
P.E.		10 524K	
M.E.		MATERIAL:	
DSNR		UNSPECIFIED TOLERANCES ARE:	
		WHOLE DIM (X) : 3	
		ONE-PLACE (X.X) :	
		TWO-PLACE (X.XX) :	
		ANGLE :	
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-DOORS & COMPTS			
SHEET 1 OF 1	PART NO	169011	REV
REF:		1	11/10/2009




094707-04-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	094707-04-701	EA	MOTOR "AM 214" F/IMGL STEPS	1101428
1	094707-04-703	EA	GEAR BOX W/LINKAGE-CURVED	1101425
2	143709-01-700	EA	CAM STOP	1102200
10	094707-04-712	EA	HARNESS/JUMPER W/DIODE	1510000015
12	094707-04-702	EA	COTTOR PIN - W/CLEVIS PIN	905205000
13	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
14	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
16	143709-01-702	EA	TREAD/NON-SKID 6" X 21" BLK	1915260
17	094707-04-704	EA	FRAME W/DBL STEP-32REINF SRS	3202082
18	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	


DWG NO	SHEET	JAMB-VENT
090868-01	1	172627-01-CHT
090868-02	2	----
090868-03	NA	----
090868-04	3	----
090868-05	NA	172627-02-XXX
090868-06	4	172627-01-XXX
090868-07	4	172627-02-XXX

RELEASE	REV	DATE	DWG NO	090868
REV	ZONE	REVISION RECORD	DATE	DFTR-ORIG



090868-01

1. THE DISTANCE BETWEEN THE BOTTOM EDGE OF THE ANGLE AND THE TOP EDGE OF THE REFER DRAIN PAN MUST BE AT LEAST 6MM.

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFT#		ORIG. DATE	
CHK#		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		GEN MOTORHOMES	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ±			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
DOOR INSTL-REFRIG VENT			
SHEET 1 OF		PART NO	REV
		090868	

SUPPORT-LID, ENTRANCE STEP
123330-05-CHT
SCREW
G11-10-12D(14)

TREAD-STEP,RUBBER
147781-01-CHT
ADHESIVE
142550-02-000

104005-08-XXX
28E 200-SERIES
300-SERIES
500-SERIES
700-SERIES



CABINET ASM-LID, ENT STEP
141558-01-XXX

BRACKET-CATCH,LID
146747-01-CHT(2)
SCREW
G11-10-12D(4)


1. CENTER TREAD-STEP,RUBBER ON BOARD.

28E EXTERIOR ACCESSORY PACKAGE



FIRST USED			04 300-SERIES		
TITLE:			DO NOT SCALE DRAWING		
			LID ASM-ENTRANCE STEP		
SHEET 8		PART NO	104005		REV



DETAIL G




DETAIL F



VIEW H
VIEW P
(OPPOSITE)
(2 PLCS)

DOOR W/O LOCK POCKET




LOCK ASM J
SPACER
144734-01-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000



ANGLE
34154-01-000 (2)
RIVET
H13-04-07B (8)

SPACER
144734-01-000


LOCK ASM K
CLIP-E
110506-40-000
WASHER-TENSION
110506-41-000
NUT
110506-42-000
WASHER-FLAT
110506-43-000
GASKET
110506-44-000
LOCK ASM-KEYED:
CASE ASM
138637-53-000
CAM
138637-65-000
ADAPTER
144474-01-000
OR
LOCK-TWIST:
CASE
110506-55-000
CAM
110506-66-000
OR
LOCK-KEYED ALIKE:
CASE W/CAM
132890-02-000
SPACER
144734-01-000




FIRST USED		
04 F30W		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 5	PART NO	REV
	126946	



DETAIL Z

SEALER
53752-09-000 1

ADHESIVE
112901-01-000
WASHER
139277-01-000
GASKET
139337-01-000
POCKET LOCK
97111-02-CHT



DETAIL V

SLOT
6.35 X 13.0
SLOT
3.17 X 4.76

ANGLE
34154-01-000 (2)
RIVET
H13-04-07B (8)

DOOR W/LOCK POCKET

VIEW H
VIEW P
(OPPOSITE)
(2 PLCS)

TAP-SEAL
56795-01-000 (N)

FIRST USED			04 F30W
DO NOT SCALE DRAWING			
TITLE:			DOOR ASM-STORAGE
SHEET 8	PART NO	126946	REV

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES

JAMB ASM
121898-14-CHT D,J SERIES,E30W & E32K
121898-16-CHT 200,E26P
121898-18-CHT 300 SERIES,E30W & E32K W/ 64V
121898-21-CHT 500,700 SERIES

SCREW
G39-08-24U (EXT) (22)

CAP
139054-01-CHT 200,300,500,700,E26P,E30W & E32K W/ 64V
139054-19-CHT D,J SERIES E30W & E32K

SCREW
G11-08-16U (17)

SCREW
G39-08-16U (4)

SEALANT

FRAME-BOTTOM
121893-01-CHT 200,300,500,700 SERIES,E26P,E30W & E32k W/ 64V
121893-03-CHT E30W & E32K,D,J SERIES


SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SHIM
125724-02-000
(BETWEEN FRAME AND JAMB)

SECTION
SEE SHEET 5
SECTION H 700 SERIES
SECTION J 200,300,D,E,J-SERIES
SECTION N 500 SERIES






FRAME-DOOR
121894-27-CHT D,J SERIES,E30W,E32K
121894-28-CHT E26P,200 SERIES
121894-30-CHT 300 SERIES, E30W,E32K W/ 64V
121894-31-CHT 500,700 SERIES

SHIM
125724-01-000 (3)
(BETWEEN FRAME AND JAMB)



SECTION A-A

FIRST USED		00 MOTORHOMES	
DO NOT SCALE DRAWING			
TITLE: DOOR COMPL-ENTRANCE,MID			
SHEET 1	PART NO	132206	REV



FIRST USED		
00 MOTORHOMES		
DO NOT SCALE DRAWING		
TITLE: DOOR COMPL-ENTRANCE,MID		
SHEET 2	PART NO 132206	REV

DETAIL L **300 SERIES** **500 SERIES** **700 SERIES** **E30W & E32K W/64V**

FIRST USED			00 MOTORHOMES
TITLE:			DO NOT SCALE DRAWING
SHEET 4			PART NO 132206
			REV

LATCH ASM-EXTERIOR
112782-20-CHT
GASKET
112782-04-CHT

ACTUATOR
138898-01-000
SCREW
G12-06-20B (2)
BRACKET-ACTUATOR
113650-02-CHT
SCREW
G11-06-06B (4)
ROD
113651-01-CHT

WIRE ASM-POWERLOCKS
139036-01-000

CONTACT ASM
138897-01-000
SCREW
G39-06-08B (4)

EXTR-C-CHANNEL
134990-51-002
(ININSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

CATCH
SCREW
G11-08-08T (3)

CHANNEL-W/NOTCH
171283-01-CHT
(ININSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

BOLT-STRIKER
92927-20-000

PLUG-PLASTIC
61420-14-000

LATCH-SINGLE ROTARY
112782-22-CHT
SCREW
140040-01-000 (3)

STIFFENER M
132207-01-CHT 300 SERIES,E30W & E32K W/64V
132207-03-CHT 500,700 SERIES
NUTSERT
72893-04-000 (8)
SCREW
75908-01-000 (8)

LATCH-INTERIOR PLATE
112782-27-CHT
CAP-VINYL
112782-05-CHT
SCREW
112782-08-CHT (3)

SPACER-NOTCHED
137230-01-CHT
(ININSERT INTO FOAM UNTIL
TOP SURFACE EVEN WITH CUTOUT)



COVER-LOCK
113960-01-CHT
SCREW
G 1-08-08U (4)

DETAIL EA

WL TO BLUE
WM TO GREEN

DETAIL EA

DETAIL EA



700 SERIES

200 300 D E J SERIES

500 SERIES

SECTION H-H

SECTION J-J

SECTION N-N

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

HINGE
106719-01-CHT (3)
NUT-SERT
39715-01-000 (18)
SCREW-MACHINE
154777-02-CHT (18)
SCREW
G39-08-24U (6)

SEAL
75671-04-000
(ALL SIDES)
SEALER TAPE
69640-18-000
(5485)

SEAL
75671-04-000
(ALL SIDES)
SEALER TAPE
69640-18-000
(5485)

SEALER TAPE
69640-18-000
(5485)

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)
CONTACT ASM

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)

TUBE-SUPPORT (2)
(REF)
SEAL
118929-01-CHT
SCREW
G39-08-08U (12)
CONTACT ASM

DOOR ASM-SCREEN
P32208-06-XXX

DOOR ASM-SCREEN
P32208-02-XXX E30W & E32K
D, J SERIES
P32208-04-XXX E30W & E32K W/64V
E26P, 200, 300 SERIES

DOOR ASM-SCREEN
P32208-06-XXX

FOAM-SCREEN DOOR, RETAINER
130096-05-000

FOAM-SCREEN DOOR, RETAINER
130096-05-000

FOAM-SCREEN DOOR, RETAINER
130096-05-000


SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT

SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT

SEAL
118929-01-CHT
SEAL
104692-01-000
BRACKET ASM-DOOR
137401-01-CHT

FIRST USED			00 MOTORHOMES
TITLE:			DO NOT SCALE DRAWING
SHEET 5			DOOR COMPL-ENTRANCE,MID
PART NO		132206	REV

500-SERIES
700-SERIES
132208-06-XXX



FIRST USED			05 700-SERIES
DO NOT SCALE DRAWING			
TITLE:			DOOR ASM-SCREEN
SHEB3	PART NO	132208	REV

KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709

524A
524J
524K
524P
160265-07

FIRST USED			08 524J
DO NOT SCALE DRAWING			
TITLE:			DOOR ASM-STORAGE
SHEET 5	PART NO	160265	REV

HINGE-CONTINUOUS
158982-01-CHT (2)
SCREW
G39-08-08U (8)
RIVET
113133-01-CHT (8)

TRIM-FEATURE,INNER
160605-05-CHT

ANGLE-DOOR, HINGE MOUNT
160585-05-CHT

BRACKET ASM-LATCH
160580-04-CHT
RIVET
113133-01-CHT

BRACKET ASM-LATCH
160580-02-CHT
RIVET
113133-01-CHT

PLUG-PLASTIC
61420-05-000

LATCH ASM-TWIST
138290-04-000
WASHER-SPUR,LOCKING
148817-01-000 (2)

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)


HANDLE ASM-COMPT
160558-01-CHT (2)
SCREW
G39-08-16T(4)

LATCH-SINGLE ROTOR
149359-05-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-06-CHT

PANEL-VALANCE,OUTER
160263-07-CHT

HINGE-CONTINUOUS
158982-01-CHT (3)
SCREW
G39-08-08U (12)
RIVET
113133-01-CHT (12)



TRIM-FEATURE,INNER
160605-01-CHT

524A
524K
160265-12

ANGLE-DOOR, HINGE MOUNT
160585-01-CHT

BRACKET ASM-LATCH
160580-04-CHT
RIVET
113133-01-CHT

LATCH ASM-TWISSET
138290-04-000
WASHER-SPUR,LOCKING
148817-01-000

PLUG-PLASTIC
61420-05-000

BRACKET ASM-LATCH
160580-08-CHT
RIVET
113133-01-CHT

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)


LATCH-SINGLE ROTOR
149359-05-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-09-CHT

PANEL-VALANCE,OUTER
160263-02-CHT

HANDLE ASM-COMPT
160558-01-CHT (2)
SCREW
G39-08-16T (4)



FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 8	PART NO 160265	REV



524K
160265-13

FIRST USED		08 524J	
DO NOT SCALE DRAWING			
TITLE: DOOR ASM-STORAGE			
SHEET 9		PART NO 160265	REV

524K
160265-14



ANGLE-DOOR, HINGE MOUNT
160585-06-CHT

PLUG-PLASTIC
61420-05-000


HANDLE ASM-COMPT DOOR
160558-01-CHT (2)
SCREW
G39-08-16T (4)

PANEL-VALANCE,OUTER
160263-08-CHT

FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 10	PART NO 160265	REV

524A
524K
160265-15

FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 11	PART NO	REV
	160265	



524A
524J
524K
160265-16

BRACKET ASM-LATCH
160580-02-CHT
RIVET
113133-01-CHT

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-10-CHT


PANEL-VALANCE,OUTER
160263-11-CHT

HANDLE ASM-COMPT DOOR
160558-01-CHT
SCREW
G39-08-16T (2)

HINGE-CONTINUOUS
158982-01-CHT (2)
SCREW
G39-08-08U (8)
RIVET
113133-01-CHT (8)

TRIM-FEATURE,INNER
160605-12-CHT


FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 12	PART NO	REV
	160265	



524K
160265-18

FIRST USED			10 524K					
DO NOT SCALE DRAWING								
TITLE: DOOR ASM-STORAGE								
SHEET 14		PART NO 160265		REV				

524K
160265-19



ANGLE-DOOR, HINGE MOUNT
160585-08-CHT


PLUG-PLASTIC
61420-05-000

HANDLE ASM-COMPT DOOR
160558-01-CHT (2)
SCREW
G39-08-16T (4)


PANEL-VALANCE,OUTER
160263-14-CHT

FIRST USED		
10 524K		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 15	PART NO	REV
	160265	


172626-01-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	084104-01-700	EA	LOCK-MALE, FASTENER
	084104-01-701	EA	LOCK-FEMALE, FASTENER
			VENDOR NO.
			201-721-010
			201-802-010




SECTION AA-AA




VIEW AB-AB




SECTION AD-AD




VIEW AE-AE




SECTION AF-AF



VIEW AK-AK



DETAIL AG




SECTION AC-AC


NOTES:

1. SCREW MUST BE LOCATED WITH 50MM OF RAIL-AWNING SPICE. DRILL ADDITIONAL HOLES AND ADD SCREWS AS REQUIRED.




WINNEBAGO INDUSTRIES		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE	ALL DIMENSIONS ARE IN MILLIMETERS	
CHRR			
P.E.			
M.E.	FIRST USED		
DSNR		10 524K	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ±			
TWO-PLACE (X.XX) ±			
ANGLE ±			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 1 OF 4		PART NO	169013
REF:		1	



SECTION AH-AH




FIRST USED		10 524K	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 2	PART NO	169013	REV



1A3 GENERATOR WITHOUT



FIRST USED			10 524K
DO NOT SCALE DRAWING			
TITLE:			BODY INSTL-SECTIONS
SHEET 3	PART NO	169013	REV



SECTION BG-BG

PANEL-SUPPORT,STEP BOX
151335-03-CHT
BOLT
C26-05-12U(2)
NUT
D39-05-00U(2)

ULOCK-RISER
151437-04-CHT
BOLT
C12-06-20U(3)
NUT
D39-05-00U(3)




STEP ASM (REF)

PANEL-SUPPORT,STEP BOX
151335-01-CHT
BOLT
C26-05-12U(2)
NUT
D39-05-00U(2)

ULOCK-RISER
151437-06-CHT
BOLT
C12-06-20U(2)
NUT
D39-06-00U(2)

ULOCK-RISER
151437-04-CHT
BOLT
C12-06-20U(3)
NUT
D39-06-00U(3)




BRACKET-WHEEL LIP
159433-03-CHT
BOLT
000C23-06-12U
NUT
000D39-06-00U
SCREW
000G39-09-08U (2)

BRACKET ASM
163630-01-CHT
BOLT
G42-04-16U (8)

VIEW BF-BF


2290
FROM DATUM



SECTION BH-BH

ANGLE-FORMED,WHEEL LIP
162135-07-CHT
SCREW
G39-08-08U
113563-01-CHT

GENERATOR INSTL (REF)



SECTION BJ-BJ

ULOCK-RISER
151437-02-CHT
BOLT
000C12-06-20U
PLATE
135712-05-CHT
NUT
000D39-06-00U

GUSSET-TRIM
152243-01-CHT

PLATE-SEAL

FIRST USED			10 524K
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 4	PART NO	169013	REV