


8			7			6			5			4			3			2			1		



RELEASE		REV A	DATE	DWG NO	169016	
REV	ZONE	REVISION RECORD			DATE	DFTR-ORIG


- 1B1 CODES/STANDARDS-USA
- 265 CODES/STANDARDS-CSA/CMVSS
- 43E TOILET-PORCELAIN
- 1JD DRAINAGE SYSTEM-HEATED-W/O
- 23T DRAINAGE SYSTEM-HEATED

8. USE SMOOTH PLUMBERS PUTTY 167459-01-000 TO SEAL STRAINER (.2 PER STRAINER).
7. SECURE VENT PIPE TO FLOOR WITH CLAMP 062401-02-000 (2),SCREW 000G67-10-12B (2), BRACKET 136878-01-01B (2).
6. VENT PIPE MUST PROJECT 51 MIN AND 64 MAX ABOVE ROOF FOR PROPER FIT AND FUNCTION.
ADD S-1 (116666-01-01A SEAL-VENT PIPE) AROUND PIPE ON ROOF BEFORE VENT CAP IS INSTALLED.
5. SEAL AROUND SHOWER WITH SILICONE.
4. SECURE DRAINAGE PIPES TO CABINET USING WIRE TIES 108046-02-000 AND SCREW 000G67-10-12U AT INTERVALS OF NOT MORE THAN 4 FEET APART.
3. ALL PIPE AND FITTINGS TO BE ASSEMBLED WITH SOLVENT 004020-01-000 (USA), 004020-02-000 (CAN)
2. SLOPE OF TRAP ARM MUST BE 6 PER 305 mm.
1. SLOPE OF HORIZONTAL PIPING TO BE MINIMUM OF 3 PER 305 mm.

NOTES:

		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.		FIRST USED	
M.E.		10 524K	
DSNR		MATERIAL:	
UNSPECIFIED TOLERANCES ARE:		THIRD ANGLE PROJECTION	
WHOLE DIM (X) : 3		DO NOT SCALE DRAWING	
ONE-PLACE (X.X) : 1.5		TITLE: DRAINAGE SYSTEM INSTL	
TWO-PLACE (X.XX) : 0.50		SHEET 1 OF 5	
ANGLE : 1°		PART NO 169016	
REF:		1	

FOR
DRAINAGE
CALLOUTS
SEE DWG NO
116229-01-000



FIRST USED		10 524K	
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 2	PART NO	169016	REV

GALLEY SINK
165118-01-01A
SEAL
091255-02-000 (A/R)
STRAINER
092303-01-000
TAILPIECE
011069-03-000
NUT
130403-01-000
WASHER-RUBBER
127440-02-01A

8

ADAPTER-SWIVEL
130685-02-000

ELBOW-ST-PLAS 1 1/2 X 90 DEG.
033761-01-000

ELBOW-1 1/2" SOCKET SLIP FIT
136111-01-000

STRAP-CONDUIT
008406-01-000
SCREW
000G39-08-12B(2)

ELBOW-PLAS 1/4BD 11/2X90 XLT
010008-01-000

VENT- MECHANICAL, TRAP ARM
079968-01-000

STRAP-CONDUIT
008406-01-000
SCREW
000G39-08-12B(2)

STRAP-CONDUIT
008406-01-000
SCREW
000G39-08-12B(2)

TOILET SPRAY
MOUNTING
BRACKET

55

686

1B1 P TRAP-PLAS 1 1/4 W/EXT ARM
107538-02-000
265 TRAP-PLAS 1.5 OR 1.5 X 1.25
011071-01-000
1B1 CONNECTOR 1 1/2P X 1 1/2MPT
152146-01-000

ELBOW-ST-PLAS 1/8BD 1 1/2 X 45
010051-01-000

ADAPTER-SWIVEL
130685-02-000

STRAP-CONDUIT
008406-01-000
LUMBER
052372-F0-144(2)
SCREW
000G67-10-32B(2)

1 1/2" PLASTIC TEE
010071-01-000

PIPE-FLEX, 1 1/2
126426-01-000






ELBOW-1 1/2" SOCKET SLIP FIT
136111-01-000

SHOWER
SURROUND

SECTION F-F
(ROTATED)

VIEW D

FIRST USED			10 524K
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 3	PART NO	169016	REV



VIEW G

VIEW H



FIRST USED		10 524K	
DO NOT SCALE DRAWING			
TITLE: DRAINAGE SYSTEM INSTL			
SHEET 4	PART NO	169016	REV

KEY	PART NUMBER	U/M	DESCRIPTION
	062415-01-700	EA	STRING-SEWER CAP

062415-01-000
VENDOR NO.
V#SV7 STRAP


8		7		6	5	4	3	2	1
DWG NO	SURROUND	RETAINER B	RETAINER C						
147883-01	147677-01-CHT	113714-04-CHT	----						
147883-02	NOT USED	----	NOT USED						
147883-03	NOT USED	NOT USED	----						


RELEASE		REV	DATE	DWG NO	147883
REV	ZONE	REVISION RECORD		DATE	DTFR-ORIG



- NOTES:
1. SHOWER PAN NOT TO BE SUPPORTED BY SCREWS.
 2. CLEAN AND APPLY ADHESIVE PROMOTER 87211-01-000 TO BOTH SURFACES AND BOND WITH TAPE.
 3. DO NOT SCREW THRU SURROUND-SHOWER.
 4. VERTICALLY CENTERED (± 100) BETWEEN END/CORNER TAPE STRIPS.
 5. DO NOT PLACE TAPE ON RADIUS OR ANY RAISED SURFACE.

SEE CHART
FOR COLOR VARIATIONS
OF THIS PART

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		04 322E	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 1			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
SHOWER INSTL-ENCLOSURE			
SHEET 1 of 1		PART NO	REV
		147883	



160815-01-01A

KEY	PART NUMBER	U/M	DESCRIPTION
1	160815-01-700	EA	SEAT & COVER ASSEMBLY
2	152829-01-710	EA	FLUSH NOZZLE - WHITE
3	152829-01-708	EA	VACUUM BREAKER
4	152829-01-707	EA	SEAL - F/WASTE BALL
5	152829-01-706	EA	WASTE BALL - WHITE
6	063740-01-706	EA	BOLT PACKAGE-FLOOR FLANGE
7	160815-01-701	EA	PEDAL - TALL - WHITE
8	160815-01-702	EA	INSERT/PEDAL COVER - WHITE
9	160815-01-703	EA	WATER VALVE
10	160815-01-704	EA	WASTE BALL DRIVE ARM
11	147421-01-707	EA	CAP (UNIVERSAL BOLT) - WHITE
12	132389-01-708	EA	HAND SPRAY KIT-CHROME HEAD


VENDOR NO.
42036
34124
34122
34120
34117
12524 THETFORD
42067
42080
42049
42048
31713
19289

160815-02-01A

KEY	PART NUMBER	U/M	DESCRIPTION
1	160815-01-700	EA	SEAT & COVER ASSEMBLY
2	152829-01-710	EA	FLUSH NOZZLE - WHITE
3	152829-01-708	EA	VACUUM BREAKER
4	152829-01-707	EA	SEAL - F/WASTE BALL
5	152829-01-706	EA	WASTE BALL - WHITE
6	063740-01-706	EA	BOLT PACKAGE-FLOOR FLANGE
7	160815-02-700	EA	PEDAL - SHORT - WHITE
8	160815-01-702	EA	INSERT/PEDAL COVER - WHITE
9	160815-01-703	EA	WATER VALVE
10	160815-01-704	EA	WASTE BALL DRIVE ARM
11	147421-01-707	EA	CAP (UNIVERSAL BOLT) - WHITE


VENDOR NO.
42036
34124
34122
34120
34117
12524 THETFORD
42078
42080
42049
42048
31713

[illegible]




RELEASE		REV	DATE	DWG	NO	169023
REV	ZONE	REVISION RECORD			DATE	DTFR-ORIG

- 29B WATER PURIFIER
- 501 WATER PURIFIER W/O
- 53E WINTERIZING PKG
- 53F WATER HEATER-ELEC. IGN.
- 53B WTR HTR-6GAL ELECTRIC/LP GAS
- 64R EXT WASH STATION
- IJ4 EXT WASH STATION W/O


WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DTFR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		10 524K	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
WATER SYSTEM INSTL			
SHEET 1 OF 4		PART NO 169023	
		REV	

- NOTES:
1. PLASTIC FITTINGS TO BE SEALED WITH SEALANT 084456-01-000.
 2. TUBING TO BE INSTALLED WITH SUFFICIENT SLOPE TO PROVIDE DRAINAGE TO NEAREST VALVE.
 3. ALL TUBING TO BE SECURED AT 1200 INTERVALS MAXIMUM WITH CLAMP 010495-01-000 AND SCREW 000G67-10-12B OR EQUIVALENT.
 4. ADD TEFLON TAPE 010405-01-000.
 5. ADD TEFLON TAPE 010405-02-000.
 6. ADD TEFLON TAPE 010405-03-000.
 7. INSTALL CONNECTOR WITH TAPERED END AWAY FROM FAUCET.
 8. INSTALL BETWEEN MOUNTING PLATE AND RETAINING NUTS.
 9. LAVATORY FAUCET SPOUT TO BE TURNED 180 DEGREES SO CONTROLS ARE ON LEFT SIDE


FOR
WATER
CALLOUTS
SEE DWG NO
116230-01-000




FIRST USED		10 524K	
DO NOT SCALE DRAWING			
TITLE:			
WATER SYSTEM INSTL			
SHEET 2	PART NO	169023	REV





SECTION K-K






SECTION H-H
(ROTATED)





FIRST USED		10 524K	
DO NOT SCALE DRAWING			
TITLE: WATER SYSTEM INSTL			
SHEET 3	PART NO	169023	REV



PLUG-PLASTIC
061420-09-000 (2)(UP TO 09-13-09)




PANEL-SERVICE CENTER
151706-06-12B
SCREW
000G39-10-08B (7)



DATUM

FIRST USED			10 524K
DO NOT SCALE DRAWING			
TITLE:			WATER SYSTEM INSTL
SHEET 4	PART NO	169023	REV




051391-03-000

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
3	051393-01-701	EA	SWITCH - REMOTE - W/LIGHT	91959
4	051391-01-704	EA	VALVE-RELIEF, 1/2" FITTING	91604
4	051391-03-701	EA	VALVE-RELIEF - 3/4" FITTING	90028
5	051391-01-705	EA	FASTENER-CAMLOCK	92609
6	051391-04-701	EA	THERMOSTAT 12V DC-120 PRESET	91470
7	051393-01-721	EA	THERMOSTAT W/ECO, 140 FRT MT	91447
9	051391-04-707	EA	KIT-EXHAUST, (FLUE & GASKET)	90960
10	051391-01-710	EA	ORIFICE-MAIN BURNER	92742
12	051391-04-703	EA	BURNER-MAIN/ELECTRONIC IG	91638
13	051391-01-714	EA	FITTING-ELBOW 45,3/8F X 3/8	MPT 1044
14	051391-03-700	EA	HOLDER-ORIFICE	91563
16	051391-01-715	EA	PLUG-DRAIN, 1 EA = 2 PER PKG	91857
17	051391-01-700	EA	HINGE KIT, (PIN & CLIP)	92568&92559
18	051391-04-706	EA	TANK-G6A-4E/6E/7E/8E-FRT.MT	91641 - INNER
	051391-01-717	EA	GRILLE-WATER HEATER DOOR	92640
	051393-01-723	EA	SWITCH - THERMAL CUTOUT 2/PK	93866 WAS 93853
	051393-01-724	EA	BOARD-CIRCUIT,SPADE TERMINAL	93865
	051393-01-725	EA	ELECTRODE-SGL SPADE CONNECT.	93868
	051393-01-726	EA	VALVE/SOLENOID - W/O BRACKET	93870
	111129-01-711	EA	BRACKET-CORNER, SET OF FOUR	91928
			CONTACT WINNEBAGO PARTS SALES FOR UNLISTED COMPONENT(S)	

129390-03-02A			
KEY	PART NUMBER	U/M	DESCRIPTION
	129390- 03- 702	EA	CONNECTOR-SWIVEL - CHROME
	129390- 03- 703	EA	VACUUM BREAKER - CHROME
	129390- 03- 705	EA	BRACKET-HANGER/SHOWER HEAD
VENDOR NO.			
			A-4002-CPK
			A-4900C
			AS5001PK - CHROME

129390-04-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	129390-04-700	EA	CONNECTOR-SWIVEL - WHITE
VENDOR NO.			
			A-4002PK



145541-02-000

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	145541-02-700	EA	TANK/SERVICE KIT PCS- 6 GAL	91053
2	051391-04-707	EA	KIT-EXHAUST, (FLUE & GASKET)	90960
3	051391-01-715	EA	PLUG-DRAIN, 1 EA = 2 PER PKG	91857
4	051391-01-704	EA	VALVE-RELIEF, 1/2" FITTING	91604
4	051391-03-701	EA	VALVE-RELIEF - 3/4" FITTING	90028
9	051393-01-726	EA	VALVE-SOLENOID - W/O BRACKET	93870
11	051393-01-701	EA	SWITCH - REMOTE - W/LIGHT	91959
11	145541-01-701	EA	SWITCH - ON/OFF - WHITE	91859
12	145541-01-702	EA	CIRCUIT BOARD	91226
15	145541-01-703	EA	SWITCH - THERMAL CUT OFF	93866
16	051393-01-725	EA	ELECTRODE-SGL SPADE CONNECT.	93868
17	051393-01-721	EA	THERMOSTAT W/ECO, 140 FRT MT	91447
	051391-05-706	EA	ELEMENT-HEATING 1500 WATT	92249 W/GASKET
	145541-01-704	EA	RELAY	90061
	145541-02-701	EA	JUNCTION BOX(PLASTIC) 6 GAL	91222
			CONTACT WINNEBAGO PARTS SALES FOR UNLISTED COMPONENT(S)	

KEY	PART NUMBER	U/M	DESCRIPTION
	171481-01-700	EA	CARTRIDGE

171481-01-01A
VENDOR NO.
97705-VALVE

KEY	PART NUMBER	U/M	DESCRIPTION
	171481-01-700	EA	CARTRIDGE
	171482-01-700	EA	HANDLE
	171482-01-701	EA	SPRAYER

171482-01-01A
VENDOR NO.
97705-VALVE
97700H-NI
97700SP-NI