

D

C

B


A

D

C

B

A



SECTION A-A
(TYPICAL)

- 26F

26H

26J

27G

92K
- DOOR COMPL-ENTRANCE,MID
DWG# 132206-21-XXX
PART# P32206-21-XXX
- 24B

24C


24H

24L

27A

92A
- DWG# 132206-21-XXX
PART# M09571-01-XXX
GARNISH
139100-09-01A WHT
139100-09-02A BLK
139101-07-01A WHT
139101-07-02A BLK
EXTR
100885-51-007
100885-51-020
TUBE-NOTCHED
139086-01-01A (2)
SCREW
000G39-10-12T (12)
CONTACT ASM
138897-01-000

BUMPER-RUBBER, ROUND END
117046-02-000(2)



DETAIL B

- 7
- DOOR ASM-VALANCE
160265-07-XXX)
SEAL
107721-07-000
(1100mm)(2)
KEEPER-LATCH
163586-01-02B(2)
SCREW
000G39-10-12B(12)

BUMPER
153498-01-02A

- PANEL ASM-VALANCE
161405-01-XXX
RETAINER-SCREW
118383-01-13A WHT (2)
118383-01-14A PWT
CAP-SCREW RETAINER
118383-04-13A WHT (2)
118383-04-14A PWT (2)

- WHEEL LIP
160620-01-XXX
TAPE-FOAM,DBL COATED.045X.50
076322-21-000
HINGE-CONTINUOUS,2" WIDE BLK
158982-01-04B

- CATCH-DOOR HOLDER
104099-02-05A BLK (2)
104099-02-06A PWT (2)
RIVET
118626-01-CHT (8)

- KEEPER-LATCH
163586-01-02B (2)
SCREW
000G39-10-12B (4)

- DOOR ASM-STORAGE
160265-02-XXX
SEAL
132892-08-XXX
(1000)
SCREW
000G39-10-12B(11)

BUMPER
117046-02-000 (2)

- 26F

26H

26J

27G

92K

DOOR ASM-STORAGE
DWG# 159033-06-XXX
PART# M09603-05-XXX
PART# M09603-06-XXX

24B

24C

24H

24L

27A

92A

GARNISH
154555-04-01A WHT
154555-04-02A BLK
154555-05-01A WHT
154555-05-02A BLK
154555-06-01A WHT
154555-06-02A BLK
SCREW
000G39-08-24B (19)

- DOOR INSTL-REFRIG VENT
090868-01-000

- CATCH-DOOR HOLER
104099-02-05A BLK
104099-02-06A PWT
SCREW
000G39-08-170 (4)

- CATCH-DOOR HOLDER
104099-03-05A BLK (2)
104099-03-06A PWT (2)
SCREW
000G39-08-170 (8)

- 1E2

STEP ASM-ELECTRIC, DOUBLE
094707-04-01A
GROUND BOLT
151004-01-000

- PANEL ASM-HOLDING TANKS
147784-10-000

- TREAD STEP,RUBBER
133114-03-01A
STEP BOX
151332-03-XXX
LID ASM-ENTRANCE STEP
104005-08-XXX
LATCH ASM
116975-01-01A

- COMPARTMENT-SEWER
123664-01-01A

- PANEL ASM-HOLDING TANKS
147784-06-000

- COMPARTMENT ASM-DRAINAGE
151643-05-XXX
ANGLE-FORMED,DRAINAGE COMPT
153146-01-02B
BOLT
000C26-06-12B (2)
HATCH ASM,POWER
142226-02-01A

- PANEL ASM WHEEL LIP
160620-04-XXX
TAPE-FOAM,DBL COATED.045X.50
076322-21-000
HINGE-CONTINUOUS,2" WIDE BLK
158982-01-04B

- PLATE-SEAL
152031-04-02B
RIVET-POP
113133-02-CHT (12)
WASHER
000E13-10-00B (12)
SEAL
132892-07-000
(1700)
107721-07-000 (1100)
SCREW
000G39-08-08B (5)
KEEPER-LATCH
163586-01-02B(2)
SCREW
000G39-10-12B(4)

- PANEL-VALANCE,DOOR
160265-05-XXX
KEEPER-LATCH
163586-01-02B (2)
SCREW
000G39-10-12B (17)

- PANEL-VALANCE,DOOR
160265-06-XXX
SCREW
000G39-10-12B (2)

- DOOR ASM-STORAGE
160265-01-XXX
CABLE ASM
076767-16-000
RIVET
118626-01-CHT (2)
SCREW
000G39-10-12B (11)

- 7

PREP SURFACE WITH 087211-01-000. APPLY 15 PSI FORCE TO SEAL.
- 6

TORQUE GROUND BOLT TO 26 FT-LBS.
- 5

DOOR TO BE A MINIMUM OF 200mm AWAY FROM FURNACE VENT WHEN OPEN.
- 4

DOOR TO BE MINIMUM OF 150mm AWAY FROM WATER HEATER WHEN OPEN.
- 3

USE ADHESIVE 119938-02-000 FOR CARPET INSTALLATION.
- 2

TRI MARK "KEY ONE"
SEAL: P/N 138292-01-000 USE ON ENTRANCE DOOR.
KEY: P/N 138288-11 THRU -20
ENTRANCE DOOR CYLINDER LOCK: P/N 138287-11 THRU -20
VALANCE: P/N 138289-11-000 THRU -20

MATCH LAST DIGIT OF V.I.N. # WITH TAB NUMBER
EXAMPLE: V.I.N. # TAB NUMBER
USE: 138287-15-000
138288-15-000
138289-15-000
- 1


SEE BODY INSTL-SECTIONS DWG 167036 FOR SECTION BA-BZ

NOTES:

RELEASE	REV DATE	DWG NO	169630
REV ZONE	REVISION RECORD	DATE	DFTR.Orig

(1E2) ENTRANCE STEP-ELEC.


WINNEBAGO INDUSTRIES		COPYRIGHT 2010 WINNEBAGO INDUSTRIES, INC.	
DFTR	ORIG. DATE		
CHGR	ALL DIMENSIONS ARE IN MILLIMETERS		
P.E.	FIRST USED		
M.E.	10 524P		
DSNR	UNSPECIFIED TOLERANCES ARE:		
WHOLE DIM (X) : 3		MATERIAL:	
ONE-PLACE (X.X) : 1.5			
TWO-PLACE (X.XX) : 0.50			
ANGLE : 1°			
THIRD ANGLE PROJECTION		REFER TO ES0018 FOR FASTENER TIGHTENING GUIDELINES	
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-DOORS & COMPTS			
SHEET 1 OF 1	PART NO	169630	REV
REF:		1	



090868-01

- 224V
- 229T
- 231C
- 231J
- 231N
- 329B
- 331C
- 524DL
- 524K
- 524P
- 728B
- 730C
- D31E
- D35J
- D37L
- E30W
- E32K
- H25R
- J35Z
- J38N

GEN MOTORHOMES



094707-04-01A

KEY	PART NUMBER	U/M	DESCRIPTION	VENDOR NO.
1	094707-04-701	EA	MOTOR "AM 214" F/IMGL STEPS	1101428
1	094707-04-703	EA	GEAR BOX W/LINKAGE-CURVED	1101425
2	143709-01-700	EA	CAM STOP	1102200
10	094707-04-712	EA	HARNESS/JUMPER W/DIODE	1510000015
12	094707-04-702	EA	COTTOR PIN - W/CLEVIS PIN	905205000
13	143709-01-701	EA	BUMPER - BLACK (RUBBER STOP)	1602000
14	094707-04-700	EA	CONTROL UNIT W/OVERRIDE	909510000
16	143709-01-702	EA	TREAD/NON-SKID 6" X 21" BLK	1915260
17	094707-04-704	EA	FRAME W/DBL STEP-32REINF SRS	3202082
18	088746-01-705	EA	LIGHT-UNDER STEP	9004
	094707-03-701	EA	PLUG - 4-WAY - PACKARD	909306
	094707-04-711	EA	KWIKTEST - W/4-WAY PIGTAIL	909518000
			CONTACT WINNEBAGO PART SALES FOR UNLISTED COMPONENT(S)	

SUPPORT-LID, ENTRANCE STEP
123330-05-CHT
SCREW
G11-10-12D(14)

TREAD-STEP,RUBBER
147781-01-CHT
ADHESIVE
142550-02-000

104005-08-XXX
28E 200-SERIES
300-SERIES
500-SERIES
700-SERIES


CABINET ASM-LID, ENT STEP
141558-01-XXX

BRACKET-CATCH,LID
146747-01-CHT(2)
SCREW
G11-10-12D(4)

1. CENTER TREAD-STEP,RUBBER ON BOARD.





28E EXTERIOR ACCESSORY PACKAGE

FIRST USED			04 300-SERIES		
TITLE:			DO NOT SCALE DRAWING		
			LID ASM-ENTRANCE STEP		
SHEET 8		PART NO	104005		REV



00 MOTORHOMES

DOOR COMPL-ENTRANCE,MID



DETAIL L 300-SERIES 500-SERIES 700-SERIES

LATCH ASM-EXTERIOR
112782-20-01A
GASKET
112782-04-01A

ACTUATOR
138898-01-000
SCREW
000G12-06-20B (2)
BRACKET-ACTUATOR
113650-02-02B
SCREW
000G11-06-06B (4)
ROD
113651-01-01A

WIRE ASM-POWERLOCKS
139036-01-000

CONTACT ASM
138897-01-000
SCREW
000G39-06-08B (4)

EXTR-C-CHANNEL
134990-51-002
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

CATCH
SCREW
000G11-08-08T (3)

CHANNEL-W/NOTCH
171283-01-01A
(INSERT INTO FOAM
UNTIL TOP SURFACE
EVEN WITH CUTOUT)

BOLT-STRIKER
092927-20-000

PLUG-PLASTIC
061420-14-000

LATCH-SINGLE ROTARY
112782-22-01A
SCREW
140040-01-000 (3)


STIFFENER M
132207-01-02B 300 & E30W,E32K W/64V
132207-03-02B 500,700
NUTSERT
072893-04-000 (8)
SCREW
075908-01-000 (8)

LATCH-INTERIOR PLATE
112782-27-01A
CAP-VINYL
112782-05-01A
SCREW
112782-08-01A (3)


SPACER-NOTCHED
137230-01-01A
(INSERT INTO FOAM UNTIL
TOP SURFACE EVEN WITH CUTOUT)

COVER-LOCK
113960-01-01A
SCREW
000G11-08-08B (4)

FIRST USED	
00 MOTORHOMES	
DO NOT SCALE DRAWING	
TITLE: DOOR COMPL-ENTRANCE,MID	
4	PART NO 132206



500-SERIES
700-SERIES
132208-06-XXX




SECTION B-B


SECTION A-A

FIRST USED		
05 700-SERIES		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-SCREEN		
SHEB3	PART NO	REV
	132208	

KEY	PART NUMBER	U/M DESCRIPTION	142226-02-01A VENDOR NO
	142226-02-700	EA TAB/LOCKING - ESCAPE (RED)	9667709



RELEASE		REV	DATE	DWG NO	160265
REV	ZONE	REVISION RECORD			DATE
					DFTR-ORIG

WINNEBAGO® I N D U S T R I E S		COPYRIGHT 2009 WINNEBAGO INDUSTRIES, INC.	
DFTR		ORIG. DATE	
CHKR		ALL DIMENSIONS ARE IN MILLIMETERS	
P.E.			
M.E.		FIRST USED	
DSNR		08 524J	
UNSPECIFIED TOLERANCES ARE:		MATERIAL:	
WHOLE DIM (X) ± 3			
ONE-PLACE (X.X) ± 1.5			
TWO-PLACE (X.XX) ± 0.50			
ANGLE ± 1°			
THIRD ANGLE PROJECTION			
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET 1 OF 15		PART NO	REV
		160265	

1. ADHESIVE TO BOND THE INNER AND OUTER PANELS TOGETHER IS HOT MELT 110259-02-000 (.25 LBS).

NOTES:

524J
524P
160265-02

HINGE-CONTINUOUS
158982-01-CHT (3)
SCREW
G39-08-08U (12)
RIVET
113133-01-CHT (12)

TRIM-FEATURE,INNER
160605-01-CHT

BRACKET ASM-LATCH
160580-08-CHT
RIVET
113133-01-CHT

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-02-CHT

LATCH-SINGLE ROTOR
149359-05-CHT
BOLT
C12-04-16U (2)

ANGLE-DOOR, HINGE MOUNT
160585-01-CHT

BRACKET ASM-LATCH
160580-04-CHT
RIVET
113133-01-CHT

LATCH ASM-TWISSET
138290-04-000
WASHER-SPUR,LOCKING
148817-01-000


PLUG-PLASTIC
61420-05-000

PANEL-VALANCE,OUTER
160263-02-CHT

HANDLE ASM-COMPT
160558-01-CHT (2)
SCREW
G39-08-16T (4)

FIRST USED		
08 524J		
DO NOT SCALE DRAWING		
TITLE:		
DOOR ASM-STORAGE		
SHEET 2	PART NO	REV
	160265	


524P
160265-05




FIRST USED				08 524J			
DO NOT SCALE DRAWING							
TITLE: DOOR ASM-STORAGE							
SHEET 3				PART NO 160265		REV	

524P
160265-06


HINGE-CONTINUOUS
158982-01-CHT
SCREW
G39-08-08U (4)
RIVET
113133-01-CHT (4)




TRIM-FEATURE, INNER
160605-07-CHT



BRACKET-VALANCE
160713-03-CHT (2)
TAPE
76322-21-000
(LENGTH = 400) (2)



ANGLE-DOOR, HINGE MOUNT
160585-04-CHT



PANEL-VALANCE, OUTER
160263-06-CHT

FIRST USED		08 524J	
DO NOT SCALE DRAWING			
TITLE:			
DOOR ASM-STORAGE			
SHEET 4	PART NO	160265	REV

524A
524J
524K
524P
160265-07

FIRST USED			08 524J
DO NOT SCALE DRAWING			
TITLE:			DOOR ASM-STORAGE
SHEET 5	PART NO	160265	REV

HINGE-CONTINUOUS
158982-01-CHT (2)
SCREW
G39-08-08U (8)
RIVET
113133-01-CHT (8)

TRIM-FEATURE,INNER
160605-05-CHT

ANGLE-DOOR, HINGE MOUNT
160585-05-CHT

BRACKET ASM-LATCH
160580-04-CHT
RIVET
113133-01-CHT

BRACKET ASM-LATCH
160580-02-CHT
RIVET
113133-01-CHT

PLUG-PLASTIC
61420-05-000

LATCH ASM-TWIST
138290-04-000
WASHER-SPUR,LOCKING
148817-01-000 (2)

LATCH-SINGLE ROTOR
149359-06-CHT
BOLT
C12-04-16U (2)

HANDLE ASM-COMPT
160558-01-CHT (2)
SCREW
G39-08-16T(4)

LATCH-SINGLE ROTOR
149359-05-CHT
BOLT
C12-04-16U (2)

PANEL-VALANCE,INNER
160264-06-CHT

PANEL-VALANCE,OUTER
160263-07-CHT

172626-01-01A			
KEY	PART NUMBER	U/M	DESCRIPTION
	084104-01-700	EA	LOCK-MALE, FASTENER
	084104-01-701	EA	LOCK-FEMALE, FASTENER
			VENDOR NO.
			201-721-010
			201-802-010

DETAIL AJ

BRACKET ASM-ROOFCAP,LH
160632-02-02B

SCREW
000G39-10-16B (10)

SCREW
000G39-10-12B (10)

BRACKET-CAP ATTACHMENT
134774-03-02B (5)

BRACKET ASM-ROOF CAP,RH
160632-01-02B

2210

SECTION AH-AH

33F WHEELWELL-STEEL
P51877-03-02B
SCREW
000G67-10-12B (9)

FLOOR ASM

SECTION AN-AN

BRACKET ASM-ROOF CAP,RH

SCREW
000G39-10-12B (5)

SCREW
000G39-10-08B (6)

SIDEWALL ASM

DETAIL AJ (RH SHOWN)
(LH SIMILAR)

TRANSITION-CORNER (REF)

PANEL-TRANSITION (REF)


SCREW REF

ANGLE REF


SECTION AK-AK

33F GEN-3.2 KW ONAN DIESEL


FIRST USED			10 524P
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 2	PART NO	169632	REV




SECTION BA-BA




SECTION BB-BB



SECTION BP-BP



SECTION BK-BK (ROTATED)



VIEW BE-BE

1A3 GENERATOR WITHOUT

FIRST USED			10 524P
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 3	PART NO	169632	REV

GUSSET-TRIM
152243-04-02B
SCREW
000G39-08-12B (4)

TRAY-MTG,SLIDE-MECHANISM

BRACKET-SUPPORT,CLOSEOUT
153348-01-02B (2)
SCREW
000G39-08-12B (2)

SECTION BG-BG

ANGLE-FROMED,WHEEL LIP
162135-03-02B
SCREW
000G39-08-08B
113563-01-CHT

ANGLE-DOOR, FURNACE
140309-01-02B(2)
SCREW
000G39-08-08B(4)

SECTION BH-BH

ANGLE-DOOR, FURNACE
140309-03-02B (2)
SCREW
000G39-08-12B (8)

ULOCK-RISER
151437-04-01A
BOLT
000C12-06-20B(3)
NUT
000D39-05-00B(3)

PANEL-SUPPORT,STEP BOX
151335-01-01A
BOLT
000C26-05-12B(2)
NUT
000D39-05-00B(2)

PANEL-SUPPORT,STEP BOX
151335-01-01A
BOLT
000C26-05-12B(2)
NUT
000D39-05-00B(2)

ULOCK-RISER
151437-04-01A
BOLT
000C12-06-20B(3)
NUT
000D39-06-00B(3)

BRACKET-WHEELIP
159433-03-02B
BOLT
000C26-06-12B
NUT
000D39-06-00B
SCREW
000G39-08-08B (2)

BRACKET ASM
163630-01-02B
SCREW
000G42-04-16B (8)
SCREW
000G39-08-12B (2)
STRAP-W/SLOTS
161747-01-02B
SCREW
000G39-08-08B (2)

STEP ASM (REF)

2290
FROM DATUM

VIEW BF-BF

FIRST USED			10 524P
DO NOT SCALE DRAWING			
TITLE: BODY INSTL-SECTIONS			
SHEET 4	PART NO	169632	REV